



FOREST PLOTS med risk of bias

PICO 1: Antidepressiv medicin til behandling af patienter med Borderline Personlighedsforstyrrelse


Borderline svarhedsgrad




Socialt funktionsniveau




Drop out




Selvmords adfærð



Interpersonelle problemer




Symptombelastning




PICO 2: Behandling med stemningsstabiliserende medicin til patienter med Borderline Personlighedsforstyrrelse

Borderline sværhedsgrad




Socialt funktionsniveau



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Vested interest bias
- (H) Other sources of bias?


Interpersonelle problemer




Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Vested interest bias
- (H) Other sources of bias?


Drop-out



Symptombelastning




Skadevirkninger:




PICO 3 Antipsykotisk behandling til patienter med Borderline Personlighedsforstyrrelse


Socialt funktionsniveau




Borderline sværhedsgrad




Interpersonelle problemer




Drop-out




Selvmordsadfærd



Skadenvirkninger totalt




Symptombelastning



Skadevirkninger:


Forøget appetit




Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Vested interest bias
- (H) Other sources of bias?


Hovedpine




Svimmelhed:




Forstyrrelse i opmærksomhedsevnen




Træthed




Søvnforstyrrelse




Indsovningsproblemer




Angst



Kvalme



Generelt ubehag



Risk of bias legend
(A) Random sequence generation (selection bias)

(B) Allocation concealment (selection bias)

(C) Blinding of participants and personnel (performance bias)

(D) Blinding of outcome assessment (detection bias)


(E) Incomplete outcome data (attrition bias)

(F) Selective reporting (reporting bias)


(G) Vested interest bias

(H) Other sources of bias?


Forstoppelse



Mundtørhed




PICO 4 Psykoedukation til patienter med Borderline Personlighedsforstyrrelse



PICO 8: Individuelle kriseplaner til patienter med Borderline Personlighedsforstyrrelse


Socialt funktionsniveau



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Vested interest bias
- (H) Other sources of bias?

Selvmordsforsøg



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Vested interest bias
- (H) Other sources of bias?