

Søgeprotokol for national klinisk retningslinje om førstegangsfødende med dystoci (manglende fremgang)

| | |
|--|---|
| Baggrund | <p>I Danmark er behandling af fødende med vestimulerende medicin pga vesvækkelse (dystoci) udbredt. Således får ca. 30 % af de førstegangsfødende (ca. 10.000 ud af 30.000 årligt) og 8 % af de flergangsfødende (ca. 2.500 ud af 30.000 årligt) denne behandling. Formålet med ve-stimulationen er at afkorte fødselsforløbet mhp. at nedsætte risikoen for kejsersnit pga udtrættet livmoder, at nedsætte risikoen for iltmangel hos fosteret og at give kvinden en bedre fødselsoplevelse.</p> <p>Der foreligger imidlertid ikke opdaterede landsdækkende retningslinjer, der beskriver god klinisk praksis mht. brug af ve-stimulation ved vesvækkelse.</p> <p>Den nationale kliniske retningslinje vil fokusere på udvalgte problemstillinger ved anvendelse af vestimulerende medicin . Fokus for retningslinjen vil blive indsnævret yderligere på første arbejdsgruppemøde under hensyntagen til de tids- og omfangsmæssige rammer for udarbejdelse af nationale kliniske retningslinjer. De nationale kliniske retningslinjer vil så vidt muligt tage udgangspunkt i eksisterende danske og udenlandske retningslinjer, metaanalyser mv.</p> |
| søgetermer | <p>Engelsk: labor,labour,delivery, birth, oxytocin,syntocinon, dystocia,obstructed,delayed,prolonged, slow progress,duration,intervention, obstetric complications,high-dose, low-dose,epidural,acupuncture,fluid, drink*,rebozo, amniotomy, arm, augmentation, time-factor Dansk: dystoci Norsk: dystoci</p> |
| Inklusions- og eksklusionskriterier | <p>Sprog: Engelsk, dansk, norsk og svensk År: de sidste 10 år, (2002 -2013) Population: Publikationstyper: Guidelines, practice guidelines, clinical guidelines, MTV</p> |

Informationskilder

| Database | Interface | Antal fund | Dato for søgning |
|---|------------------|-------------------|-------------------------|
| G-I-N International | Internet | 9 | 23. januar 2014 |
| NICE (UK) | Internet | 21 | 23. januar 2014 |
| National Guideline Clearinghouse (USA) | Internet | 32 | 23. januar 2014 |
| Scottish Intercollegiate Guidelines Network (SIGN) | Internet | 0 | 23. januar 2014 |
| HTA Databasen | Internet | 3 | 23. januar 2014 |
| SBU, Sverige | Internet | 0 | 23. januar 2014 |
| Socialstyrelsen, Sverige | Internet | 2 | 23. januar 2014 |
| Helsedirektoratet, Norge | Internet | 0 | 23. januar 2014 |
| Kunnskapscentret, Norge | Internet | 2 | 23. januar 2014 |

| Database | Interface | Antal fund | Dato for søgning |
|-----------------|------------------|-------------------|-------------------------|
| Medline | Ovid | 56 +29 | 23. januar 2014 |
| EMBASE | Ovid | 208 +132 | 23. januar 2014 |

Note: Subject headings og inklusions- og eksklusionskriterier er tilpasset de enkelte databaser.

Søgestrategi

GIN, 29 fund

| 92% | Dystocia and augmentation of labor. American College of Obstetricians and Gynecologists. NGC:005722 | AHRQ (US) - Agency for Healthcare Research and Quality | Guideline Clearing Report | Dec 01, 2003 | United States | Published | |
|-----------|--|---|---------------------------|--------------|--------------------|----------------|--|
| 85% | Active management of the third stage of labour: prevention and treatment of postpartum hemorrhage. Society of Obstetricians and Gynaecologists of Canada. NGC:007501 | AHRQ (US) - Agency for Healthcare Research and Quality | Guideline Clearing Report | Oct 01, 2009 | Canada | Published | |
| Relevance | Title | Organisation | Type | Date | Relevant Countries | Status | |
| 100% | Preterm labour and birth (CG) | NICE (UK) - National Institute for Health and Care Excellence | Guideline | Jun 30, 2016 | United Kingdom | In development | |
| 95% | WHO recommendations for induction of labour. World Health Organization. NGC:009555 | AHRQ (US) - Agency for Healthcare Research and Quality | Guideline Clearing Report | Jan 01, 2011 | International | Published | |
| 94% | Induction of labour (CG70) | NICE (UK) - National Institute for Health and Care Excellence | Guideline | Jul 01, 2008 | United Kingdom | Published | |
| 92% | Tocolysis for women in preterm labour. Royal College of Obstetricians and Gynaecologists. NGC:008290 | AHRQ (US) - Agency for Healthcare Research and Quality | Guideline Clearing Report | Feb 01, 2011 | United Kingdom | Published | |
| 100% | Quitting smoking in pregnancy and following childbirth (PH26) | NICE (UK) - National Institute for Health and Care Excellence | Guideline | Jun 01, 2010 | United Kingdom | Published | |
| 100% | Intrapartum care (CG55) | NICE (UK) - National Institute for Health and Care Excellence | Guideline | Oct 30, 2014 | United Kingdom | Under review | |
| 98% | Intrapartum care for high risk women (CG) | NICE (UK) - National Institute for Health and Care Excellence | Guideline | Nov 30, 2014 | United Kingdom | In development | |

NICE, 21 fund

- **Preterm labour and birth**

The summary of the in development clinical guideline on Preterm **labour** and birth. It links to the key documents, details of NICE staff and external stakeholders involved in developing NICE guidance.

- **Referred Intrapartum care for high risk women**

The summary of the referred clinical guideline on Intrapartum care for high risk women. It links to the referred guidance and key documents.

- **In progress Intrapartum care**

The summary of the in development clinical guideline on Intrapartum care. It links to the key documents, details of NICE staff and external stakeholders involved in developing NICE guidance.

- **Guidance issued** **Antibiotics for early-onset neonatal infection (CG149)**

The summary of the published clinical guideline on Antibiotics for early-onset neonatal infection. It links to the published guidance and key documents.

[View the summary and implementation tools](#) 22 August 2012

-
- Full Guidance
 - NICE Guidance

-  Information for the public

- **Guidance issued** **Epilepsy (CG137)**

The summary of the published clinical guideline on Epilepsy. It links to the published guidance and key documents.

[View the summary and implementation tools](#) 11 January 2012

-
- Full Guidance
 - NICE Guidance

-  Information for the public

- **Guidance issued** **Caesarean section (CG132)**

The summary of the published clinical guideline on Caesarean section. It links to the published guidance and key documents.

[View the summary and implementation tools](#) 23 November 2011

-
- Full Guidance
 - NICE Guidance

-  Information for the public

- **Guidance issued** **Multiple pregnancy (CG129)**

The summary of the published clinical guideline on Multiple pregnancy. It links to the published guidance and key documents.

[View the summary and implementation tools](#) 28 September 2011


-
- Full Guidance
 - Quick reference guide
 - NICE Guidance

-  Information for the public

- **Guidance issued** **Pregnancy and complex social factors (CG110)**

The summary of the published clinical guideline on Pregnancy and complex social factors. It links to the published guidance and key documents.


[View the summary and implementation tools](#) 22 September 2010

- Full Guidance
- Quick reference guide
- NICE Guidance
-  Information for the public

- **Guidance issued** **Hypertension in pregnancy (CG107)**

The summary of the published clinical guideline on Hypertension in pregnancy. It links to the published guidance and key documents.


[View the summary and implementation tools](#) 25 August 2010

- Full Guidance
- Quick reference guide
- NICE Guidance
-  Information for the public

- **Guidance issued** **Induction of labour (CG70)**

The summary of the published clinical guideline on Induction of **labour**. It links to the published guidance and key documents.

[View the summary and implementation tools](#) 23 July 2008

- Full Guidance
- Quick reference guide
- NICE Guidance
-  Information for the public

1
2
Next

- **Antenatal care (CG62)**

The summary of the published clinical guideline on Antenatal care. It links to the published guidance and key documents.

[View the summary and implementation tools](#) 26 March 2008

- Full Guidance

-
- Quick reference guide
 - NICE Guidance

-  Information for the public

- **Guidance issued** **Diabetes in pregnancy (CG63)**

The summary of the published clinical guideline on Diabetes in pregnancy . It links to the published guidance and key documents.

[View the summary and implementation tools](#) 26 March 2008

- Full Guidance
- Quick reference guide
- NICE Guidance

-  Information for the public

- **Guidance issued** **Intrapartum care (CG55)**

The summary of the published clinical guideline on Intrapartum care. It links to the published guidance and key documents.

[View the summary and implementation tools](#) 26 September 2007

- Full Guidance
- Quick reference guide
- NICE Guidance

-  Information for the public

- **Guidance issued** **Faecal incontinence (CG49)**

The summary of the published clinical guideline on Faecal incontinence. It links to the published guidance and key documents.

[View the summary and implementation tools](#) 27 June 2007

- Full Guidance
- Quick reference guide
- NICE Guidance

-  Information for the public

- **Guidance issued** **Antenatal and postnatal mental health (CG45)**

The summary of the published clinical guideline on Antenatal and postnatal mental health. It links to the published guidance and key documents.

[View the summary and implementation tools](#) 28 February 2007

- Full Guidance

-
- [Quick reference guide](#)
 - [NICE Guidance](#)

-  [Information for the public](#)

- **Guidance issued** [Bipolar disorder \(CG38\)](#)

The summary of the published clinical guideline on Bipolar disorder . It links to the published guidance and key documents.

[View the summary and implementation tools](#) 26 July 2006

- [Full Guidance](#)
- [Quick reference guide](#)
- [NICE Guidance](#)

-  [Information for the public](#)

- **Guidance issued** [Postnatal care \(CG37\)](#)

The summary of the published clinical guideline on Postnatal care. It links to the published guidance and key documents.

[View the summary and implementation tools](#) 20 July 2006

- [Full Guidance](#)
- [Quick reference guide](#)
- [NICE Guidance](#)

-  [Information for the public](#)

- **Guidance issued** [Epilepsy \(CG20\) \(replaced by CG137\)](#)

The summary of the published clinical guideline on Epilepsy. It links to the published guidance and key documents.

[View the summary and implementation tools](#) 01 October 2004

- **Guidance issued** [Caesarean section \(replaced by CG132\) \(CG13\)](#)

The summary of the published clinical guideline on Caesarean section (replaced by CG132). It links to the published guidance and key documents.

[View the summary and implementation tools](#) 01 April 2004

- **Guidance issued** [Induction of labour \(D\) \(replaced by CG70\)](#)

The summary of the published clinical guideline on Induction of **labour**. It links to the published guidance and key documents.

[View the summary and implementation tools](#) 01 June 2001

National Guideline Clearinghouse, 9 + 23 fund

- | | | |
|----|---|--|
| 1. | <p>Shoulder dystocia. 2005 Dec (revised 2012 Mar). NGC:009057 Royal College of Obstetricians and Gynaecologists - Medical Specialty Society. View all guidelines by the developer(s)</p> | <p>Compare Selected <input type="checkbox"/></p> |
| 2. | <p>Dystocia and augmentation of labor. 2003 Dec (reaffirmed 2009). NGC:005722 American College of Obstetricians and Gynecologists - Medical Specialty Society. View all guidelines by the developer(s)</p> | <p>Compare Selected <input type="checkbox"/></p> |
| 3. | <p>Management of labor. 2005 Oct (revised 2013 Mar). NGC:009775 Institute for Clinical Systems Improvement - Nonprofit Organization. View all guidelines by the developer(s)</p> | <p>Compare Selected <input type="checkbox"/></p> |
| 4. | <p>Episiotomy. 2006 Apr (reaffirmed 2008). NGC:005706 American College of Obstetricians and Gynecologists - Medical Specialty Society. View all guidelines by the developer(s)</p> | <p>Compare Selected <input type="checkbox"/></p> |
| 5. | <p>Perioperative care of the pregnant woman. Evidence-based clinical practice guideline. 2011. NGC:009002 Association of Women's Health, Obstetric, and Neonatal Nurses - Professional Association. View all guidelines by the developer(s)</p> | <p>Compare Selected <input type="checkbox"/></p> |
| 6. | <p>The management of third- and fourth-degree perineal tears. 2001 Jul (revised 2007 Mar; reaffirmed 2010). NGC:005921 Royal College of Obstetricians and Gynaecologists - Medical Specialty Society. View all guidelines by the developer(s)</p> | <p>Compare Selected <input type="checkbox"/></p> |
| 7. | <p>Operative vaginal delivery. 2000 Oct (revised 2011 Jan). NGC:008285 Royal College of Obstetricians and Gynaecologists - Medical Specialty Society. View all guidelines by the developer(s)</p> | <p>Compare Selected <input type="checkbox"/></p> |
| 8. | <p>WHO recommendations for induction of labour. 2011. NGC:009555 World Health Organization - International Agency. View all guidelines by the developer(s)</p> | <p>Compare Selected <input type="checkbox"/></p> |
| 9. | <p>Antenatal care. Routine care for the healthy pregnant woman. 2003 Oct (revised 2008 Mar; reaffirmed 2011). NGC:007174 National Collaborating Centre for Women's and Children's Health - National Government Agency [Non-U.S.]. View all guidelines by the developer(s)</p> | <p>Compare Selected <input type="checkbox"/></p> |

| | |
|---|-----------------------------|
| <p>WHO recommendations for the prevention and treatment of postpartum haemorrhage. 2007 (revised 2012). NGC:009553</p> | <p>Compare Selected</p> |
| <p>World Health Organization - International Agency. View all guidelines by the developer(s)</p> | <input type="checkbox"/> |
| <p>2. Management of labor. 2005 Oct (revised 2013 Mar). NGC:009775 Institute for Clinical Systems Improvement - Nonprofit Organization. View all guidelines by the developer(s)</p> | <p>Compare Selected</p> |
| <input type="checkbox"/> | |
| <p>3. Active management of the third stage of labour: prevention and treatment of postpartum hemorrhage. 2009 Oct. NGC:007501 Society of Obstetricians and Gynaecologists of Canada - Medical Specialty Society. View all guidelines by the developer(s)</p> | <p>Compare Selected</p> |
| <input type="checkbox"/> | |
| <p>4. WHO recommendations for induction of labour. 2011. NGC:009555 World Health Organization - International Agency. View all guidelines by the developer(s)</p> | <p>Compare Selected</p> |
| <input type="checkbox"/> | |
| <p>5. Prevention and management of postpartum haemorrhage. 2009 Nov. NGC:008394 Royal College of Obstetricians and Gynaecologists - Medical Specialty Society. View all guidelines by the developer(s)</p> | <p>Compare Selected</p> |
| <input type="checkbox"/> | |
| <p>6. Induction of labor. 1999 Nov (revised 2009 Aug). NGC:007370 American College of Obstetricians and Gynecologists - Medical Specialty Society. View all guidelines by the developer(s)</p> | <p>Compare Selected</p> |
| <p>View Guideline Synthesis</p> | <input type="checkbox"/> |
| <p>7. Dystocia and augmentation of labor. 2003 Dec (reaffirmed 2009). NGC:005722 American College of Obstetricians and Gynecologists - Medical Specialty Society. View all guidelines by the developer(s)</p> | <p>Compare Selected</p> |
| <input type="checkbox"/> | |
| <p>8. Premature rupture of membranes. 1998 Jun (revised 2007 Apr; reaffirmed 2012). [NGC Update Pending] NGC:005695 American College of Obstetricians and Gynecologists - Medical Specialty Society. View all guidelines by the developer(s)</p> | <p>Compare Selected</p> |
| <input type="checkbox"/> | |
| <p>9. Antepartum haemorrhage. 2011 Nov. NGC:008986 Royal College of Obstetricians and Gynaecologists - Medical Specialty Society. View all guidelines by the developer(s)</p> | <p>Compare Selected</p> |
| <input type="checkbox"/> | |
| <p>10. Late intrauterine fetal death and stillbirth. 2010 Oct. NGC:008288</p> | <p>Compare</p> |

- | | | |
|-----|--|---|
| | Royal College of Obstetricians and Gynaecologists - Medical Specialty Society. View all guidelines by the developer(s) | Selected <input type="checkbox"/> |
| 11. | Birth after previous caesarean birth. 2007 Feb (reaffirmed 2012). NGC:005914 Royal College of Obstetricians and Gynaecologists - Medical Specialty Society. View all guidelines by the developer(s) View Guideline Synthesis | Compare Selected <input type="checkbox"/> |
| 12. | Caesarean section. 2004 Apr (revised 2011 Nov). NGC:009032 National Collaborating Centre for Women's and Children's Health - National Government Agency [Non-U.S.]. View all guidelines by the developer(s) | Compare Selected <input type="checkbox"/> |
| 13. | Vaginal birth after previous cesarean delivery. 1999 Jun (revised 2010 Aug). NGC:007959 American College of Obstetricians and Gynecologists - Medical Specialty Society. View all guidelines by the developer(s) View Guideline Synthesis | Compare Selected <input type="checkbox"/> |
| 14. | Clinical policy guidelines. 1996 (revised 2013). NGC:009889 National Abortion Federation - Professional Association. View all guidelines by the developer(s) | Compare Selected <input type="checkbox"/> |
| 15. | Perioperative care of the pregnant woman. Evidence-based clinical practice guideline. 2011. NGC:009002 Association of Women's Health, Obstetric, and Neonatal Nurses - Professional Association. View all guidelines by the developer(s) | Compare Selected <input type="checkbox"/> |
| 16. | Induction of labour. 2001 Jun (revised 2008 Jul; reaffirmed 2013 Jul). NGC:007176 National Collaborating Centre for Women's and Children's Health - National Government Agency [Non-U.S.]. View all guidelines by the developer(s) View Guideline Synthesis | Compare Selected <input type="checkbox"/> |
| 17. | Engorgement. 2009 Jun. NGC:007441 Academy of Breastfeeding Medicine - Professional Association. View all guidelines by the developer(s) | Compare Selected <input type="checkbox"/> |
| 18. | Postpartum hemorrhage. 2006 Oct (reaffirmed 2008). NGC:005702 American College of Obstetricians and Gynecologists - Medical Specialty Society. View all guidelines by the developer(s) | Compare Selected <input type="checkbox"/> |

19. **Tocolysis for women in preterm labour.** 2011 Feb. NGC:008290 Compare
 Royal College of Obstetricians and Gynaecologists - Medical Specialty Society. Selected
[View all guidelines by the developer\(s\)](#)
20. **The care of women requesting induced abortion.** 2000 (revised 2011 Nov). NGC:008976
 Royal College of Obstetricians and Gynaecologists - Medical Specialty Society
21. **Nursing care of the woman receiving regional analgesia/anesthesia in labor. Second edition. Evidence-based clinical practice guideline.** 2001 Compare
 Jan (revised 2011). NGC:009001 Selected
 Association of Women's Health, Obstetric, and Neonatal Nurses - Professional Association. [View all guidelines by the developer\(s\)](#)
22. **Management of HIV in pregnancy.** 2004 Apr (revised 2010 Jun). NGC:008280 Compare
 Royal College of Obstetricians and Gynaecologists - Medical Specialty Society. Selected
[View all guidelines by the developer\(s\)](#)
23. **Management of postterm pregnancy.** 1997 Oct (revised 2004 Sep; reaffirmed 2009).
 NGC:005697
 American College of Obstetricians and Gynecologists - Medical Specialty Society. [View all guidelines by the developer\(s\)](#)

SIGN, 0 fund

HTA Databasen, 3 fund

| | | | | |
|-------------------------------------|------|-----|--|---|
| <input checked="" type="checkbox"/> | 2012 | HTA | NIHR Health Technology Assessment programme | Interventions to reduce or prevent obesity in pregnant women: a systematic review [Preview] |
| | 2011 | HTA | HAYES, Inc. | Intrauterine balloon tamponade for the management of postpartum hemorrhage [Preview] |
| <input checked="" type="checkbox"/> | 2004 | HTA | Bazian Ltd, Wessex Institute for Health Research and Development (WIHRD) | Free-standing midwife-led maternity units [Preview] |

SBU – Sverige, 0 fund

Socialstyrelsen, Sverige, 2 fund




1. Nationella indikationer

-  Ladda ner sida
- [Share on print](#)[Share on facebook](#)[Share on twitter](#)[Share on email](#)
- [RSS](#) 

Nationella indikationer kan ge hälso- och sjukvården beslutsstöd för när en insats bör respektive inte bör ges. Målet är en vård som är mer jämn över landet och i större utsträckning baserad på kunskap.

2. Färdiga indikationer

Gynekologi och obstetrik

-  Värkstimulering med oxytocin under aktiv förlossning
-  Kejsarsnitt på moderns önskan
-  Operation vid ansträngningsinkontinens hos kvinnor

Helsedirektoratet, Norge, 0 fund

Kunnskapssentret, Norge, 2 fund

1. Rapport fra Kunnskapssenteret nr 06 - 2013 - Systematisk oversikt

Obstetric consequences of female genital mutilation/cutting (FGM/C)

Obstetriske konsekvenser av kvinnelig kjønnslemlestelse (30.04.2013)

>Hovedfunn | [3-siders sammendrag](#) | [Hele publikasjonen](#) ( 1.11MB)

Du er her: [Forsiden](#) » [Publikasjoner](#)

Berg RC, Underland V . Rapport fra Kunnskapssenteret nr 06 - 2013. ISBN 978-82-8121-526-9
ISSN 1890-1298

This report includes results from unadjusted analyses only from the included studies. We are currently conducting additional analyses based on adjusted analyses from the included studies in order to test the validity of the results presented in the report. Our conclusions may change if the results from the adjusted analyses are substantially different from the unadjusted analyses. The results of the adjusted analyses will be available soon.

2.Rapport fra Kunnskapssenteret nr 03 - 2009 - Systematisk oversikt

Misoprostol ved igangsetting av fødsel

(02.04.2009)

>Hovedfunn | [3-siders sammendrag](#) | [Hele publikasjonen](#) ( 2.87MB)

Du er her: [Forsiden](#) » [Publikasjoner](#)

Ringerike T, Samdal K, Lyngstadaas A, Johansen K, Heimstad R, Tuveng J, Eriksson AGZ, Halvorsen M, Gjertsen MK. Rapport fra Kunnskapssenteret nr 03 - 2009. ISBN 978-82-8121-254-1
ISSN 1890-1298

Bakgrunn

Det fødes ca 55 000 barn i Norge hvert år. For noen er det nødvendig med kunstig igangsetting av fødsel. Ved medikamentell igangsetting brukes misoprostol og dinoproston både ved modning av livmorhalsen og ved igangsetting av fødsel, mens oxytocin bare brukes som fødselsinduksjonsmiddel der livmor er vurdert som moden. Statens helsetilsyn har bedt Kunnskapssenteret om en systematisk kunnskapsoppsummering av effekt og sikkerhet ved bruk av misoprostol til igangsetting av fødsel.

Embase, 208 fund

| # | Searches | Results |
|---|---|---------|
| 1 | clinical guideline*.mp. | 9300 |
| 2 | exp practice guideline/ or practice guideline*.mp. | 317533 |
| 3 | guideline*.mp. | 401534 |
| 4 | 1 or 2 or 3 | 476092 |
| 5 | exp dystocia/ or dystocia.mp. | 6183 |
| 6 | 4 and 5 | 303 |
| 7 | limit 6 to ((danish or english or norwegian or swedish) and yr="2003 -Current") | 208 |

Medline, 56 fund

| # | Searches | Results |
|---|--|---------|
| 1 | clinical guideline*.mp. | 6443 |
| 2 | exp practice guideline/ or practice guideline*.mp. | 99979 |
| 3 | guideline*.mp. | 265611 |
| 4 | 1 or 2 or 3 | 265611 |
| 5 | exp dystocia/ or dystocia.mp. | 4544 |
| 6 | 4 and 5 | 96 |

7 limit 6 to ((danish or english or norwegian or swedish) and yr="2003 -Current") 56

Medline, 29 fund

| | | |
|---|---|-----------|
| 1 | clinical guideline*.mp. | 6443 |
| 2 | exp Practice Guidelines as Topic/ or practice guideline*.mp. | 100126 |
| 3 | guideline*.mp. or exp Guideline/ | 265769 |
| 4 | 1 or 2 or 3 | 265769 |
| 5 | Oxytocin/ or oxytocin.mp. | 21706 |
| 6 | labour.mp. | 22102 |
| 7 | 5 and 6 | 1458 |
| 8 | 4 and 7 | 42 |
| 9 | limit 8 to ((danish or english or norwegian or swedish) and last 10 years) | 29 |

Embase, 132 fund

| # ▲ | Searches | Results |
|-----|--|---------|
| 1 | exp practice guideline/ or practice guideline*.mp. | 304522 |
| 2 | exp oxytocin/ or oxytocin.mp. | 15064 |
| 3 | labour.mp. or exp labor/ | 31116 |
| 4 | 2 and 3 | 2831 |
| 5 | clinical guideline*.mp. | 8857 |
| 6 | 1 or 5 | 308148 |
| 7 | 4 and 6 | 185 |
| 8 | limit 7 to ((danish or english or norwegian or swedish) and last 10 years) | 132 |