

Søgeprotokol for Nationale Kliniske Retningslinjer

Projekttitel/aspekt	NKR for moderat og svær bulimi - Guidelinesøgning
Kontakt projektgruppe	Tine Pedersen, Fagkonsulent. Betina Højgaard, Projektleder.
Kontakt søgespecialist	Hanne Caspersen
Senest opdateret	7.8.2014

Baggrund	I Danmark findes ca. 22.000 personer med bulimi. Forekomsten af bulimi er hyppigst blandt kvinder mellem 15 og 45 år. Sygdommen begynder typisk i 10 til 20 årsalderen. I 2005 blev det vurderet at der årligt var 2-300 nye behandlingstilfælde i DK. Der er en formodning om at dette antal siden er steget.
Søgetermer	Engelske: bulimi*, "eating disorder*" Danske: spiseforstyrrelser Norske: spiseforstyrrelser Svenske:
Inklusions- og eksklusionskriterier	Sprog: Engelsk, dansk, norsk, svensk, (tysk) År: de sidste 10 år, (2004-2014) Population: ingen afgrænsning Publikationstyper: Guidelines og MTV

Informationskilder

Databaser	Interface	Fund	Dato for søgning
G-I-N International		16	29.7.2014
NICE (UK)		1	1.8.2014
National Guideline Clearinghouse (USA)		39	3.7.2014
Scottish Intercollegiate Guidelines Network (SIGN)		0	3.7.2014
HTA Databasen (CRD database)		21	3.7.2014
SBU, Sverige		0	31.7.2014
Socialstyrelsen, Sverige		0	31.7.2014
Helsedirektoratet, Norge		0	31.7.2014
Kunnskapssenteret, Norge		3	1.8.2014

Medline	OVID	174	3.7.2014
EMBASE	OVID	452	31.7.2014
PSYCINFO	OVID	691	3.7.2014

Note:

- Søgetermer og inklusions- og eksklusionskriterier er tilpasset de enkelte databaser.
- De fundne referencer afleveres så vidt muligt via RefWorks – hvor dubletter så vidt muligt er frasorteret.
- For referencer der ikke er Refworks kompatible vælges Word.
- Søgestrategi for hver enkelt database præsenteres – hvis muligt vises det eksplicit hvor mange referencer de enkelte søgeord genererer





Søgestrategi:**Medline**

Database(s): Ovid MEDLINE(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R) 1946 to Present






Search Strategy:

#	Searches	Results
1	eating disorder* or bulimi*).af.	21171
2	guidelines*.af.	281276
3	2 and 3	310
4	limit 4 to yr="2004 - 2014"	208
5	limit 5 to (danish or english or norwegian or swedish) 174	

Embase

<input type="checkbox"/>	# ▲	Searches	Results	Search Type	Actions
<input type="checkbox"/>	1	(bulimi* or "eating disorder*").af.	24006	Advanced	 Display More >>
<input type="checkbox"/>	2	guideline*.af.	379672	Advanced	 Display More >>
<input type="checkbox"/>	3	1 and 2	694	Advanced	 Display More >>
<input type="checkbox"/>	4	limit 3 to ((danish or english or norwegian or swedish) and yr="2004 -Current")	452	Advanced	 Display More >>

PsycInfo

<input type="checkbox"/>	# ▲	Searches	Results	Search Type	Actions
<input type="checkbox"/>	1	(bulimi* or "eating disorders").af.	36581	Advanced	 Display More >>
<input type="checkbox"/>	2	guideline*.af.	148679	Advanced	 Display More >>
<input type="checkbox"/>	3	1 and 2	5672	Advanced	 Display More >>
<input type="checkbox"/>	4	limit 3 to ((danish or english or norwegian or swedish) and yr="2004 -Current")	4866	Advanced	 Display More >>
<input type="checkbox"/>	5	limit 4 to (3260 eating disorders and (180 school age <age 6 to 12 yrs> or 200 adolescence <age 13 to 17 yrs> or 320 young adulthood <age 18 to 29 yrs>))	691	Advanced	 Display More >>