

# Søgeprotokol for Nationale Kliniske Retningslinjer

<b>Projekttitel/aspekt</b>	NKR for udredning og behandling af epilepsi hos børn og unge - Guidelines
<b>Kontakt projektgruppe</b>	Christina Engel Høi-Hansen (fagkon.) Kristoffer Lande (projektl.)
<b>Kontakt søgespecialist</b>	Birgitte Holm Petersen
<b>Senest opdateret</b>	17. juli 2014

<b>Baggrund</b>	<p>Ca. 55.000 danskere har epilepsi. En fjerdedel heraf er børn og unge. Epilepsi er defineret ved forekomsten af gentagne og spontant optrædende epileptiske anfald<sup>1</sup>. Epilepsi er således ikke en enkelt sygdom, men består af mange undergrupper med forskellige anfald, ætiologi, prognose og hver sin specifikke behandling. Derfor er korrekt udredning og diagnosticering afgørende for et godt behandlingsresultat.</p> <p>Epilepsidiagnosen kan være vanskelig at stille. Epileptiske anfald kan forveksles med andre anfaldslidelser. Hos børn kan det i disse tilfælde i stedet bl.a. dreje sig om opmærksomheds-forstyrrelser.</p> <p>Patientgruppen for den nationale kliniske retningslinje er afgrænset til børn og unge (under 18 år), som enten har epilepsi, eller hos hvem der er mistanke om epilepsi. Herunder fysisk og/eller psykisk udviklingshæmmede børn og unge. Børn med neonatale kramper, defineret som kramper indtil 28 dage efter fødslen, indgår ikke i den kliniske retningslinje.</p> <p>Retningslinjen skal for den definerede patientgruppe fokusere på udredning og diagnosticering af epilepsi, samt start på og opfølgning af behandling for epilepsi. Retningslinjen vil således ikke omhandle kirurgisk behandling af epilepsi eller elektrisk nervestimulation.</p> <p>En national klinisk retningslinje forventes at medvirke til, at patienter med epilepsi i højere grad opnår hurtigere udredningsforløb, præcise diagnoser, samt målrettede behandlingsforløb.</p>
<b>Søgetermer</b>	Engelske: epilepsy, epilepsies, epileptic Danske: epilepsi Norske: epilepsi Svenske: epilepsi
<b>Inklusions- og eksklusionskriterier</b>	Sprog: Engelsk, dansk, norsk og svensk År: de sidste 10 år, (2004-2014) Population: (børn og unge – ikke anvendt i søgningen) Publikationstyper: retningslinjer, riktlinjer, Guidelines, practice guidelines, clinical practice, treatmentguidelines, evidence based practice

## Informationskilder

Databaser	Interface	Fund	Dato for søgning
G-I-N International	Internet	40	7. juli 2014
NICE (UK)	Internet	23	7. juli 2014
National Guideline Clearinghouse (USA)	Internet	20	7. juli 2014
Scottish Intercollegiate Guidelines Network (SIGN)	Internet	4	7. juli 2014
HTA Databasen (CRD database)	Internet	39	7. juli 2014
SBU, Sverige	Internet	6	7. juli 2014
Socialstyrelsen, Sverige	Internet	5	7. juli 2014
Helsedirektoratet, Norge	Internet	0	7. juli 2014
Kunnskapssenteret, Norge	Internet	6	7. juli 2014
Netpunkt	Internet	2	14. juli 2014

Medline	OVID	86	14. juli 2014
EMBASE	OVID	674	14. juli 2014
PSYCINFO	OVID	371	14. juli 2014
CINAHL	EBSCO	25	14. juli 2014

### Note:

- Vedr. Guidelines fra Hayes, som er kommercielle og dyre, de vælges derfor fra.
- Søgetermer og inklusions- og eksklusionskriterier er tilpasset de enkelte databaser.
- De fundne referencer afleveres så vidt muligt via RefWorks – hvor dubletter så vidt muligt er frasortet.
- For referencer der ikke er Refworks compatible vælges Word.
- Søgestrategi for hver enkelt database præsenteres – hvis muligt vises det eksplicit hvor mange referencer de enkelte søgeord genererer

## Søgestrategi

### GIN

Søgt på Epilepsy 40 fund

Relevance	Title	Organisation	Type
100%	Diagnosis and management of epilepsy in adults (SIGN CPG 70)	SIGN (GB) - Scottish Intercollegiate Guidelines Network	Guideline
98%	Practice advisory: the use of felbamate in the treatment of patients with intractable epilepsy. Report of the Quality Standards Subcommittee of the American Academy of Neurology and the American Epilepsy Society. American Academy of Neurology. American Epilepsy Society. NGC:002047	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report
98%	ناکدوک رد یسپل یپا [Epilepsy in Children]	ICEBM (IR) - Iranian Center for Evidence-Based Medicine	Guideline
95%	Practice parameter update: management issues for women with epilepsy--focus on pregnancy (an evidence-based review): teratogenesis and perinatal outcomes. Report of the Quality Standards Subcommittee and Therapeutics and Technology Subcommittee of the American Academy of Neurology and American Epilepsy Society. American Academy of Neurology. American Epilepsy Society. NGC:007263	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report
94%	Epilepsies graves. Guide ALD [Epilepsy]	HAS (FR) - French National Authority for Health (formerly: ANAES)	Guideline
94%	Practice parameter update: management issues for women with epilepsy--focus on pregnancy (an evidence-based review): obstetrical complications and change in seizure frequency. Report of the Quality Standards Subcommittee and Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology and American Epilepsy Society. American Academy of Neurology. American Epilepsy Society. NGC:007264	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report
94%	ACR Appropriateness Criteria® seizures and epilepsy. American College of Radiology. NGC:008451	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report
93%	Practice parameter update: management issues for women with epilepsy-focus on pregnancy (an evidence-based review): vitamin K, folic acid, blood levels, and breastfeeding. Report of the Quality Standards Subcommittee and Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology and American Epilepsy Society. American Academy of Neurology. American Epilepsy Society. NGC:007262	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report

Relevance	Title	Organisation	Type
92%	Therapie der Epilepsien im Kindes- und Jugendalter. S2e-LL (GNP, DGE) [Treatment of epilepsy in childhood and adolescence]	AWMF (DE) - Association of Scientific Medical Societies	Guideline
92%	Diagnostische Prinzipien bei Epilepsien im Kindesalter. S2e-LL (GNP, DGE, DGN) [Diagnostic principles of epilepsy in childhood]	AWMF (DE) - Association of Scientific Medical Societies	Guideline
92%	Best evidence statement (BEST). Inpatient support groups for families of children with intractable epilepsy. Cincinnati Children's Hospital Medical Center. NGC:007305	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report
91%	Epilepsiat ja kuumeikouristukset (lapset) [Epilepsy and febrile seizures (children)]	CC (FI) - Current Care / Duodecim - Finnish Medical Society	Guideline
91%	Epilepsie en anti-epileptica in de huisartspraktijk (Farmacotherapeutische richtlijnen) [Epilepsy and anti-epileptica in general practice]	NHG (NL) - Dutch College of General Practitioners	Guideline
90%	Epilepsy (CG137)	NICE (UK) - National Institute for Health and Care Excellence	Guideline
87%	Evidence-based guideline update: vagus nerve stimulation for the treatment of epilepsy. Report of the Guideline Development Subcommittee of the American Academy of Neurology. American Academy of Neurology. NGC:010046	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report
85%	Therapie der Blitz-Nick-Salaam Epilepsie (West-Syndrom). S3-LL (GNP) [Management of Blitz-Nick-Salaam epilepsy (West syndrome)]	AWMF (DE) - Association of Scientific Medical Societies	Guideline
74%	Epilepsiat (aikuiset) [Epilepsies (adult)]	CC (FI) - Current Care / Duodecim - Finnish Medical Society	Guideline
74%	Ketogene Diät. S2k-LL (GNP, DGKJ, DGN) [Ketogenic Diet]	AWMF (DE) - Association of Scientific Medical Societies	Guideline
72%	Epileptinen kohtaus (pitkittynyt) [Epileptic seizure (prolonged)]	CC (FI) - Current Care / Duodecim - Finnish Medical Society	Guideline
66%	Zerebrale Anfälle beim Neugeborenen. S2k-LL (GNPI, DGKJ, GNP) [Cerebral seizures in newborns]	AWMF (DE) - Association of Scientific Medical Societies	Guideline
66%	Guidelines for the evaluation and management of status epilepticus. Neurocritical Care Society. NGC:009114	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report
65%	Prise en charge des épilepsies partielles pharmaco-résistantes. Conférence de consensus	HAS (FR) - French National Authority for Health (formerly: ANAES)	Guideline

Relevance	Title	Organisation	Type
65%	Perampanel - Nutzenbewertung gemäß § 35a SGB V (Dossierbewertung) [Perampanel - Benefit assessment according to § 35a Social Code Book V (dossier assessment)]	IQWiG (DE) - Institute for Quality and Efficiency in Health Care	Evidence report
65%	Retigabin - Nutzenbewertung gemäß § 35a SGB V (Dossierbewertung) [Retigabine - Benefit assessment according to § 35a Social Code Book V (dossier assessment)]	IQWiG (DE) - Institute for Quality and Efficiency in Health Care	Evidence report
65%	Avaliação de condutores e candidatos a condutores de veículos automotores portadores de epilepsia	AMB (BR) - Brazilian Medical Association	Guideline
64%	EFNS guideline on the management of status epilepticus in adults. European Federation of Neurological Societies. NGC:008158	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report
63%	Diagnosis and management of epilepsies in children and young people (SIGN CPG 81)	SIGN (GB) - Scottish Intercollegiate Guidelines Network	Guideline
60%	Aufmerksamkeitsstörungen: Diagnostik und Therapie. S2e-LL (DGN, GNP, DGNKN)	AWMF (DE) - Association of Scientific Medical Societies	Guideline
59%	Adaptation of evidence-based CPG for the treatment of acute epileptic seizures among children attending emergency department at Alexandria University children's hospital	HCQD-AUHs (EG) - Healthcare Quality Directorate of Alexandria University Hospitals; AFM-Center for Evidence-Based Clinical Practice Guidelines (AFM-CEBCPGs)	Guideline
58%	Clinical Pharmacogenetics Implementation Consortium guidelines for HLA-B genotype and carbamazepine dosing. Clinical Pharmacogenetics Implementation Consortium. NGC:010007	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report
57%	Febrile seizures: guideline for the neurodiagnostic evaluation of the child with a simple febrile seizure. American Academy of Pediatrics. NGC:009024	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report
56%	Use of serum prolactin in diagnosing epileptic seizures. Report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology. American Academy of Neurology. NGC:004515	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report
55%	EFNS guidelines on the molecular diagnosis of channelopathies, epilepsies, migraine, stroke and dementias. European Federation of Neurological Societies. NGC:00832	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report
54%	Febrile seizures. British Columbia Children's Hospital. Child Health BC. Medical Services Commission, British Columbia. Provincial Health Services Authority. NGC:009469	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report
54%	Preventive activities prior to pregnancy. In: Guidelines for preventive activities in general practice, 8th edition. Royal Australian College of General Practitioners. NGC:009601	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report

Relevance	Title	Organisation	Type
50%	Adaptation of evidence-based clinical Practice Guidelines for the diagnosis of acute epileptic seizures among children attending emergency department at Alexandria University children's hospital [Adaptation of evidence-bases clinical Practice Guidelines for the diagnosis of acute epileptic seizures among children attending emergency department at Alexandria University children's hospital]	HCQD-AUHs (EG) - Healthcare Quality Directorate of Alexandria University Hospitals; AFM-Center for Evidence-Based Clinical Practice Guidelines (AFM-CEBCPGs)	Guideline
48%	Evidence-based guideline update: medical treatment of infantile spasms: report of the Guideline Development Subcommittee of the American Academy of Neurology and the Practice Committee of the Child Neurology Society. American Academy of Neurology. Child Neurology Society. NGC:009161	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report
48%	Best evidence statement (BEST). Speech therapist directed use of computer assisted cognitive rehabilitation (CACR) for patients with acquired brain injury. Cincinnati Children's Hospital Medical Center. NGC:008842	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report
44%	Systemic diseases in pregnancy. Finnish Medical Society Duodecim. NGC:005825	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report
43%	Evidence-based guideline: antiepileptic drug selection for people with HIV/AIDS. Report of the Quality Standards Subcommittee of the American Academy of Neurology and the Ad Hoc Task Force of the Commission on Therapeutic Strategies of the International League Against Epilepsy. American Academy of Neurology. NGC:009069	AHRQ (US) - Agency for Healthcare Research and Quality	Guideline Clearing Report

## NICE

Søgt på epilepsi, epilepsies og epileptic, 22 fund

The epilepsies: the diagnosis and management of the epilepsies in adults and children in primary and secondary care (CG137)

...to develop The epilepsies (NICE clinical...Newer drugs for epilepsy in adults (NICE...newly diagnosed epilepsy (accepting some...unclassifiable epilepsies, and lamotrigine...that cause certain epilepsies. [2004] 1...and adults with epilepsy. [2004] 1...

Guidelines Published January 2012

More

Introduction

Person-centred care

Key priorities for implementation

1 Guidance

2 Notes on the scope of the guidance

3 Implementation

4 Research recommendations

5 Other versions of this guideline

The epilepsies: The diagnosis and management of the epilepsies in adults and children in primary and secondary care (CG20)

Guidelines Published October 2004

More

Important information about this guidance

Transient loss of consciousness ('blackouts') management in adults and young people (CG109)

...the guidance on epilepsy [NICE clinical...replaced by 'The epilepsies' [NICE clinical...a specialist in epilepsy; the person should...weeks (see 'The epilepsies: the diagnosis...2004). The epilepsies.

NICE clinical...Replaced by Epilepsy. NICE clinical...

Guidelines Published August 2010

More

Introduction

Patient-centred care

Key priorities for implementation

1 Guidance

2 Notes on the scope of the guidance

3 Implementation

4 Research recommendations

5 Other versions of this guideline

Head injury (CG176)

...Post-traumatic seizure but no history of epilepsy. On initial emergency department assessment...clinical guideline 161 (2013). The epilepsies: the diagnosis and management of the epilepsies in adults and children in primary and secondary...

Guidelines Published January 2014

More

Introduction

Patient-centred care

Key priorities for implementation

1 Recommendations

2 Research recommendations

3 Other information

4 The Guideline Development Group, National Collaborating Centre and NICE project team

About this guideline

Autism diagnosis in children and young people (CG128)

...or genetic problems and disorders: epilepsy and epileptic encephalopathy

chromosome...electroencephalography if there is suspicion of epilepsy [4] . 1.8 Communicating the results...clinical guideline 28 (2005). The epilepsies. NICE clinical guideline 20 (2004...

Guidelines Published September 2011

More

Introduction

Patient-centred care

Key priorities for implementation

1 Guidance

2 Notes on the scope of the guidance

3 Implementation

4 Research recommendations

5 Other versions of this guideline

## Headaches (CG150)

...appraisal guidance 260 (2012). Patient experience in adult NHS services. NICE clinical guideline 138 (2012). The epilepsies. NICE clinical guideline 137 (2012). Hypertension. NICE clinical guideline 127 (2011). Generalised anxiety disorder...

Guidelines Published September 2012

More

Introduction

Person-centred care

Terms used in this guideline

Key priorities for implementation

1 Guidance

2 Notes on the scope of the guidance

3 Implementation

4 Research recommendations

## Referral guidelines for suspected cancer (CG27)

...between routine dental examinations. NICE Clinical Guideline No. 19. (2004). [9] The epilepsies: the diagnosis and management of the epilepsies in adults and children in primary and secondary care. NICE Clinical Guideline No. 20. ...

Guidelines Published June 2005

More

Background

Patient-centred care

Referral timelines

Key priorities for implementation

1 Guidance

2 Notes on the scope of the guidance

3 Implementation in the NHS

4 Research recommendations

## Autism (CG170)

...depression physical health problems such as epilepsy sleep problems other neurodevelopmental...impairments other medical problems including epilepsy or sleep and elimination problems ...depression physical health problems such as epilepsy sleep problems other neurodevelopmental...

Guidelines Published August 2013

More

Introduction

Patient-centred care

Key priorities for implementation

1 Recommendations

2 Research recommendations

3 Other information

4 The Guideline Development Group, National Collaborating Centre and NICE project team

About this guideline

## Spasticity in children and young people with non-progressive brain disorders (CG145)

...the following: poorly controlled epilepsy respiratory compromise increased...conditions (for example, uncontrolled epilepsy or coagulation disorders) a previous...disorders. 6 Related NICE guidance Epilepsy. NICE clinical guideline 137 (2012...



Guidelines Published July 2012

More

Introduction

Person-centred care

Terms used in this guideline

Key priorities for implementation

1 Guidance

2 Notes on the scope of the guidance

3 Implementation

4 Research recommendations

Long-acting reversible contraception (CG30)

...time of IUD insertion in a woman with epilepsy because there may be an increased risk...time of IUS insertion in a woman with epilepsy because there may be an increased risk...the frequency of seizures in women with epilepsy there is no evidence that DMPA use...

Guidelines Published October 2005

More

Introduction

Woman-centred care

Key priorities for implementation

1 Guidance

2 Notes on the scope of the guidance

3 Implementation in the NHS

4 Research recommendations

5 Other versions of this guideline

Autism: recognition, referral, diagnosis and management of adults on the autism spectrum (CG142)

...compulsive disorder) neurological disorders (for example, epilepsy) physical disorders communication difficulties (for...disability electroencephalography if there is suspicion of epilepsy hearing or sight tests, if there is suspicion of hearing...

Guidelines Published June 2012

More

Introduction

Person-centred care

Key priorities for implementation

1 Guidance

2 Notes on the scope of the guidance

3 Implementation

4 Research recommendations

5 Other versions of this guideline

Antisocial behaviour and conduct disorders in children and young people: recognition, intervention and management (CG158)

...learning difficulties or disabilities neurodevelopmental conditions such as ADHD and autism neurological disorders including epilepsy and motor impairments other mental health problems (for example, depression, post-traumatic stress disorder and bipolar...

Guidelines Published March 2013

More

Introduction

Person-centred care

## Key priorities for implementation

- 1 Recommendations
  - 2 Research recommendations
  - 3 Other information
  - 4 The Guideline Development Group, National Collaborating Centre and NICE project team
- About this guideline

## Attention deficit hyperactivity disorder (CG72)

...conditions (for example, tic disorders, Tourette's syndrome, epilepsy) the different adverse effects of the drugs specific...If seizures are exacerbated in a child or young person with epilepsy, or de novo seizures emerge following the introduction of...

Guidelines Published September 2008

More

Introduction

Patient-centred care

Key priorities for implementation

- 1 Guidance
- 2 Notes on the scope of the guidance
- 3 Implementation
- 4 Research recommendations
- 5 Other versions of this guideline

## Coeliac disease (CG86)

...myocarditis chronic thrombocytopenia purpura dental enamel defects depression or bipolar disorder Down's syndrome epilepsy low-trauma fracture lymphoma metabolic bone disease (such as rickets or osteomalacia) microscopic colitis ...

Guidelines Published May 2009

More

Introduction

Patient-centred care

- 1 Guidance
- 2 Notes on the scope of the guidance
- 3 Implementation
- 4 Research recommendations
- 5 Other versions of this guideline
- 6 Updating the guideline

## Managing long-term sickness and incapacity for work (PH19)

...stakeholder representatives and members of the public as follows: Ms Kathy Bairstow Senior Advice and Information Officer, Epilepsy Action Dr Clare Bamba Lecturer in Public Health Policy, University of Durham Honorary Professor David Croisdale-Appleby...

Guidelines Published March 2009

More

Introduction

- 1 Public health need and practice
- 2 Considerations
- 3 Recommendations
- 4 Implementation
- 5 Recommendations for research
- 6 Updating the recommendations

## 7 Related NICE guidance

### Social and emotional wellbeing in secondary education (PH20)

...adolescent mental health services the issues in relation to different medical conditions (such as diabetes, asthma and epilepsy) to ensure young people with these conditions are not bullied, inappropriately excluded from school activities or experience...

Guidelines Published September 2009

More

Introduction

1 Recommendations

2 Public health need and practice

3 Considerations

4 Implementation

5 Recommendations for research

6 Updating the recommendations

7 Related NICE guidance

### Alcohol-use disorders: diagnosis, assessment and management of harmful drinking and alcohol dependence (CG115)

...criteria. They: drink over 30 units of alcohol per day have a score of more than 30 on the SADQ have a history of epilepsy, or experience of withdrawal-related seizures or delirium tremens during previous assisted withdrawal programmes need...

Guidelines Published February 2011

More

Introduction

Person-centred care

Key priorities for implementation

1 Guidance

2 Notes on the scope of the guidance

3 Implementation

4 Research recommendations

5 Other versions of this guideline

### Self-harm (CG16)

...flumazenil in: patients who may have ingested proconvulsants, including tricyclic antidepressants; those who have a history of epilepsy; and patients who are dependent upon benzodiazepines. 1.5.3.3

When using flumazenil in the treatment of benzodiazepine...

Guidelines Published July 2004

More

Key priorities for implementation

1 Guidance

2 Notes on the scope of the guidance

3 Implementation in the NHS

4 Research recommendations

5 Other versions of this guideline

6 Review date

Appendix A: Grading scheme

### Bipolar disorder (CG38)

...abstinence previously undiagnosed learning difficulties organic causes such as excited confusional states in children with epilepsy, and akathisia resulting from neuroleptic medication. 1.8.7 Children and adolescents with learning difficulties ...

Guidelines Published July 2006

More

Introduction

Patient-centred care

Key priorities for implementation

1 Guidance

2 Notes on the scope of the guidance

3 Implementation in the NHS

4 Research recommendations

5 Other versions of this guideline

### Intrapartum care (CG55)

...Diabetes Renal Abnormal renal function Renal disease requiring supervision by a renal specialist Neurological Epilepsy Myasthenia gravis Previous cerebrovascular accident Gastrointestinal Liver disease associated with current abnormal...

Guidelines Published September 2007

More

Introduction

Woman- and baby-centred care

Key priorities for implementation

1 Guidance

2 Notes on the scope of the guidance

3 Implementation

4 Research recommendations

5 Other versions of this guideline

### Antenatal care (CG62)

...requiring insulin psychiatric disorders (being treated with medication) haematological disorders autoimmune disorders epilepsy requiring anticonvulsant drugs malignant disease severe asthma use of recreational drugs such as heroin, cocaine...

Guidelines Published March 2008

More

Introduction

Aim

Woman-centred care

Key priorities for implementation

1 Guidance

2 Notes on the scope of the guidance

3 Implementation

4 Research recommendations

### Stroke (CG68)

...for example long duration of symptoms or people on anticoagulants; where an alternative diagnosis (for example migraine, epilepsy or tumour) is being considered. [12] The GDG felt that urgent brain imaging is defined as imaging that takes place...

Guidelines Published July 2008

## Fertility (CG156)

...dose is 0.4 mg per day. For women who have previously had an infant with a neural tube defect or who are receiving anti-epileptic medication or who have diabetes (see Diabetes in pregnancy, NICE clinical guideline 63), a higher dose of 5 mg per day...

Guidelines Published February 2013

More

- Introduction
- Patient-centred care
- Terms used in this guideline
- Key priorities for implementation
- 1 Recommendations
- 2 Research recommendations
- 3 Other information
- 4 The Guideline Development Group, National Collaborating Centre and NICE project team

## NGC

Epilepsy 20 fund

-20 of 20



1.	<a href="#">Evidence-based guideline update: vagus nerve stimulation for the treatment of epilepsy. Report of the Guideline Development Subcommittee of the American Academy of Neurology.</a> 2013 Oct 15. NGC:010046 American Academy of Neurology - Medical Specialty Society. <a href="#">View all guidelines by the developer(s)</a>	Compare Selected <input type="checkbox"/> 47336 0
2.	<a href="#">Clinical Pharmacogenetics Implementation Consortium guidelines for HLA-B genotype and carbamazepine dosing.</a> 2013 Sep. NGC:010007 Clinical Pharmacogenetics Implementation Consortium - Independent Expert Panel. <a href="#">View all guidelines by the developer(s)</a>	Compare Selected <input type="checkbox"/> 47078 0
3.	<a href="#">Evidence-based guideline: antiepileptic drug selection for people with HIV/AIDS. Report of the Quality Standards Subcommittee of the American Academy of Neurology and the Ad Hoc Task Force of the Commission on Therapeutic Strategies of the International League Against Epilepsy.</a> 2012 Jan 10. NGC:009069 American Academy of Neurology - Medical Specialty Society; International League	Compare Selected <input type="checkbox"/> 36879 0

- Against Epilepsy - Disease Specific Society. [View all guidelines by the developer\(s\)](#)
4. [ACR Appropriateness Criteria® seizures — child.](#) 1995 (revised 2012).  
 NGC:009667  
 American College of Radiology - Medical Specialty Society. [View all guidelines by the developer\(s\)](#)  
 Compare  
 Selected   

43875
0
  
  5. [The epilepsies: the diagnosis and management of the epilepsies in adults and children in primary and secondary care.](#) 2004 Oct (revised 2012 Jan).  
 NGC:008985  
 National Collaborating Centre for Primary Care - National Government Agency [Non-U.S.]. [View all guidelines by the developer\(s\)](#)  
 Compare  
 Selected   

36082
0
  
  6. [Best evidence statement \(BES†\). Speech therapist directed use of computer assisted cognitive rehabilitation \(CACR\) for patients with acquired brain injury.](#) 2011 Sept 13. NGC:008842  
 Cincinnati Children's Hospital Medical Center - Hospital/Medical Center. [View all guidelines by the developer\(s\)](#)  
 Compare  
 Selected   

35119
0
  
  7. [ACR Appropriateness Criteria® seizures and epilepsy.](#) 1996 (revised 2011).  
**[NGC Update Pending]** NGC:008451  
 American College of Radiology - Medical Specialty Society. [View all guidelines by the developer\(s\)](#)  
 Compare  
 Selected   

32608
0
  
  8. [EFNS guidelines on the molecular diagnosis of channelopathies, epilepsies, migraine, stroke and dementias.](#) 2010 May. NGC:008325  
 European Federation of Neurological Societies - Medical Specialty Society. [View all guidelines by the developer\(s\)](#)  
 Compare  
 Selected   

25709
0
  
  9. [EFNS guideline on the management of status epilepticus in adults.](#) 2006 May (revised 2010 Mar). NGC:008158  
 European Federation of Neurological Societies - Medical Specialty Society. [View all guidelines by the developer\(s\)](#)  
 Compare  
 Selected   

24518
0
  
  10. [Practice parameter update: management issues for women with epilepsy-- focus on pregnancy \(an evidence-based review\): obstetrical complications and change in seizure frequency. Report of the Quality Standards Subcommittee and Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology and American Epilepsy Society.](#) 2009 July. NGC:007264  
 Compare  
 Selected   






14681
0



American Academy of Neurology - Medical Specialty Society; American Epilepsy Society - Disease Specific Society. [View all guidelines by the developer\(s\)](#)

11. [Practice parameter update: management issues for women with epilepsy-- focus on pregnancy \(an evidence-based review\): teratogenesis and perinatal outcomes. Report of the Quality Standards Subcommittee and Therapeutics and Technology Subcommittee of the American Academy of Neurology and American Epilepsy Society.](#) 2009 July. NGC:007263
- American Academy of Neurology - Medical Specialty Society; American Epilepsy Society - Disease Specific Society. [View all guidelines by the developer\(s\)](#)
- Compare  
Selected
- |       |
|-------|
| 14680 |
| 0     |
12. [Practice parameter update: management issues for women with epilepsy- focus on pregnancy \(an evidence-based review\): vitamin K, folic acid, blood levels, and breastfeeding. Report of the Quality Standards Subcommittee and Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology and American Epilepsy Society.](#) 2009 July. NGC:007262
- American Academy of Neurology - Medical Specialty Society; American Epilepsy Society - Disease Specific Society. [View all guidelines by the developer\(s\)](#)
- Compare  
Selected
- |       |
|-------|
| 14679 |
| 0     |
13. [Best evidence statement \(BES\). Inpatient support groups for families of children with intractable epilepsy.](#) 2009 May 13. NGC:007305
- Cincinnati Children's Hospital Medical Center - Hospital/Medical Center. [View all guidelines by the developer\(s\)](#)
- Compare  
Selected
- |       |
|-------|
| 14797 |
| 0     |
14. [Practice advisory: the use of felbamate in the treatment of patients with intractable epilepsy. Report of the Quality Standards Subcommittee of the American Academy of Neurology and the American Epilepsy Society.](#) 1999 May (reaffirmed 2010 Jul 10). NGC:002047
- American Academy of Neurology - Medical Specialty Society; American Epilepsy Society - Disease Specific Society. [View all guidelines by the developer\(s\)](#)
- Compare  
Selected
- |      |
|------|
| 2821 |
| 0    |
15. [First-trimester abortion in women with medical conditions.](#) 2012 Dec. NGC:010052
- Society of Family Planning - Professional Association. [View all guidelines by the developer\(s\)](#)
- Compare  
Selected
- |       |
|-------|
| 47346 |
| 0     |
16. [Traumatic brain injury medical treatment guidelines.](#) 2012 Nov 26. NGC:009598
- Colorado Division of Workers' Compensation - State/Local Government Agency [U.S.]. [View all guidelines by the developer\(s\)](#)
- Compare  
Selected
- |       |
|-------|
| 43752 |
| 0     |



17. [Preventive activities prior to pregnancy. In: Guidelines for preventive activities in general practice, 8th edition.](#) 2012. NGC:009601  
Royal Australian College of General Practitioners - Professional Association. *View all guidelines by the developer(s)*
- Compare  
Selected   
43766  
0
18. [Rehabilitation. In: Clinical guidelines for stroke management 2010.](#) 2005 Sep 8 (revised 2010 Sep). NGC:008108  
National Stroke Foundation (Australia) - Nonprofit Organization. *View all guidelines by the developer(s)*
- Compare  
Selected   
24173  
0
19. [Practice parameter: evaluation of the child with microcephaly \(an evidence-based review\). Report of the Quality Standards Subcommittee of the American Academy of Neurology and the Practice Committee of the Child Neurology Society.](#) 2009 Sep 15. NGC:007841  
American Academy of Neurology - Medical Specialty Society; Child Neurology Society - Medical Specialty Society. *View all guidelines by the developer(s)*
- Compare  
Selected   
15955  
0
20. [Primary care of adults with developmental disabilities. Canadian consensus guidelines.](#) 2011 May. NGC:009784  
College of Family Physicians of Canada - Professional Association. *View all guidelines by the developer(s)*
- Compare  
Selected   
44355  
0

### Scottish intercollegiate Guidelines Network (SIGN) 4 fund

				
Current < 3 yrs	Current 3 -7yrs Some recommendations may be out of date Declaration of interests governance may not be in line with current policy	>7 yrs Use with caution Declaration of interests governance may not be in line with current policy	Withdrawn	Recommendations being updated

110	<a href="#">Early management of patients with a head injury</a>	May 2009	
107	<a href="#">Diagnosis and management of headache in adults</a>	November 2008	



81	<a href="#">Diagnosis and management of epilepsies in children and young people</a>	March 2005	
70	<a href="#">Diagnosis and management of epilepsy in adults</a>	April 2003 Updated October 2005	

## HTA

39 fund

Hayes guidelines er Kommercielle og meget dyre - de er sorteret fra i Covidence.

	Line	Search	Hits	
<input type="checkbox"/>	1	(epilepsy):TI IN HTA FROM 2004 TO 2014	37	
<input type="checkbox"/>	2	(epilepsy) OR (epilepsies) OR (epileptic) IN HTA FROM 2004 TO 2014	64	
<input type="checkbox"/>	3	(epilepsy):TI OR (epilepsies):TI OR (epileptic):TI IN HTA FROM 2004 TO 2014	39	

Year	Database	Source	Title	
<input type="checkbox"/>	2013	HTA	Queen's Printer for Ontario	Electrical stimulation for drug-resistant epilepsy: an evidence-based analysis [Preview]
<input type="checkbox"/>	2013	HTA	Queen's Printer for Ontario	Electrical stimulation for drug-resistant epilepsy: OHTAC recommendation [Preview]
<input type="checkbox"/>	2013	HTA	NIHR Horizon Scanning Centre (NIHR HSC)	Monarch™ External Trigeminal Nerve Stimulation (eTNS™) System for epilepsy [Preview]
<input type="checkbox"/>	2013	HTA	HAYES, Inc.	Video Electrencephalogram (VEEG) for the diagnosis and treatment of epilepsy in children [Preview]
<input type="checkbox"/>	2013	HTA	HAYES, Inc.	Video Electroencephalogram (VEEG) for diagnosis and management of epilepsy in adults [Preview]
<input type="checkbox"/>	2012	HTA	Medical Advisory Secretariat (MAS)	Epilepsy care in Ontario: an economic analysis of increasing access to epilepsy surgery [Preview]

<input type="checkbox"/>	2012	HTA	Medical Advisory Secretariat (MAS)	Epilepsy surgery: an evidence summary <a href="#">[Preview]</a>
<input type="checkbox"/>	2012	HTA	NIHR Health Technology Assessment programme	The clinical effectiveness and cost-effectiveness of technologies used to visualise the seizure focus in people with refractory epilepsy being considered for surgery: a systematic review and decision-analytical model <a href="#">[Preview]</a>
<input type="checkbox"/>	2011	HTA	Catalan Agency for Health Information, Assessment and Quality (CAHIAQ - formerly CAHTA)	[Criteria for indication and surgical treatment in Parkinson's disease and epilepsy] <a href="#">[Preview]</a>
<input type="checkbox"/>	2011	HTA	National Horizon Scanning Centre (NHSC)	Eslicarbazepine acetate (Zebinix) for partial onset seizures in epilepsy - monotherapy <a href="#">[Preview]</a>
<input type="checkbox"/>	2011	HTA	HAYES, Inc.	Generalized Epilepsy with Febrile Seizures Plus (GEFS+) <a href="#">[Preview]</a>
<input type="checkbox"/>	2011	HTA	National Horizon Scanning Centre (NHSC)	Lacosamide (Vimpat) for epilepsy – first and second line <a href="#">[Preview]</a>
<input type="checkbox"/>	2011	HTA	National Horizon Scanning Centre (NHSC)	Perampanel for epilepsy - adjunctive <a href="#">[Preview]</a>
<input type="checkbox"/>	2011	HTA	Institute for Clinical Effectiveness and Health Policy (IECS)	[Usefulness of video EEG for the assessment of patients with refractory epilepsy] <a href="#">[Preview]</a>
<input type="checkbox"/>	2011	HTA	Institute for Clinical Effectiveness and Health Policy (IECS)	[Vagus nerve stimulation for refractory epilepsy] <a href="#">[Preview]</a>
<input type="checkbox"/>	2011	HTA	National Horizon Scanning Centre (NHSC)	Zonisamide (Zonegran) for newly diagnosed partial seizures in epilepsy <a href="#">[Preview]</a>

<input type="checkbox"/>	2010	HTA	Canadian Agency for Drugs and Technologies in Health (CADTH)	Positron emission tomography for epilepsy: clinical effectiveness and guidelines [Preview]
<input type="checkbox"/>	2009	HTA	National Horizon Scanning Centre (NHSC)	Carisbamate for partial onset epilepsy [Preview]
<input type="checkbox"/>	2009	HTA	National Horizon Scanning Centre (NHSC)	Eslicarbazepine acetate for partial onset epilepsy - refractory [Preview]
<input type="checkbox"/>	2009	HTA	National Horizon Scanning Centre (NHSC)	Pregabalin (Lyrica) for partial onset epilepsy - monotherapy [Preview]
<input type="checkbox"/>	2009	HTA	National Horizon Scanning Centre (NHSC)	Retigabine for partial onset epilepsy - refractory [Preview] This is a bibliographic record of a published health technology assessment from a member of INAHTA. No evaluation of the quality of this assessment has been made for the HTA database.
<input type="checkbox"/>	2009	HTA	HAYES, Inc.	Vagus nerve stimulation for epilepsy [Preview] This is a bibliographic record of a published health technology assessment. No evaluation of the quality of this assessment has been made for the HTA database. Report may be purchased from <a href="http://www.hayesinc.com">http://www.hayesinc.com</a>
<input type="checkbox"/>	2008	HTA	BlueCross BlueShield Association (BCBS)	Special report: MEG and MSI for the purpose of presurgical localization of epileptic lesions - a challenge for technology evaluation [Preview] This is a bibliographic record of a published health technology assessment. No evaluation of the quality of this assessment has been made for the HTA database.
<input type="checkbox"/>	2008	HTA	All Wales Therapeutics and Toxicology Centre (AWTTC), secretariat of the All Wales Medicines Strategy Group (AWMSG)	Stiripentol (Diacomit®) for use in conjunction with clobazam and valproate in patients with severe myoclonic epilepsy in infancy [Preview] This is a bibliographic record of a published health technology assessment. No evaluation of the quality of this assessment has been made for the HTA database.

<input type="checkbox"/>	2008	HTA	Adelaide Health Technology Assessment (AHTA)	Vagus nerve stimulation for epilepsy [Preview] This is a bibliographic record of a published health technology assessment from a member of INAHTA. No evaluation of the quality of this assessment has been made for the HTA database.
<input type="checkbox"/>	2007	HTA	Institute for Clinical Effectiveness and Health Policy (IECS)	Usefulness of SPECT in epilepsy [Preview] This is a bibliographic record of a published health technology assessment from a member of INAHTA. No evaluation of the quality of this assessment has been made for the HTA database.
<input type="checkbox"/>	2007	HTA	Institute for Clinical Effectiveness and Health Policy (IECS)	Usefulness of SPECT in epilepsy [Preview] This is a bibliographic record of a published health technology assessment from a member of INAHTA. No evaluation of the quality of this assessment has been made for the HTA database.
<input type="checkbox"/>	2007	HTA	HAYES, Inc.	Vagus nerve stimulation for epilepsy [Preview] This is a bibliographic record of a published health technology assessment. No evaluation of the quality of this assessment has been made for the HTA database.
<input type="checkbox"/>	2007	HTA	HAYES, Inc.	Video electroencephalograph (VEEG) monitoring for diagnosis of epilepsy in children [Preview] This is a bibliographic record of a published health technology assessment. No evaluation of the quality of this assessment has been made for the HTA database.
<input type="checkbox"/>	2006	HTA	NIHR Health Technology Assessment programme	A systematic review of the effectiveness and cost-effectiveness of neuroimaging assessments used to visualise the seizure focus in people with refractory epilepsy being considered for surgery [Preview] This is a bibliographic record of a published health technology assessment from a member of INAHTA. No evaluation of the quality of this assessment has been made for the HTA database.
<input type="checkbox"/>	2006	HTA	NIHR Health Technology Assessment programme	The clinical effectiveness and cost-effectiveness of newer drugs for children with epilepsy: a systematic review [Preview] This is a bibliographic record of a published health technology assessment from a member of INAHTA. No evaluation of the quality of this assessment has been made for the HTA database.
<input type="checkbox"/>	2006	HTA	Institute for Clinical Effectiveness and Health Policy (IECS)	Vagus Nerve Stimulation for refractory epilepsy [Preview] This is a bibliographic record of a published health technology assessment from a member of INAHTA. No evaluation of the quality of this assessment has been made for the HTA database.

<input type="checkbox"/>	2005	HTA	NIHR Health Technology Assessment programme	Clinical effectiveness, tolerability and cost-effectiveness of newer drugs for epilepsy in adults: a systematic review and economic evaluation [Preview] This is a bibliographic record of a published health technology assessment from a member of INAHTA. No evaluation of the quality of this assessment has been made for the HTA database.
<input type="checkbox"/>	2005	HTA	Secretaria de Ciencia, Tecnologia e Insumos Estrategicos, Departamento de Ciencia e Tecnologia (DECIT-CGATS )	[Surgical treatments for epilepsy] [Preview] This is a bibliographic record of a published health technology assessment from a member of INAHTA. No evaluation of the quality of this assessment has been made for the HTA database.
<input type="checkbox"/>	2004	HTA	National Institute for Clinical Excellence (NICE)	Newer drugs for epilepsy in adults [Preview]
<input type="checkbox"/>	2004	HTA	National Institute for Clinical Excellence (NICE)	Newer drugs for epilepsy in children [Preview] This is a bibliographic record of a published health technology assessment. No evaluation of the quality of this assessment has been made for the HTA database.
<input type="checkbox"/>	2004	HTA	Medical Services Advisory Committee (MSAC)	Positron emission tomography (PET) for epilepsy [Preview] This is a bibliographic record of a published health technology assessment from a member of INAHTA. No evaluation of the quality of this assessment has been made for the HTA database.
<input type="checkbox"/>	2004	HTA	National Institute for Clinical Excellence (NICE)	The epilepsies: The diagnosis and management of the epilepsies in adults and children in primary and secondary care [Preview] This is a bibliographic record of a published health technology assessment. No evaluation of the quality of this assessment has been made for the HTA database.
<input type="checkbox"/>	2004	HTA	National Institute for Clinical Excellence (NICE)	Vagus nerve stimulation for refractory epilepsy in children [Preview]

## **SBU, Sverige**

6 fund ( her af kun to relevante i forhold til tidsafgrænsning)

Gul, 4

### ***Epilepsikirurgi***

Denna rapport publicerades 1991. Nya studier kan ha tillkommit. Läs mer » Utvärderingens syfte - Att ge en översikt av epilepsins epidemiologi, metoder för diagnostisering och vilken roll den kirurgiska behandlingen av **epilepsi** spelar i Sverige, samt ...

2007-03-20 · 27 kB · **Rapporttyp:** Gul, **Sjukdomskategorier:**Nervsystemets sjukdomar  
· [Visa med sökorden markerade](#)

### ***Ketogen kost vid epilepsi***

antalet epileptiska anfall. Ketogen kost är en metod som använts sporadiskt under mycket lång tid vid svårbemästrad **epilepsi** ...

2007-03-20 · 27 kB · **Rapporttyp:** Alert, **Sjukdomskategorier:**Nervsystemets sjukdomar  
· [Visa med sökorden markerade](#)

### ***Läkemedelsanalys vid epilepsibehandling***

Alerts bedömning Version: 2 Denna rapport publicerades 2000. Nya studier kan ha tillkommit. Läs mer » Kunskapen om läkemedelsanalys, som ett medel för att anpassa doseringen av **epilepsiläkemedel** i syfte att uppnå en viss koncentration i blodet, är väl ...

2007-03-20 · 26 kB · **Rapporttyp:** Alert, **Sjukdomskategorier:**Nervsystemets sjukdomar  
· [Visa med sökorden markerade](#)

### ***Vacciner till barn - skyddseffekt och biverkningar***

Denna rapport publicerades 2009. Nya studier kan ha ... **epilepsi**(Evidensstyrka 3). MPR-vaccin orsakar inte diabetes typ 1 eller förekomsten av allvarliga infektioner som kräver inläggning på sjukhus (Evidensstyrka 3). MPR-vaccin orsakar inte autism eller ...

2009-02-04 · 34 kB · **Rapporttyp:** Gul, **Sjukdomskategorier:**Infektionssjukdomar · [Visa med sökorden markerade](#)

Blå 1

### ***Behandling av migrän***

Vid behandling av akut ... **epilepsi**). Denna behandling adderas om antalet migränanfall är tre eller fler per månad eller om optimal anfallsbehandling inte uppnås. - Läs mer i Behandlingsrekommendationer (Läkemedelsverket) och Rekommendationer för behandling ...

2009-11-27 · 34 kB · **Kategori:** Kommentar · [Visa med sökorden markerade](#)

Rød 1

### ***Psykologiska behandlingar av sömnbesvär hos barn och unga***

Hela svaret - Psykologiska behandlingar av sömnbesvär hos barn ...**epilepsi**, blindhet, utvecklingsstörning och cancer. Det finns en stor osäkerhet i vad olika psykologiska behandlingar kan ha för effekt på sömnbesvär hos barn och unga. - Fråga till SBU:s ...

## Socialstyrelsen, Sverige 5 fund

### Sjukskrivning vid epilepsi

Datum: 2010-06-15 [Visa med sökorden markerade](#)

Ladda ner sida Skriv ut Ladda ner sida RSS rss-flöde Diagnos: **Epilepsi** ICD-kod: G40, G41  
Ändringsdatum: Publicerad 1 oktober 2007 Innehåll Rekommendationer om bedömning av  
arbetsförmåga Symtom, prognos och behandling Förväntad konsekvens för funktionstillstånd

...

Sökväg:

Start / Riktlinjer / Försäkringsmedicinskt beslutss... / Epilepsi

[Nyckelord](#)

Alla nyckelord: [hälso- och sjukvård](#), [sjukdomar](#), [nervsystemet](#)[Stäng](#)

### Sjukskrivning vid Traumatisk hjärnskada, Hjärnskada, Hjärnskakning

Datum: 2010-06-15 [Visa med sökorden markerade](#)

Ladda ner sida Skriv ut Ladda ner sida RSS rss-flöde Diagnos: Traumatisk hjärnskada ...  
**epilepsi**, hydrocephalus och motsvarande funktionshinder. Bedömd tid för återvunnen  
funktion och normal läkning Lätta skador/hjärnskakning: symtomen klingar vanligen ...

Sökväg:

Start / Riktlinjer / Försäkringsmedicinskt beslutss... / Traumatisk hjärnskada

[Nyckelord](#)

Alla nyckelord: [hälso- och sjukvård](#), [sjukdomar](#)[Stäng](#)

### Sjukskrivning vid cerebrovaskulära sjukdomar

Datum: 2011-12-21 [Visa med sökorden markerade](#)

Ladda ner sida Skriv ut Ladda ner sida RSS rss-flöde ... **epilepsi** och smärta kan förlänga  
återhämtningen. Det är vanligt med kvarstående funktionsnedsättningar. Dolda besvär av  
kognitiv art kan bli bestående. Vid diagnosen TIA är patienten återställd ...

Sökväg:

Start / Riktlinjer / Försäkringsmedicinskt beslutss... / Cerebrovaskulära sjukdomar

[Nyckelord](#)

Alla nyckelord: [hälso- och sjukvård](#), [sjukdomar](#), [hjärta och kärl](#), [stroke](#)[Stäng](#)

### Försäkringsmedicinskt beslutsstöd

Datum: 2011-02-24 [Visa med sökorden markerade](#)

Ladda ner sida Skriv ut Ladda ner sida RSS rss-flöde ... **Epilepsi Epilepsi** G40, G41  
Publicerad 1 oktober 2007 Vid förstagångsanfall och basal epilepsiutredning har flertalet  
patienter behov av en kort sjukskrivning i upp till 2 veckor efter förstagångsanfallet. ...

Sökväg:

Start / Riktlinjer / Försäkringsmedicinskt beslutss...

[Nyckelord](#)

### Läkemedelsförsäljningen i Sverige - analys och prognos - 2009-04-01

Datum: 2009-09-06 [Visa med sökorden markerade](#)

Ladda ner sida Skriv ut Ladda ner sida RSS ... **epilepsi** och neuropatisk smärta) ökar snabbt.  
En grupp som fortsättningsvis minskar kraftigt i förmånskostnad är medel vid magsår och  
gastroesofageal reflux. Även kostnaderna för antidepressiva läkemedel ...

Sökväg:

Start / Publikationer 2009 / Läkemedelsförsäljningen i Sver...

## Helsedirektoratet, Norge

0 fund

## Kunnskapssenteret, Norge

6 fund

Ditt søk på "epilepsi" ga følgende treff i Alle publikasjoner :

År	Tittel	Type
<b>2010</b>		
2010	<a href="#">Effekter av tverrfaglige ambulante tjenester for pasienter med kroniske sykdommer</a>	Rapport fra Kunnskapssenteret
2010	<a href="#">Sakte, men sikker avslutning av benzodiazepiner</a>	Omtale av oversikt
<b>2008</b>		
2008	<a href="#">The combined burden of cognitive, executive function, and psychosocial problems in children with epilepsy: a population-based study</a>	Vitenskapelig artikkel
2008	<a href="#">Intensiv trening/habilitering til barn med medfødt og ervervet hjerneskade</a>	Rapport fra Kunnskapssenteret
<b>2007</b>		
2007	<a href="#">Benzodiazepiner i behandling av personer med rusmiddelproblemer</a>	Rapport fra Kunnskapssenteret
<b>2006</b>		
2006	<a href="#">Sosiale ulikheter i helse og bruk av helsetjenester blant barn i Akershus</a>	Rapport fra Kunnskapssenteret



## Netpunkt

2 fund


Markér	Søgning	Fund	Base	Sæt nr.
<input type="checkbox"/>	<a href="#">epilepsi?</a>	1450	Danbib (Alle)	S1
<input type="checkbox"/>	<a href="#">epileptisk?</a>	108	Danbib (Alle)	S2
<input type="checkbox"/>	<a href="#">retningslinje?</a>	1696	Danbib (Alle)	S3
<input type="checkbox"/>	<a href="#">klinisk retningslinje?</a>	12	Danbib (Alle)	S4
<input type="checkbox"/>	<a href="#">vejledning?</a>	55672	Danbib (Alle)	S5
<input type="checkbox"/>	<a href="#">(epilepsi?) eller (epileptisk?)</a>	1515	Danbib	S6
<input type="checkbox"/>	<a href="#">(retningslinje?) eller (klinisk retningslinje?) eller (vejledning?)</a>	57243	Danbib	S7
<input type="checkbox"/>	<a href="#">((epilepsi?) eller (epileptisk?)) og ((retningslinje?) eller (klinisk retningslinje?) eller (vejledning?))</a>	18	Danbib	S8
<input type="checkbox"/>	<a href="#">((epilepsi?) eller (epileptisk?)) og ((retningslinje?) eller (klinisk retningslinje?) eller (vejledning?))</a>	18	Danbib (Alle)	S9
<input type="checkbox"/>	<a href="#">((epilepsi?) eller (epileptisk?)) og ((retningslinje?) eller (klinisk retningslinje?) eller (vejledning?)) og år&gt;2003</a>	2	Danbib (Alle)	S10

### Arbejd trygt - med epilepsi og udviklingshæmning

[Se mere](#)

Emne: [psykisk udviklingshæmmede](#) ; [epilepsi](#)

Niveau: fagligt niveau

<input type="checkbox"/>		NETDOKUMENT: Servicestyrelsen, Videnscenter om Epilepsi, Trygfonden, 2011 <a href="#">Se mere</a>	
--------------------------	---	---	--

### Referenceprogram for epilepsi : udarbejdet af en arbejdsgruppe nedsat af SfR

[Se mere](#)

Emne: [Referenceprogram](#) ; [kliniske retningslinjer](#) ; [Epilepsi](#) ; [Anbefaling](#)

<input type="checkbox"/>		BOG: Kbh., 2005. - 79 s. <a href="#">Se mere</a>	<a href="#">Links</a>
--------------------------	---	---	-----------------------

## **Medline** (140714)

Database(s): Ovid MEDLINE(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R) 1946 to Present  
Search Strategy:

#	Searches	Results
1	exp Epilepsy/	129384
2	clinical guideline*.mp.	6993
3	exp Guideline/ or exp Practice Guideline/	25447
4	2 or 3	31948
5	1 and 4	192
6	limit 5 to yr="2004 - 2014"	109
7	limit 6 to (danish or english or norwegian or swedish)	86

## **Embase** (140714)

Database(s): Embase 1996 to 2014 Week 28

Search Strategy:

#	Searches	Results
1	practice guideline/	230137
2	epilepsy/	66219
3	1 and 2	1068
4	limit 3 to yr="2004 - 2014"	795
5	limit 4 to (danish or english or norwegian or swedish)	674

## **Psycinfo** (140714)

Database(s): PsycINFO 1806 to July Week 2 2014

Search Strategy:

#	Searches	Results
1	exp Experimental Epilepsy/ or exp Epilepsy/ or epilepsy.mp.	26712
2	exp Clinical Practice/ or exp Evidence Based Practice/ or exp Treatment Guidelines/ or guideline*.mp.	63492
3	1 and 2	477
4	limit 3 to ((danish or english or norwegian or swedish) and yr="2004 - 2014")	371

## Cinahl

Monday, July 14, 2014 9:20:42 AM

#	Query	Limiters/Expanders	Last Run Via	Results
S8	S3 AND S7	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	25
S7		Limiters - Publication Type: Practice Guidelines Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	6,652
S6	S3 AND S4	Limiters - Published Date: 20040101- 20141231 Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	218
S5	S3 AND S4	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	255
S4	"guideline*" OR (MH "Practice Guidelines") OR "practice guideline*"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	71,519
S3	S1 OR S2	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	7,687
S2	(MH "Epilepsy+") OR (MH "Epilepsy, Partial, Complex") OR (MH "Epilepsy, Temporal Lobe") OR (MH "Epilepsy, Partial, Focal") OR (MH "Epilepsy, Juvenile Myoclonic") OR (MH "Epilepsy, Generalized+") OR (MH "Dravet Syndrome") OR (MH "Epilepsy, Absence") OR (MH	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	6,664

	"Kohlschutter-Tonz Syndrome") OR (MH "Epilepsy, Partial+") OR (MH "Epilepsy, Post-Traumatic") OR (MH "Epilepsies, Myoclonic+") OR (MH "Spasms, Infantile+")			
S1	epilepsy	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	7,195