

Søgeprotokol for Nationale Kliniske Retningslinjer

Projektitel/aspekt	NKR for hysterektomi på benign indikation – søgning på Primær litteratur på PICOs
Kontakt Fagkonsulent /projektleder	Sigurd Beier Sloth/Christina Debes Helm, SST
Kontakt Søgesepecialisten	Jens Peter Andersen/Birgitte Holm Petersen, SST
Senest opdateret	(22.Januar 2015)

Baggrund	<p>PICO 1 : Skal kvinder tilbydes subtotal hysterektomi frem for total hysterektomi ved benign indikation?</p> <p>PICO 2: Skal kvinder tilbydes vaginal hysterektomi frem for konventionel laparoskopisk hysterektomi ved benign sygdom, hvor indikationen ikke er prolaps?</p> <p>PICO 3: Skal man anbefale robotassisteret laparoskopisk hysterektomi frem for konventionel laparoskopisk hysterektomi til kvinder, der skal have fjernet livmoderen pga. benign sygdom?</p> <p>PICO 4: Bør kirurgen fjerne en stor livmoder in toto via bugvægsadgang frem for at anvende morcellering/deling af livmoderen hos kvinder med fibromer?</p> <p>PICO 5: Skal man anbefale kvinder, der skal have foretaget hysterektomi pga. benign sygdom, samtidig fjernelse af æggeledeerne?</p> <p>PICO 6: Bør kirurgen foretage suspension af vaginaltoppen ved fjernelse af en ikke-nedsunken livmoder hvor indikationen er benign sygdom?</p> <p>PICO 7: Bør kirurgen anvende ultralyd eller diatermi som skæremetode ved deling af livmoderen fra vaginaltoppen i forbindelse med total laparoskopisk hysterektomi pga. benign sygdom?</p> <p>PICO 8: Bør kirurgen sy vaginaltoppen transvaginalt eller laparoskopisk hos kvinder, der får foretaget total laparoskopisk hysterektomi pga. benign sygdom?</p> <p>PICO 9: Bør kirurgen anvende sutur med eller uden modhager i forbindelse med laparoskopisk lukning af vaginaltoppen hos kvinder, der får foretaget total laparoskopisk hysterektomi pga. benign sygdom?</p>
Søgetermer	Se søgestrategierne under de enkelte PICOs

Inklusions- og eksklusionskriterier	Sprog: Engelsk, dansk, norsk og svensk År: se de under søgestrategien for de enkelt PICO's.- 2014) Population: Kvinder Publikationstyper: Randomiserede kontrollerede forsøg (RCT)
--	---

Informationskilder

Database	Interface	Dato for søgning
Medline	OVID	3. -12. november 2014
EMBASE	OVID	3. -12. november 2014

Note

- Søgetermer og inklusions- og eksklusionskriterier er tilpasset de enkelte databaser.
- Dubletter er så vidt muligt frasorteret ved hjælp af RefWorks. De fundne referencer overføres til Covidence (referenceværktøj)
- Fuldtekster præsenteres i Covidence i pdf-format
- Søgestrategi for hver enkelt database præsenteres – hvis muligt vises det eksplicit hvor mange referencer den enkelte søgestreng genererer

Søgestrategi

PICO 1

Medline

ID	Søgestreng	Hits
1	subtotal.mp.	15676
2	supracervical.mp.	395
3	supravaginal.mp.	138
4	or/1-3	16172
5	total abdominal.mp.	2845
6	total hysterectomy*.mp.	1482
7	vaginal hysterectomy*.mp.	2839
8	laparoscop*.mp.	97436
9	or/5-8	102837
10	4 and 9	950
11	exp hysterectomy/	25092
12	hysterectomy*.mp.	38242
13	or/11-12	38242
14	benign.mp.	174097
15	abnormal uterine bleeding.mp.	1375
16	aub.mp.	307
17	menorrhagi*.mp.	4899
18	metrorrhagi*.mp.	2750
19	dysmenorrhe*.mp.	4829
20	heavy menstrual bleeding.mp.	413
21	(fibroid* not sarcoma).mp.	4397
22	leiomyoma*.mp.	20148
23	myoma*.mp.	5337
24	endometriosis.mp.	21027
25	adenomyosis.mp.	1793
26	pelvic organ prolapse.mp.	3204
27	uterine prolapse.mp.	5255
28	chronic pelvic pain.mp.	2586
29	or/14-28	230832
30	uterine hemorrhage/	7984
31	menorrhagia/	3632
32	metrorrhagia/	2084
33	dysmenorrhea/	3182
34	leiomyoma/	16354
35	myoma/	1055
36	endometriosis/	17400
37	adenomyosis/	114
38	pelvic organ prolapse/	1463
39	uterine prolapse/	4918
40	or/30-39	53955
41	exp uterine cervical neoplasms/	60728
42	exp endometrial neoplasms/	15929
43	exp sarcoma/	118066
44	((cervix or cervical) adjl (tumoşr or neoplasm* or cancer)).mp.	69351
45	(endometri* adjl (tumoşr or neoplasm* or cancer)).mp.	19491

46	sarcoma*.mp.	104040
47	or/41-46	240821
48	29 or 40	237097
49	13 and 48	9852
50	13 not 47	28360
51	49 or 50	29729
52	10 and 51	478
53	Randomized Controlled Trials as Topic/	99129
54	randomized controlled trial/	398174
55	Random Allocation/	83769
56	Double Blind Method/	131904
57	Single Blind Method/	20448
58	clinical trial/	500306
59	clinical trial, phase i.pt.	15236
60	clinical trial, phase ii.pt.	24424
61	clinical trial, phase iii.pt.	9967
62	clinical trial, phase iv.pt.	1018
63	controlled clinical trial.pt.	90534
64	randomized controlled trial.pt.	398174
65	multicenter study.pt.	187324
66	clinical trial.pt.	500306
67	exp Clinical Trials as topic/	293694
68	or/53-67	1085293
69	(clinical adj trial\$).tw.	234225
70	((singl\$ or doubl\$ or treb\$ or tripl\$) adj (blind\$3 or mask\$3)).tw.	136525
71	placebos/	33956
72	placebo\$.tw.	168609
73	randomly allocated.tw.	18153
74	(allocated adj2 random\$).tw.	20814
75	or/69-74	450180
76	68 or 75	1244816
77	case report.tw.	214421
78	letter/	877596
79	historical article/	311485
80	or/77-79	1391446
81	76 not 80	1213707
82	52 and 81	60
83	limit 82 to (danish or english or norwegian or swedish)	56
84	limit 83 to yr="2011 -Current"	15

Embase

ID	Søgestreng	Hits
1	subtotal.mp.	20945
2	supracervical.mp.	739
3	supravaginal.mp.	143
4	or/1-3	21740
5	total abdominal.mp.	3823
6	total hysterectom*.mp.	2128
7	vaginal hysterectom*.mp.	5943
8	laparoscop*.mp.	146998
9	or/5-8	155281
10	4 and 9	1770
11	exp *hysterectomy/	15688
12	hysterectom*.mp.	56405
13	or/11-12	56534
14	benign.mp.	217751
15	abnormal uterine bleeding.mp.	1981
16	aub.mp.	412
17	menorrhagi*.mp.	7873
18	metrorrhagi*.mp.	4534
19	dysmenorrhoe*.mp.	9402
20	heavy menstrual bleeding.mp.	641
21	(fibroid* not sarcoma).mp.	6586
22	leiomyoma*.mp.	20721
23	myoma*.mp.	14837
24	endometriosis.mp.	28286
25	adenomyosis.mp.	3328
26	pelvic organ prolapse.mp.	9116
27	uterine prolapse.mp.	1337
28	chronic pelvic pain.mp.	3935
29	or/14-28	296319
30	uterus bleeding/	7633
31	menorrhagia/	7065
32	metrorrhagia/	4134
33	dysmenorrhoea/	8572
34	leiomyoma/	14328
35	uterus myoma/	10162
36	myoma/	2477
37	endometriosis/	25910
38	adenomyosis/	2660
39	pelvic organ prolapse/	8361
40	uterus prolapse/	3985
41	pelvis pain syndrome/	10225
42	or/30-41	87450
43	exp uterine cervix tumor/	85687
44	exp endometrium tumor/	43913
45	exp sarcoma/	149630
46	((cervix or cervical) adj1 (tumor* or neoplasm* or cancer)).mp.	71281
47	(endometri* adj1 (tumor* or neoplasm* or cancer)).mp.	29789
48	sarcoma*.mp.	122623
49	or/43-48	308630
50	29 or 42	306864
51	13 and 50	16594
52	13 not 49	39951

53	51 or 52	42913
54	10 and 53	959
55	Clinical trial/	838991
56	Randomized controlled trial/	354375
57	Randomization/	63603
58	Single blind procedure/	18953
59	Double blind procedure/	118348
60	Crossover procedure/	40446
61	Placebo/	259762
62	randomi?ed controlled trial\$.tw.	104641
63	Rct.tw.	15002
64	Random allocation.tw.	1383
65	Randomly allocated.tw.	21193
66	Allocated randomly.tw.	1971
67	(allocated adj2 random).tw.	799
68	Single blind\$.tw.	15025
69	Double blind\$.tw.	150610
70	((treble or triple) adj blind\$.tw.	423
71	Placebo\$.tw.	208747
72	Prospective study/	264109
73	or/55-72	1410943
74	Case study/	28279
75	Case report.tw.	275032
76	Abstract report/ or letter/	922766
77	or/74-76	1220210
78	73 not 77	1372362
79	54 and 78	141
80	limit 79 to (danish or english or norwegian or swedish)	130
81	limit 80 to yr="2011 -Current"	42

PICO 2

Medline

ID	Søgestreng	Hits
1	laparoscop*.mp.	97667
2	vagina*.mp.	117118
3	and/1-2	4670
4	exp hysterectomy/	25120
5	hysterectom*.mp.	38294
6	or/4-5	38294
7	benign.mp.	174532
8	abnormal uterine bleeding.mp.	1376
9	aub.mp.	310
10	menorrhagi*.mp.	4900
11	metrorrhagi*.mp.	2751
12	dysmenorrhoe*.mp.	4837
13	heavy menstrual bleeding.mp.	414
14	(fibroid* not sarcoma).mp.	4404
15	leiomyoma*.mp.	20173
16	myoma*.mp.	5343
17	endometriosis.mp.	21051
18	adenomyosis.mp.	1797
19	pelvic organ prolapse.mp.	3216
20	uterine prolapse.mp.	5261
21	chronic pelvic pain.mp.	2590
22	or/7-21	231344
23	uterine hemorrhage/	7990
24	menorrhagia/	3636
25	metrorrhagia/	2084
26	dysmenorrhea/	3185
27	leiomyoma/	16370
28	myoma/	1057
29	endometriosis/	17414
30	adenomyosis/	116
31	pelvic organ prolapse/	1475
32	uterine prolapse/	4923
33	or/23-32	54014
34	exp uterine cervical neoplasms/	60816
35	exp endometrial neoplasms/	15957
36	exp sarcoma/	118570
37	((cervix or cervical) adjl (tumo\$r or neoplasm* or cancer)).mp.	69447
38	(endometri* adjl (tumo\$r or neoplasm* or cancer)).mp.	19515
39	sarcoma*.mp.	104481
40	or/34-39	241544
41	22 or 33	237613
42	6 and 41	9855
43	6 not 40	28404
44	42 or 43	29775
45	3 and 44	1726
46	Randomized Controlled Trials as Topic/	99474
47	randomized controlled trial/	399442
48	Random Allocation/	84027

49	Double Blind Method/	132305
50	Single Blind Method/	20536
51	clinical trial/	501097
52	clinical trial, phase i.pt.	15291
53	clinical trial, phase ii.pt.	24501
54	clinical trial, phase iii.pt.	10019
55	clinical trial, phase iv.pt.	1031
56	controlled clinical trial.pt.	90638
57	randomized controlled trial.pt.	399442
58	multicenter study.pt.	188007
59	clinical trial.pt.	501097
60	exp Clinical Trials as topic/	294364
61	or/46-60	1088514
62	(clinical adj trial\$.tw.	235015
63	((singl\$ or doubl\$ or treb\$ or tripl\$) adj (blind\$3 or mask\$3)).tw.	136899
64	placebos/	33994
65	placebo\$.tw.	169021
66	randomly allocated.tw.	18224
67	(allocated adj2 random\$.tw.	20894
68	or/62-67	451490
69	61 or 68	1248471
70	case report.tw.	215432
71	letter/	884494
72	historical article/	312479
73	or/70-72	1400240
74	69 not 73	1217277
75	45 and 74	199
76	limit 75 to (danish or english or norwegian or swedish)	181
77	limit 76 to yr="2009 -Current"	69

Embase

ID	Søgestreng	Hits
1	laparoscop*.mp.	148369
2	vagina*.mp.	149921
3	and/1-2	8856
4	exp *hysterectomy/	15897
5	hysterectom*.mp.	56888
6	or/4-5	57017
7	benign.mp.	218386
8	abnormal uterine bleeding.mp.	2044
9	aub.mp.	423
10	menorrhagi*.mp.	7945
11	metrorrhagi*.mp.	4545
12	dysmenorrhoe*.mp.	9466
13	heavy menstrual bleeding.mp.	662
14	(fibroid* not sarcoma).mp.	6729
15	leiomyoma*.mp.	20811
16	myoma*.mp.	15026
17	endometriosis.mp.	28494
18	adenomyosis.mp.	3371
19	pelvic organ prolapse.mp.	9179
20	uterine prolapse.mp.	1349
21	chronic pelvic pain.mp.	3992
22	or/7-21	297538
23	uterus bleeding/	7706
24	menorrhagia/	7136
25	metrorrhagia/	4144
26	dysmenorrhoea/	8633
27	leiomyoma/	14368
28	uterus myoma/	10263
29	myoma/	2583
30	endometriosis/	26116
31	adenomyosis/	2703
32	pelvic organ prolapse/	8419
33	uterus prolapse/	3998
34	pelvis pain syndrome/	10283
35	or/23-34	88059
36	exp uterine cervix tumor/	85846
37	exp endometrium tumor/	44114
38	exp sarcoma/	150019
39	((cervix or cervical) adj1 (tumo\$r or neoplasm* or cancer)).mp.	71436
40	(endometri* adj1 (tumo\$r or neoplasm* or cancer)).mp.	29960
41	sarcoma*.mp.	122891
42	or/36-41	309398
43	22 or 35	308088
44	6 and 43	16875
45	6 not 42	40335
46	44 or 45	43352
47	3 and 46	3503
48	Clinical trial/	839338
49	Randomized controlled trial/	355177
50	Randomization/	63801
51	Single blind procedure/	18999
52	Double blind procedure/	118522

53	Crossover procedure/	40548
54	Placebo/	260458
55	randomi?ed controlled trial\$.tw.	105294
56	Rct.tw.	15144
57	Random allocation.tw.	1388
58	Randomly allocated.tw.	21295
59	Allocated randomly.tw.	1975
60	(allocated adj2 random).tw.	799
61	Single blind\$.tw.	15084
62	Double blind\$.tw.	151037
63	((treble or triple) adj blind\$.tw.	427
64	Placebo\$.tw.	209419
65	Prospective study/	265370
66	or/48-65	1414361
67	Case study/	28569
68	Case report.tw.	276186
69	Abstract report/ or letter/	923634
70	or/67-69	1222502
71	66 not 70	1375726
72	47 and 71	462
73	limit 72 to (danish or english or norwegian or swedish)	424
74	limit 73 to yr="2009 -Current"	205

PICO 3

Medline

ID	Søgestreng	Hits
1	laparoscop*.mp.	97582
2	transvaginal.mp.	9857
3	sutur*.mp.	86316
4	1 and (or/2-3)	7085
5	exp hysterectomy/	25120
6	hysterectom*.mp.	38274
7	or/5-6	38274
8	benign.mp.	174440
9	abnormal uterine bleeding.mp.	1375
10	aub.mp.	310
11	menorrhagi*.mp.	4900
12	metrorrhagi*.mp.	2750
13	dysmenorrhoe*.mp.	4834
14	heavy menstrual bleeding.mp.	413
15	(fibroid* not sarcoma).mp.	4400
16	leiomyoma*.mp.	20163
17	myoma*.mp.	5339
18	endometriosis.mp.	21038
19	adenomyosis.mp.	1796
20	pelvic organ prolapse.mp.	3213
21	uterine prolapse.mp.	5260
22	chronic pelvic pain.mp.	2588
23	or/8-22	231221
24	uterine hemorrhage/	7990
25	menorrhagia/	3636
26	metrorrhagia/	2084
27	dysmenorrhoea/	3185
28	leiomyoma/	16370
29	myoma/	1057
30	endometriosis/	17414
31	adenomyosis/	116
32	pelvic organ prolapse/	1475
33	uterine prolapse/	4923
34	or/24-33	54014
35	exp uterine cervical neoplasms/	60816
36	exp endometrial neoplasms/	15957
37	exp sarcoma/	118570
38	((cervix or cervical) adj1 (tumo\$r or neoplasm* or cancer)).mp.	69415
39	(endometri* adj1 (tumo\$r or neoplasm* or cancer)).mp.	19505
40	sarcoma*.mp.	104447
41	or/35-40	241470
42	23 or 34	237490
43	7 and 42	9851
44	7 not 41	28388
45	43 or 44	29759
46	4 and 45	378
47	Randomized Controlled Trials as Topic/	99474
48	randomized controlled trial/	399438

49	Random Allocation/	84027
50	Double Blind Method/	132305
51	Single Blind Method/	20536
52	clinical trial/	501090
53	clinical trial, phase i.pt.	15291
54	clinical trial, phase ii.pt.	24501
55	clinical trial, phase iii.pt.	10019
56	clinical trial, phase iv.pt.	1031
57	controlled clinical trial.pt.	90638
58	randomized controlled trial.pt.	399438
59	multicenter study.pt.	188006
60	clinical trial.pt.	501090
61	exp Clinical Trials as topic/	294364
62	or/47-61	1088502
63	(clinical adj trial\$.tw.	234771
64	((singl\$ or doubl\$ or treb\$ or tripl\$) adj (blind\$3 or mask\$3)).tw.	136820
65	placebos/	33994
66	placebo\$.tw.	168903
67	randomly allocated.tw.	18202
68	(allocated adj2 random\$.tw.	20872
69	or/63-68	451125
70	62 or 69	1248101
71	case report.tw.	215170
72	letter/	883988
73	historical article/	312479
74	or/71-73	1399474
75	70 not 74	1216910
76	Epidemiologic studies/	6258
77	exp case control studies/	708879
78	exp cohort studies/	1436040
79	Case control.tw.	84954
80	(cohort adj (study or studies)).tw.	99167
81	Cohort analy\$.tw.	4189
82	(Follow up adj (study or studies)).tw.	39305
83	(observational adj (study or studies)).tw.	50589
84	Longitudinal.tw.	155363
85	Retrospective.tw.	298496
86	Cross sectional.tw.	188389
87	Cross-sectional studies/	192355
88	or/76-87	2028404
89	46 and (75 or 88)	150
90	limit 89 to (danish or english or norwegian or swedish)	129
91	limit 90 to yr="2004 -Current"	97

Embase

ID	Søgestreng	Hits
1	laparoscop*.mp.	146998
2	transvaginal.mp.	19895
3	sutur*.mp.	96233
4	1 and (or/2-3)	13353
5	exp *hysterectomy/	15688
6	hysterectom*.mp.	56405
7	or/5-6	56534
8	benign.mp.	217751
9	abnormal uterine bleeding.mp.	1981
10	aub.mp.	412
11	menorrhagi*.mp.	7873
12	metrorrhagi*.mp.	4534
13	dysmenorrhoe*.mp.	9402
14	heavy menstrual bleeding.mp.	641
15	(fibroid* not sarcoma).mp.	6586
16	leiomyoma*.mp.	20721
17	myoma*.mp.	14837
18	endometriosis.mp.	28286
19	adenomyosis.mp.	3328
20	pelvic organ prolapse.mp.	9116
21	uterine prolapse.mp.	1337
22	chronic pelvic pain.mp.	3935
23	or/8-22	296319
24	uterus bleeding/	7633
25	menorrhagia/	7065
26	metrorrhagia/	4134
27	dysmenorrhoea/	8572
28	leiomyoma/	14328
29	uterus myoma/	10162
30	myoma/	2477
31	endometriosis/	25910
32	adenomyosis/	2660
33	pelvic organ prolapse/	8361
34	uterus prolapse/	3985
35	pelvis pain syndrome/	10225
36	or/24-35	87450
37	exp uterine cervix tumor/	85687
38	exp endometrium tumor/	43913
39	exp sarcoma/	149630
40	((cervix or cervical) adj1 (tumor\$ or neoplasm* or cancer)).mp.	71281
41	(endometri* adj1 (tumor\$ or neoplasm* or cancer)).mp.	29789
42	sarcoma*.mp.	122623
43	or/37-42	308630
44	23 or 36	306864
45	7 and 44	16594
46	7 not 43	39951
47	45 or 46	42913
48	4 and 47	1086
49	Clinical trial/	838991
50	Randomized controlled trial/	354375
51	Randomization/	63603
52	Single blind procedure/	18953

53	Double blind procedure/	118348
54	Crossover procedure/	40446
55	Placebo/	259762
56	randomi?ed controlled trial\$.tw.	104641
57	Rct.tw.	15002
58	Random allocation.tw.	1383
59	Randomly allocated.tw.	21193
60	Allocated randomly.tw.	1971
61	(allocated adj2 random).tw.	799
62	Single blind\$.tw.	15025
63	Double blind\$.tw.	150610
64	((treble or triple) adj blind\$).tw.	423
65	Placebo\$.tw.	208747
66	Prospective study/	264109
67	or/49-66	1410943
68	Case study/	28279
69	Case report.tw.	275032
70	Abstract report/ or letter/	922766
71	or/68-70	1220210
72	67 not 71	1372362
73	Clinical study/	105098
74	Case control study/	82006
75	Family study/	10545
76	Longitudinal study/	70102
77	Retrospective study/	363408
78	Prospective study/	264109
79	Randomized controlled trials/	59902
80	78 not 79	262438
81	Cohort analysis/	179969
82	(Cohort adj (study or studies)).mp.	123914
83	(Case control adj (study or studies)).tw.	78049
84	(follow up adj (study or studies)).tw.	46740
85	(observational adj (study or studies)).tw.	68239
86	(epidemiologic\$ adj (study or studies)).tw.	76143
87	(cross sectional adj (study or studies)).tw.	91014
88	or/73-77,80-87	1259748
89	48 and (72 or 88)	196
90	limit 89 to (danish or english or norwegian or swedish)	184
91	limit 90 to yr="2004 -Current"	162

PICO 4

Medline

ID	Søgestreng	Hits
1	robot*.mp.	23657
2	da vinci.mp.	1808
3	or/1-2	24054
4	exp hysterectomy/	25120
5	hysterectom*.mp.	38294
6	or/4-5	38294
7	benign.mp.	174532
8	abnormal uterine bleeding.mp.	1376
9	aub.mp.	310
10	menorrhagi*.mp.	4900
11	metrorrhagi*.mp.	2751
12	dysmenorrhoe*.mp.	4837
13	heavy menstrual bleeding.mp.	414
14	(fibroid* not sarcoma).mp.	4404
15	leiomyoma*.mp.	20173
16	myoma*.mp.	5343
17	endometriosis.mp.	21051
18	adenomyosis.mp.	1797
19	pelvic organ prolapse.mp.	3216
20	uterine prolapse.mp.	5261
21	chronic pelvic pain.mp.	2590
22	or/7-21	231344
23	uterine hemorrhage/	7990
24	menorrhagia/	3636
25	metrorrhagia/	2084
26	dysmenorrhea/	3185
27	leiomyoma/	16370
28	myoma/	1057
29	endometriosis/	17414
30	adenomyosis/	116
31	pelvic organ prolapse/	1475
32	uterine prolapse/	4923
33	or/23-32	54014
34	exp uterine cervical neoplasms/	60816
35	exp endometrial neoplasms/	15957
36	exp sarcoma/	118570
37	((cervix or cervical) adjl (tumo\$r or neoplasm* or cancer)).mp.	69447
38	(endometri* adjl (tumo\$r or neoplasm* or cancer)).mp.	19515
39	sarcoma*.mp.	104481
40	or/34-39	241544
41	22 or 33	237613
42	6 and 41	9855
43	6 not 40	28404
44	42 or 43	29775
45	3 and 44	334
46	Randomized Controlled Trials as Topic/	99474
47	randomized controlled trial/	399442
48	Random Allocation/	84027

49	Double Blind Method/	132305
50	Single Blind Method/	20536
51	clinical trial/	501097
52	clinical trial, phase i.pt.	15291
53	clinical trial, phase ii.pt.	24501
54	clinical trial, phase iii.pt.	10019
55	clinical trial, phase iv.pt.	1031
56	controlled clinical trial.pt.	90638
57	randomized controlled trial.pt.	399442
58	multicenter study.pt.	188007
59	clinical trial.pt.	501097
60	exp Clinical Trials as topic/	294364
61	or/46-60	1088514
62	(clinical adj trial\$.tw.	235015
63	((singl\$ or doubl\$ or treb\$ or tripl\$) adj (blind\$3 or mask\$3)).tw.	136899
64	placebos/	33994
65	placebo\$.tw.	169021
66	randomly allocated.tw.	18224
67	(allocated adj2 random\$.tw.	20894
68	or/62-67	451490
69	61 or 68	1248471
70	case report.tw.	215432
71	letter/	884494
72	historical article/	312479
73	or/70-72	1400240
74	69 not 73	1217277
75	Epidemiologic studies/	6258
76	exp case control studies/	708879
77	exp cohort studies/	1436040
78	Case control.tw.	85050
79	(cohort adj (study or studies)).tw.	99318
80	Cohort analy\$.tw.	4196
81	(Follow up adj (study or studies)).tw.	39332
82	(observational adj (study or studies)).tw.	50701
83	Longitudinal.tw.	155544
84	Retrospective.tw.	298911
85	Cross sectional.tw.	188679
86	Cross-sectional studies/	192355
87	or/75-86	2029517
88	45 and (74 or 87)	125
89	limit 88 to (danish or english or norwegian or swedish)	125
90	limit 89 to yr="2010 -Current"	104

Embase

ID	Søgestreng	Hits
1	robot*.mp.	35691
2	da vinci.mp.	3853
3	or/1-2	36170
4	exp *hysterectomy/	15897
5	hysterectom*.mp.	56888
6	or/4-5	57017
7	benign.mp.	218386
8	abnormal uterine bleeding.mp.	2044
9	aub.mp.	423
10	menorrhagi*.mp.	7945
11	metrorrhagi*.mp.	4545
12	dysmenorrhoe*.mp.	9466
13	heavy menstrual bleeding.mp.	662
14	(fibroid* not sarcoma).mp.	6729
15	leiomyoma*.mp.	20811
16	myoma*.mp.	15026
17	endometriosis.mp.	28494
18	adenomyosis.mp.	3371
19	pelvic organ prolapse.mp.	9179
20	uterine prolapse.mp.	1349
21	chronic pelvic pain.mp.	3992
22	or/7-21	297538
23	uterus bleeding/	7706
24	menorrhagia/	7136
25	metrorrhagia/	4144
26	dysmenorrhoea/	8633
27	leiomyoma/	14368
28	uterus myoma/	10263
29	myoma/	2583
30	endometriosis/	26116
31	adenomyosis/	2703
32	pelvic organ prolapse/	8419
33	uterus prolapse/	3998
34	pelvis pain syndrome/	10283
35	or/23-34	88059
36	exp uterine cervix tumor/	85846
37	exp endometrium tumor/	44114
38	exp sarcoma/	150019
39	((cervix or cervical) adj1 (tumo\$r or neoplasm* or cancer)).mp.	71436
40	(endometri* adj1 (tumo\$r or neoplasm* or cancer)).mp.	29960
41	sarcoma*.mp.	122891
42	or/36-41	309398
43	22 or 35	308088
44	6 and 43	16875
45	6 not 42	40335
46	44 or 45	43352
47	3 and 46	1155
48	Clinical trial/	839338
49	Randomized controlled trial/	355177
50	Randomization/	63801
51	Single blind procedure/	18999
52	Double blind procedure/	118522

53	Crossover procedure/	40548
54	Placebo/	260458
55	randomi?ed controlled trial\$.tw.	105294
56	Rct.tw.	15144
57	Random allocation.tw.	1388
58	Randomly allocated.tw.	21295
59	Allocated randomly.tw.	1975
60	(allocated adj2 random).tw.	799
61	Single blind\$.tw.	15084
62	Double blind\$.tw.	151037
63	((treble or triple) adj blind\$.tw.	427
64	Placebo\$.tw.	209419
65	Prospective study/	265370
66	or/48-65	1414361
67	Case study/	28569
68	Case report.tw.	276186
69	Abstract report/ or letter/	923634
70	or/67-69	1222502
71	66 not 70	1375726
72	Clinical study/	105670
73	Case control study/	82372
74	Family study/	10557
75	Longitudinal study/	70388
76	Retrospective study/	364918
77	Prospective study/	265370
78	Randomized controlled trials/	60396
79	77 not 78	263685
80	Cohort analysis/	181175
81	(Cohort adj (study or studies)).mp.	124901
82	(Case control adj (study or studies)).tw.	78359
83	(follow up adj (study or studies)).tw.	46885
84	(observational adj (study or studies)).tw.	68870
85	(epidemiologic\$ adj (study or studies)).tw.	76329
86	(cross sectional adj (study or studies)).tw.	91539
87	or/72-76,79-86	1265736
88	47 and (71 or 87)	277
89	limit 88 to (danish or english or norwegian or swedish)	276
90	limit 89 to yr="2010 -Current"	245

PICO 5

Medline

ID	Søgestreng	Hits
1	laparoscop*.mp.	97582
2	colpotom*.mp.	414
3	ultrasonic.mp.	43302
4	scalpel.mp.	3290
5	dissector.mp.	721
6	bipolar.mp.	61116
7	monopolar.mp.	3827
8	diatherm*.mp.	5054
9	cut.mp.	86959
10	dissection.mp.	87374
11	instrument*.mp.	221133
12	electrosurg*.mp.	5035
13	1 and (or/2-12)	12612
14	exp hysterectomy/	25120
15	hysterectom*.mp.	38274
16	or/14-15	38274
17	benign.mp.	174440
18	abnormal uterine bleeding.mp.	1375
19	aub.mp.	310
20	menorrhagi*.mp.	4900
21	metrorrhagi*.mp.	2750
22	dysmenorrhoe*.mp.	4834
23	heavy menstrual bleeding.mp.	413
24	(fibroid* not sarcoma).mp.	4400
25	leiomyoma*.mp.	20163
26	myoma*.mp.	5339
27	endometriosis.mp.	21038
28	adenomyosis.mp.	1796
29	pelvic organ prolapse.mp.	3213
30	uterine prolapse.mp.	5260
31	chronic pelvic pain.mp.	2588
32	or/17-31	231221
33	uterine hemorrhage/	7990
34	menorrhagia/	3636
35	metrorrhagia/	2084
36	dysmenorrhoea/	3185
37	leiomyoma/	16370
38	myoma/	1057
39	endometriosis/	17414
40	adenomyosis/	116
41	pelvic organ prolapse/	1475
42	uterine prolapse/	4923
43	or/33-42	54014
44	exp uterine cervical neoplasms/	60816
45	exp endometrial neoplasms/	15957
46	exp sarcoma/	118570
47	((cervix or cervical) adj1 (tumor* or neoplasm* or cancer)).mp.	69415
48	(endometri* adj1 (tumor* or neoplasm* or cancer)).mp.	19505

49	sarcoma*.mp.	104447
50	or/44-49	241470
51	32 or 43	237490
52	16 and 51	9851
53	16 not 50	28388
54	52 or 53	29759
55	13 and 54	534
56	Randomized Controlled Trials as Topic/	99474
57	randomized controlled trial/	399438
58	Random Allocation/	84027
59	Double Blind Method/	132305
60	Single Blind Method/	20536
61	clinical trial/	501090
62	clinical trial, phase i.pt.	15291
63	clinical trial, phase ii.pt.	24501
64	clinical trial, phase iii.pt.	10019
65	clinical trial, phase iv.pt.	1031
66	controlled clinical trial.pt.	90638
67	randomized controlled trial.pt.	399438
68	multicenter study.pt.	188006
69	clinical trial.pt.	501090
70	exp Clinical Trials as topic/	294364
71	or/56-70	1088502
72	(clinical adj trial\$).tw.	234771
73	((singl\$ or doubl\$ or treb\$ or tripl\$) adj (blind\$3 or mask\$3)).tw.	136820
74	placebos/	33994
75	placebo\$.tw.	168903
76	randomly allocated.tw.	18202
77	(allocated adj2 random\$).tw.	20872
78	or/72-77	451125
79	71 or 78	1248101
80	case report.tw.	215170
81	letter/	883988
82	historical article/	312479
83	or/80-82	1399474
84	79 not 83	1216910
85	55 and 84	55
86	limit 85 to (danish or english or norwegian or swedish)	53
87	limit 86 to yr="2004 -Current"	36

Embase

ID	Søgestreng	Hits
1	laparoscop*.mp.	146998
2	colpotom*.mp.	736
3	ultrasonic.mp.	43453
4	scalpel.mp.	5342
5	dissector.mp.	1078
6	bipolar.mp.	75809
7	monopolar.mp.	5140
8	diatherm*.mp.	6578
9	cut.mp.	118549
10	dissection.mp.	129825
11	instrument*.mp.	506341
12	electrosurg*.mp.	6226
13	1 and (or/2-12)	24310
14	exp *hysterectomy/	15688
15	hysterectom*.mp.	56405
16	or/14-15	56534
17	benign.mp.	217751
18	abnormal uterine bleeding.mp.	1981
19	aub.mp.	412
20	menorrhagi*.mp.	7873
21	metrorrhagi*.mp.	4534
22	dysmenorrhoe*.mp.	9402
23	heavy menstrual bleeding.mp.	641
24	(fibroid* not sarcoma).mp.	6586
25	leiomyoma*.mp.	20721
26	myoma*.mp.	14837
27	endometriosis.mp.	28286
28	adenomyosis.mp.	3328
29	pelvic organ prolapse.mp.	9116
30	uterine prolapse.mp.	1337
31	chronic pelvic pain.mp.	3935
32	or/17-31	296319
33	uterus bleeding/	7633
34	menorrhagia/	7065
35	metrorrhagia/	4134
36	dysmenorrhoea/	8572
37	leiomyoma/	14328
38	uterus myoma/	10162
39	myoma/	2477
40	endometriosis/	25910
41	adenomyosis/	2660
42	pelvic organ prolapse/	8361
43	uterus prolapse/	3985
44	pelvis pain syndrome/	10225
45	or/33-44	87450
46	exp uterine cervix tumor/	85687
47	exp endometrium tumor/	43913
48	exp sarcoma/	149630
49	((cervix or cervical) adj1 (tumoşr or neoplasm* or cancer)).mp.	71281
50	(endometri* adj1 (tumoşr or neoplasm* or cancer)).mp.	29789
51	sarcoma*.mp.	122623
52	or/46-51	308630

53	32 or 45	306864
54	16 and 53	16594
55	16 not 52	39951
56	54 or 55	42913
57	13 and 56	1411
58	Clinical trial/	838991
59	Randomized controlled trial/	354375
60	Randomization/	63603
61	Single blind procedure/	18953
62	Double blind procedure/	118348
63	Crossover procedure/	40446
64	Placebo/	259762
65	randomi?ed controlled trial\$.tw.	104641
66	Rct.tw.	15002
67	Random allocation.tw.	1383
68	Randomly allocated.tw.	21193
69	Allocated randomly.tw.	1971
70	(allocated adj2 random).tw.	799
71	Single blind\$.tw.	15025
72	Double blind\$.tw.	150610
73	((treble or triple) adj blind\$.tw.	423
74	Placebo\$.tw.	208747
75	Prospective study/	264109
76	or/58-75	1410943
77	Case study/	28279
78	Case report.tw.	275032
79	Abstract report/ or letter/	922766
80	or/77-79	1220210
81	76 not 80	1372362
82	57 and 81	146
83	limit 82 to (danish or english or norwegian or swedish)	131
84	limit 83 to yr="2004 -Current"	90

PICO 5 supplerende søgning

Medline

ID	Søgestreng	Hits
1	laparoscop*.mp.	97853
2	colpotom*.mp.	415
3	ultrasonic.mp.	43331
4	scalpel.mp.	3296
5	dissector.mp.	722
6	bipolar.mp.	61286
7	monopolar.mp.	3833
8	diatherm*.mp.	5060
9	cut.mp.	87147
10	dissection.mp.	87561
11	instrument*.mp.	221583
12	electrosurg*.mp.	5045
13	1 and (or/2-12)	12646
14	exp hysterectomy/	25134
15	hysterectom*.mp.	38329
16	or/14-15	38329
17	benign.mp.	174767
18	abnormal uterine bleeding.mp.	1380
19	aub.mp.	311
20	menorrhagi*.mp.	4904
21	metrorrhagi*.mp.	2751
22	dysmenorrhoe*.mp.	4843
23	heavy menstrual bleeding.mp.	415
24	(fibroid* not sarcoma).mp.	4413
25	leiomyoma*.mp.	20185
26	myoma*.mp.	5339
27	endometriosis.mp.	21068
28	adenomyosis.mp.	1797
29	pelvic organ prolapse.mp.	3229
30	uterine prolapse.mp.	5261
31	chronic pelvic pain.mp.	2595
32	or/17-31	231637
33	uterine hemorrhage/	7993
34	menorrhagia/	3638
35	metrorrhagia/	2084
36	dysmenorrhea/	3187
37	leiomyoma/	16380
38	myoma/	1057
39	endometriosis/	17426
40	adenomyosis/	117
41	pelvic organ prolapse/	1482
42	uterine prolapse/	4924
43	or/33-42	54051
44	exp uterine cervical neoplasms/	60875
45	exp endometrial neoplasms/	15977
46	exp sarcoma/	118624
47	((cervix or cervical) adj1 (tumoşr or neoplasm* or cancer)).mp.	69521
48	(endometri* adj1 (tumoşr or neoplasm* or cancer)).mp.	19543

49	sarcoma*.mp.	104551
50	or/44-49	241738
51	32 or 43	237908
52	16 and 51	9875
53	16 not 50	28431
54	52 or 53	29803
55	13 and 54	536
56	Randomized Controlled Trials as Topic/	99585
57	randomized controlled trial/	400000
58	Random Allocation/	84070
59	Double Blind Method/	132423
60	Single Blind Method/	20589
61	clinical trial/	501246
62	clinical trial, phase i.pt.	15315
63	clinical trial, phase ii.pt.	24544
64	clinical trial, phase iii.pt.	10046
65	clinical trial, phase iv.pt.	1033
66	controlled clinical trial.pt.	90667
67	randomized controlled trial.pt.	400000
68	multicenter study.pt.	188397
69	clinical trial.pt.	501246
70	exp Clinical Trials as topic/	294598
71	or/56-70	1089770
72	(clinical adj trial\$.tw.	235472
73	((singl\$ or doubl\$ or treb\$ or tripl\$) adj (blind\$3 or mask\$3)).tw.	137057
74	placebos/	34004
75	placebo\$.tw.	169223
76	randomly allocated.tw.	18262
77	(allocated adj2 random\$.tw.	20937
78	or/72-77	452165
79	71 or 78	1250064
80	case report.tw.	216068
81	letter/	885425
82	historical article/	312595
83	or/80-82	1401899
84	79 not 83	1218842
85	55 and 84	55
86	limit 85 to (danish or english or norwegian or swedish)	53
87	limit 86 to yr="2004 -Current"	36
88	Epidemiologic studies/	6267
89	exp case control studies/	710182
90	exp cohort studies/	1438154
91	Case control.tw.	85218
92	(cohort adj (study or studies)).tw.	99651
93	Cohort analy\$.tw.	4208
94	(Follow up adj (study or studies)).tw.	39382
95	(observational adj (study or studies)).tw.	50878
96	Longitudinal.tw.	155821
97	Retrospective.tw.	299635
98	Cross sectional.tw.	189171
99	Cross-sectional studies/	192723
100	or/88-99	2033014
101	55 and 100	181
102	101 not 87	162
103	limit 102 to (danish or english or norwegian or swedish)	146

104	limit 103 to yr="2004 -Current"	86
-----	---------------------------------	----

Embase

ID	Søgestreng	Hits
1	laparoscop*.mp.	148217
2	colpotom*.mp.	756
3	ultrasonic.mp.	43512
4	scalpel.mp.	5373
5	dissector.mp.	1085
6	bipolar.mp.	76034
7	monopolar.mp.	5194
8	diatherm*.mp.	6592
9	cut.mp.	119290
10	dissection.mp.	130608
11	instrument*.mp.	506633
12	electrosurg*.mp.	6243
13	1 and (or/2-12)	24630
14	exp *hysterectomy/	15887
15	hysterectom*.mp.	56840
16	or/14-15	56969
17	benign.mp.	218370
18	abnormal uterine bleeding.mp.	2042
19	aub.mp.	423
20	menorrhagi*.mp.	7935
21	metrorrhagi*.mp.	4540
22	dysmenorrhoe*.mp.	9449
23	heavy menstrual bleeding.mp.	664
24	(fibroid* not sarcoma).mp.	6719
25	leiomyoma*.mp.	20808
26	myoma*.mp.	15002
27	endometriosis.mp.	28463
28	adenomyosis.mp.	3365
29	pelvic organ prolapse.mp.	9153
30	uterine prolapse.mp.	1349
31	chronic pelvic pain.mp.	3966
32	or/17-31	297414
33	uterus bleeding/	7698
34	menorrhagia/	7124
35	metrorrhagia/	4139
36	dysmenorrhoea/	8617
37	leiomyoma/	14371
38	uterus myoma/	10241
39	myoma/	2577
40	endometriosis/	26086
41	adenomyosis/	2696
42	pelvic organ prolapse/	8394
43	uterus prolapse/	3992
44	pelvis pain syndrome/	10223
45	or/33-44	87920
46	exp uterine cervix tumor/	85753
47	exp endometrium tumor/	44027
48	exp sarcoma/	149781
49	((cervix or cervical) adj1 (tumoşr or neoplasm* or	71376

	cancer)).mp.	
50	(endometri* adj1 (tumor\$ or neoplasm* or cancer)).mp.	29904
51	sarcoma*.mp.	122680
52	or/46-51	308982
53	32 or 45	307936
54	16 and 53	16855
55	16 not 52	40307
56	54 or 55	43320
57	13 and 56	1501
58	Clinical trial/	837988
59	Randomized controlled trial/	354683
60	Randomization/	63811
61	Single blind procedure/	18976
62	Double blind procedure/	118285
63	Crossover procedure/	40508
64	Placebo/	259379
65	randomized controlled trial\$.tw.	105121
66	Rct.tw.	15204
67	Random allocation.tw.	1380
68	Randomly allocated.tw.	21247
69	Allocated randomly.tw.	1975
70	(allocated adj2 random).tw.	798
71	Single blind\$.tw.	15092
72	Double blind\$.tw.	150844
73	((treble or triple) adj blind\$.tw.	425
74	Placebo\$.tw.	209195
75	Prospective study/	265431
76	or/58-75	1412380
77	Case study/	28654
78	Case report.tw.	276204
79	Abstract report/ or letter/	922242
80	or/77-79	1221211
81	76 not 80	1373777
82	57 and 81	146
83	limit 82 to (danish or english or norwegian or swedish)	131
84	limit 83 to yr="2004 -Current"	90
85	Clinical study/	105953
86	Case control study/	82331
87	Family study/	10547
88	Longitudinal study/	70413
89	Retrospective study/	364928
90	Prospective study/	265431
91	Randomized controlled trials/	60151
92	90 not 91	263742
93	Cohort analysis/	181257
94	(Cohort adj (study or studies)).mp.	124947
95	(Case control adj (study or studies)).tw.	78226
96	(follow up adj (study or studies)).tw.	46895
97	(observational adj (study or studies)).tw.	69029
98	(epidemiologic\$ adj (study or studies)).tw.	76240
99	(cross sectional adj (study or studies)).tw.	91370
100	or/85-89,92-99	1265900
101	57 and 100	233
102	101 not 84	179
103	limit 102 to (danish or english or norwegian or swedish)	161
104	limit 103 to yr="2004 -Current"	128

PICO 6

Medline

ID	Søgestreng	Hits
1	salpingectom*.mp.	1649
2	tubectom*.mp.	174
3	(excision adj2 salpin*).mp.	7
4	fallopian tube*.mp.	18169
5	prophyla*.mp.	136601
6	or/1-5	155522
7	exp hysterectomy/	25120
8	hysterectom*.mp.	38274
9	or/7-8	38274
10	benign.mp.	174440
11	abnormal uterine bleeding.mp.	1375
12	aub.mp.	310
13	menorrhagi*.mp.	4900
14	metrorrhagi*.mp.	2750
15	dysmenorrhhe*.mp.	4834
16	heavy menstrual bleeding.mp.	413
17	(fibroid* not sarcoma).mp.	4400
18	leiomyoma*.mp.	20163
19	myoma*.mp.	5339
20	endometriosis.mp.	21038
21	adenomyosis.mp.	1796
22	pelvic organ prolapse.mp.	3213
23	uterine prolapse.mp.	5260
24	chronic pelvic pain.mp.	2588
25	or/10-24	231221
26	uterine hemorrhage/	7990
27	menorrhagia/	3636
28	metrorrhagia/	2084
29	dysmenorrhea/	3185
30	leiomyoma/	16370
31	myoma/	1057
32	endometriosis/	17414
33	adenomyosis/	116
34	pelvic organ prolapse/	1475
35	uterine prolapse/	4923
36	or/26-35	54014
37	exp uterine cervical neoplasms/	60816
38	exp endometrial neoplasms/	15957
39	exp sarcoma/	118570
40	((cervix or cervical) adj1 (tumoşr or neoplasm* or cancer)).mp.	69415
41	(endometri* adj1 (tumoşr or neoplasm* or cancer)).mp.	19505
42	sarcoma*.mp.	104447
43	or/37-42	241470
44	25 or 36	237490
45	9 and 44	9851
46	9 not 43	28388

47	45 or 46	29759
48	6 and 47	2298
49	Randomized Controlled Trials as Topic/	99474
50	randomized controlled trial/	399438
51	Random Allocation/	84027
52	Double Blind Method/	132305
53	Single Blind Method/	20536
54	clinical trial/	501090
55	clinical trial, phase i.pt.	15291
56	clinical trial, phase ii.pt.	24501
57	clinical trial, phase iii.pt.	10019
58	clinical trial, phase iv.pt.	1031
59	controlled clinical trial.pt.	90638
60	randomized controlled trial.pt.	399438
61	multicenter study.pt.	188006
62	clinical trial.pt.	501090
63	exp Clinical Trials as topic/	294364
64	or/49-63	1088502
65	(clinical adj trial\$.tw.	234771
66	((singl\$ or doubl\$ or treb\$ or tripl\$) adj (blind\$3 or mask\$3)).tw.	136820
67	placebos/	33994
68	placebo\$.tw.	168903
69	randomly allocated.tw.	18202
70	(allocated adj2 random\$.tw.	20872
71	or/65-70	451125
72	64 or 71	1248101
73	case report.tw.	215170
74	letter/	883988
75	historical article/	312479
76	or/73-75	1399474
77	72 not 76	1216910
78	48 and 77	378
79	limit 78 to (danish or english or norwegian or swedish)	333
80	limit 79 to yr="2004 -Current"	81

Embase

ID	Søgestreng	Hits
1	salpingectom*.mp.	2966
2	tubectom*.mp.	153
3	(excision adj2 salpin*).mp.	153
4	fallopian tube*.mp.	9699
5	prophyla*.mp.	216890
6	or/1-5	228875
7	exp *hysterectomy/	15887
8	hysterectom*.mp.	56840
9	or/7-8	56969
10	benign.mp.	218370
11	abnormal uterine bleeding.mp.	2042
12	aub.mp.	423
13	menorrhagi*.mp.	7935
14	metrorrhagi*.mp.	4540
15	dysmenorrhoe*.mp.	9449
16	heavy menstrual bleeding.mp.	664
17	(fibroid* not sarcoma).mp.	6719
18	leiomyoma*.mp.	20808
19	myoma*.mp.	15002
20	endometriosis.mp.	28463
21	adenomyosis.mp.	3365
22	pelvic organ prolapse.mp.	9153
23	uterine prolapse.mp.	1349
24	chronic pelvic pain.mp.	3966
25	or/10-24	297414
26	uterus bleeding/	7698
27	menorrhagia/	7124
28	metrorrhagia/	4139
29	dysmenorrhea/	8617
30	leiomyoma/	14371
31	uterus myoma/	10241
32	myoma/	2577
33	endometriosis/	26086
34	adenomyosis/	2696
35	pelvic organ prolapse/	8394
36	uterus prolapse/	3992
37	pelvis pain syndrome/	10223
38	or/26-37	87920
39	exp uterine cervix tumor/	85753
40	exp endometrium tumor/	44027
41	exp sarcoma/	149781
42	((cervix or cervical) adj1 (tumor or neoplasm* or cancer)).mp.	71376
43	(endometri* adj1 (tumor or neoplasm* or cancer)).mp.	29904
44	sarcoma*.mp.	122680
45	or/39-44	308982
46	25 or 38	307936
47	9 and 46	16855
48	9 not 45	40307
49	47 or 48	43320
50	6 and 49	2798
51	Clinical trial/	837988
52	Randomized controlled trial/	354683

53	Randomization/	63811
54	Single blind procedure/	18976
55	Double blind procedure/	118285
56	Crossover procedure/	40508
57	Placebo/	259379
58	randomi?ed controlled trial\$.tw.	105121
59	Rct.tw.	15204
60	Random allocation.tw.	1380
61	Randomly allocated.tw.	21247
62	Allocated randomly.tw.	1975
63	(allocated adj2 random).tw.	798
64	Single blind\$.tw.	15092
65	Double blind\$.tw.	150844
66	((treble or triple) adj blind\$.tw.	425
67	Placebo\$.tw.	209195
68	Prospective study/	265431
69	or/51-68	1412380
70	Case study/	28654
71	Case report.tw.	276204
72	Abstract report/ or letter/	922242
73	or/70-72	1221211
74	69 not 73	1373777
75	50 and 74	467
76	limit 75 to (danish or english or norwegian or swedish)	411
77	limit 76 to yr="2004 -Current"	194

PICO 6 supplerende søgning

Medline

ID	Søgestreng	Hits
1	salpingectom*.mp.	1658
2	tubectom*.mp.	174
3	(excision adj2 salpin*).mp.	7
4	fallopian tube*.mp.	18185
5	prophyla*.mp.	136849
6	or/1-5	155791
7	exp hysterectomy/	25134
8	hysterectom*.mp.	38329
9	or/7-8	38329
10	benign.mp.	174767
11	abnormal uterine bleeding.mp.	1380
12	aub.mp.	311
13	menorrhagi*.mp.	4904
14	metrorrhagi*.mp.	2751
15	dysmenorrhe*.mp.	4843
16	heavy menstrual bleeding.mp.	415
17	(fibroid* not sarcoma).mp.	4413
18	leiomyoma*.mp.	20185
19	myoma*.mp.	5339
20	endometriosis.mp.	21068
21	adenomyosis.mp.	1797
22	pelvic organ prolapse.mp.	3229
23	uterine prolapse.mp.	5261
24	chronic pelvic pain.mp.	2595
25	or/10-24	231637
26	uterine hemorrhage/	7993
27	menorrhagia/	3638
28	metrorrhagia/	2084
29	dysmenorrhea/	3187
30	leiomyoma/	16380
31	myoma/	1057
32	endometriosis/	17426
33	adenomyosis/	117
34	pelvic organ prolapse/	1482
35	uterine prolapse/	4924
36	or/26-35	54051
37	exp uterine cervical neoplasms/	60875
38	exp endometrial neoplasms/	15977
39	exp sarcoma/	118624
40	((cervix or cervical) adj1 (tumoşr or neoplasm* or cancer)).mp.	69521
41	(endometri* adj1 (tumoşr or neoplasm* or cancer)).mp.	19543
42	sarcoma*.mp.	104551
43	or/37-42	241738
44	25 or 36	237908
45	9 and 44	9875
46	9 not 43	28431
47	45 or 46	29803
48	6 and 47	2302

49	Randomized Controlled Trials as Topic/	99585
50	randomized controlled trial/	400000
51	Random Allocation/	84070
52	Double Blind Method/	132423
53	Single Blind Method/	20589
54	clinical trial/	501246
55	clinical trial, phase i.pt.	15315
56	clinical trial, phase ii.pt.	24544
57	clinical trial, phase iii.pt.	10046
58	clinical trial, phase iv.pt.	1033
59	controlled clinical trial.pt.	90667
60	randomized controlled trial.pt.	400000
61	multicenter study.pt.	188397
62	clinical trial.pt.	501246
63	exp Clinical Trials as topic/	294598
64	or/49-63	1089770
65	(clinical adj trial\$.tw.	235472
66	((singl\$ or doubl\$ or treb\$ or tripl\$) adj (blind\$3 or mask\$3)).tw.	137057
67	placebos/	34004
68	placebo\$.tw.	169223
69	randomly allocated.tw.	18262
70	(allocated adj2 random\$.tw.	20937
71	or/65-70	452165
72	64 or 71	1250064
73	case report.tw.	216068
74	letter/	885425
75	historical article/	312595
76	or/73-75	1401899
77	72 not 76	1218842
78	48 and 77	378
79	limit 78 to (danish or english or norwegian or swedish)	333
80	limit 79 to yr="2004 -Current"	81
81	Epidemiologic studies/	6267
82	exp case control studies/	710182
83	exp cohort studies/	1438154
84	Case control.tw.	85218
85	(cohort adj (study or studies)).tw.	99651
86	Cohort analy\$.tw.	4208
87	(Follow up adj (study or studies)).tw.	39382
88	(observational adj (study or studies)).tw.	50878
89	Longitudinal.tw.	155821
90	Retrospective.tw.	299635
91	Cross sectional.tw.	189171
92	Cross-sectional studies/	192723
93	or/81-92	2033014
94	48 and 93	537
95	94 not 80	500
96	limit 95 to (danish or english or norwegian or swedish)	422
97	limit 96 to yr="2004 -Current"	181

Embase

ID	Søgestreng	Hits
1	salpingectom*.mp.	2966
2	tubectom*.mp.	153
3	(excision adj2 salpin*).mp.	153
4	fallopian tube*.mp.	9699
5	prophyla*.mp.	216890
6	or/1-5	228875
7	exp *hysterectomy/	15887
8	hysterectom*.mp.	56840
9	or/7-8	56969
10	benign.mp.	218370
11	abnormal uterine bleeding.mp.	2042
12	aub.mp.	423
13	menorrhagi*.mp.	7935
14	metrorrhagi*.mp.	4540
15	dysmenorrhoe*.mp.	9449
16	heavy menstrual bleeding.mp.	664
17	(fibroid* not sarcoma).mp.	6719
18	leiomyoma*.mp.	20808
19	myoma*.mp.	15002
20	endometriosis.mp.	28463
21	adenomyosis.mp.	3365
22	pelvic organ prolapse.mp.	9153
23	uterine prolapse.mp.	1349
24	chronic pelvic pain.mp.	3966
25	or/10-24	297414
26	uterus bleeding/	7698
27	menorrhagia/	7124
28	metrorrhagia/	4139
29	dysmenorrhoea/	8617
30	leiomyoma/	14371
31	uterus myoma/	10241
32	myoma/	2577
33	endometriosis/	26086
34	adenomyosis/	2696
35	pelvic organ prolapse/	8394
36	uterus prolapse/	3992
37	pelvis pain syndrome/	10223
38	or/26-37	87920
39	exp uterine cervix tumor/	85753
40	exp endometrium tumor/	44027
41	exp sarcoma/	149781
42	((cervix or cervical) adj1 (tumor or neoplasm* or cancer)).mp.	71376
43	(endometri* adj1 (tumor or neoplasm* or cancer)).mp.	29904
44	sarcoma*.mp.	122680
45	or/39-44	308982
46	25 or 38	307936
47	9 and 46	16855
48	9 not 45	40307
49	47 or 48	43320
50	6 and 49	2798
51	Clinical trial/	837988
52	Randomized controlled trial/	354683

53	Randomization/	63811
54	Single blind procedure/	18976
55	Double blind procedure/	118285
56	Crossover procedure/	40508
57	Placebo/	259379
58	randomi?ed controlled trial\$.tw.	105121
59	Rct.tw.	15204
60	Random allocation.tw.	1380
61	Randomly allocated.tw.	21247
62	Allocated randomly.tw.	1975
63	(allocated adj2 random).tw.	798
64	Single blind\$.tw.	15092
65	Double blind\$.tw.	150844
66	((treble or triple) adj blind\$).tw.	425
67	Placebo\$.tw.	209195
68	Prospective study/	265431
69	or/51-68	1412380
70	Case study/	28654
71	Case report.tw.	276204
72	Abstract report/ or letter/	922242
73	or/70-72	1221211
74	69 not 73	1373777
75	50 and 74	467
76	limit 75 to (danish or english or norwegian or swedish)	411
77	limit 76 to yr="2004 -Current"	194
78	Clinical study/	105953
79	Case control study/	82331
80	Family study/	10547
81	Longitudinal study/	70413
82	Retrospective study/	364928
83	Prospective study/	265431
84	Randomized controlled trials/	60151
85	83 not 84	263742
86	Cohort analysis/	181257
87	(Cohort adj (study or studies)).mp.	124947
88	(Case control adj (study or studies)).tw.	78226
89	(follow up adj (study or studies)).tw.	46895
90	(observational adj (study or studies)).tw.	69029
91	(epidemiologic\$ adj (study or studies)).tw.	76240
92	(cross sectional adj (study or studies)).tw.	91370
93	or/78-82,85-92	1265900
94	50 and 93	340
95	94 not 77	253
96	limit 95 to (danish or english or norwegian or swedish)	221
97	limit 96 to yr="2004 -Current"	150

PICO 7

Medline

ID	Søgestreng	Hits
1	laparoscop*.mp.	97582
2	vagin*.mp.	121346
3	dehiscence.mp.	13544
4	colpotom*.mp.	414
5	sutur*.mp.	86316
6	vicryl.mp.	1067
7	barbed.mp.	1336
8	non-barbed.mp.	2
9	surgical technique.mp.	25790
10	instrument*.mp.	221133
11	1 and (or/2-3) and (or/4-10)	1039
12	exp hysterectomy/	25120
13	hysterectom*.mp.	38274
14	or/12-13	38274
15	benign.mp.	174440
16	abnormal uterine bleeding.mp.	1375
17	aub.mp.	310
18	menorrhagi*.mp.	4900
19	metrorrhagi*.mp.	2750
20	dysmenorrhoe*.mp.	4834
21	heavy menstrual bleeding.mp.	413
22	(fibroid* not sarcoma).mp.	4400
23	leiomyoma*.mp.	20163
24	myoma*.mp.	5339
25	endometriosis.mp.	21038
26	adenomyosis.mp.	1796
27	pelvic organ prolapse.mp.	3213
28	uterine prolapse.mp.	5260
29	chronic pelvic pain.mp.	2588
30	or/15-29	231221
31	uterine hemorrhage/	7990
32	menorrhagia/	3636
33	metrorrhagia/	2084
34	dysmenorrhea/	3185
35	leiomyoma/	16370
36	myoma/	1057
37	endometriosis/	17414
38	adenomyosis/	116
39	pelvic organ prolapse/	1475
40	uterine prolapse/	4923
41	or/31-40	54014
42	exp uterine cervical neoplasms/	60816
43	exp endometrial neoplasms/	15957
44	exp sarcoma/	118570
45	((cervix or cervical) adj1 (tumor or neoplasm* or cancer)).mp.	69415
46	(endometri* adj1 (tumor or neoplasm* or cancer)).mp.	19505
47	sarcoma*.mp.	104447
48	or/42-47	241470

49	30 or 41	237490
50	14 and 49	9851
51	14 not 48	28388
52	50 or 51	29759
53	11 and 52	363
54	Randomized Controlled Trials as Topic/	99474
55	randomized controlled trial/	399438
56	Random Allocation/	84027
57	Double Blind Method/	132305
58	Single Blind Method/	20536
59	clinical trial/	501090
60	clinical trial, phase i.pt.	15291
61	clinical trial, phase ii.pt.	24501
62	clinical trial, phase iii.pt.	10019
63	clinical trial, phase iv.pt.	1031
64	controlled clinical trial.pt.	90638
65	randomized controlled trial.pt.	399438
66	multicenter study.pt.	188006
67	clinical trial.pt.	501090
68	exp Clinical Trials as topic/	294364
69	or/54-68	1088502
70	(clinical adj trial\$).tw.	234771
71	((singl\$ or doubl\$ or treb\$ or tripl\$) adj (blind\$3 or mask\$3)).tw.	136820
72	placebos/	33994
73	placebo\$.tw.	168903
74	randomly allocated.tw.	18202
75	(allocated adj2 random\$).tw.	20872
76	or/70-75	451125
77	69 or 76	1248101
78	case report.tw.	215170
79	letter/	883988
80	historical article/	312479
81	or/78-80	1399474
82	77 not 81	1216910
83	53 and 82	39
84	limit 83 to (danish or english or norwegian or swedish)	37
85	limit 84 to yr="2004 -Current"	21

Embase

ID	Søgestreng	Hits
1	laparoscop*.mp.	146998
2	vagin*.mp.	155047
3	dehiscence.mp.	18051
4	colpotom*.mp.	736
5	sutur*.mp.	96233
6	vicryl.mp.	2446
7	barbed.mp.	1539
8	non-barbed.mp.	10
9	surgical technique.mp.	291385
10	instrument*.mp.	506341
11	1 and (or/2-3) and (or/4-10)	3612
12	exp *hysterectomy/	15688
13	hysterectom*.mp.	56405
14	or/12-13	56534
15	benign.mp.	217751
16	abnormal uterine bleeding.mp.	1981
17	aub.mp.	412
18	menorrhagi*.mp.	7873
19	metrorrhagi*.mp.	4534
20	dysmenorrhoe*.mp.	9402
21	heavy menstrual bleeding.mp.	641
22	(fibroid* not sarcoma).mp.	6586
23	leiomyoma*.mp.	20721
24	myoma*.mp.	14837
25	endometriosis.mp.	28286
26	adenomyosis.mp.	3328
27	pelvic organ prolapse.mp.	9116
28	uterine prolapse.mp.	1337
29	chronic pelvic pain.mp.	3935
30	or/15-29	296319
31	uterus bleeding/	7633
32	menorrhagia/	7065
33	metrorrhagia/	4134
34	dysmenorrhoea/	8572
35	leiomyoma/	14328
36	uterus myoma/	10162
37	myoma/	2477
38	endometriosis/	25910
39	adenomyosis/	2660
40	pelvic organ prolapse/	8361
41	uterus prolapse/	3985
42	pelvis pain syndrome/	10225
43	or/31-42	87450
44	exp uterine cervix tumor/	85687
45	exp endometrium tumor/	43913
46	exp sarcoma/	149630
47	((cervix or cervical) adj1 (tumoşr or neoplasm* or cancer)).mp.	71281
48	(endometri* adj1 (tumoşr or neoplasm* or cancer)).mp.	29789
49	sarcoma*.mp.	122623
50	or/44-49	308630
51	30 or 43	306864
52	14 and 51	16594

53	14 not 50	39951
54	52 or 53	42913
55	11 and 54	1461
56	Clinical trial/	838991
57	Randomized controlled trial/	354375
58	Randomization/	63603
59	Single blind procedure/	18953
60	Double blind procedure/	118348
61	Crossover procedure/	40446
62	Placebo/	259762
63	randomi?ed controlled trial\$.tw.	104641
64	Rct.tw.	15002
65	Random allocation.tw.	1383
66	Randomly allocated.tw.	21193
67	Allocated randomly.tw.	1971
68	(allocated adj2 random).tw.	799
69	Single blind\$.tw.	15025
70	Double blind\$.tw.	150610
71	((treble or triple) adj blind\$.tw.	423
72	Placebo\$.tw.	208747
73	Prospective study/	264109
74	or/56-73	1410943
75	Case study/	28279
76	Case report.tw.	275032
77	Abstract report/ or letter/	922766
78	or/75-77	1220210
79	74 not 78	1372362
80	55 and 79	199
81	limit 80 to (danish or english or norwegian or swedish)	186
82	limit 81 to yr="2004 -Current"	127

PICO 7 supplerende søgning

Medline

ID	Søgestreng	Hits
1	laparoscop*.mp.	98078
2	vagin*.mp.	121678
3	dehiscence.mp.	13593
4	colpotom*.mp.	415
5	sutur*.mp.	86576
6	vicryl.mp.	1070
7	barbed.mp.	1340
8	non-barbed.mp.	2
9	surgical technique.mp.	25924
10	instrument*.mp.	222078
11	1 and (or/2-3) and (or/4-10)	1043
12	exp hysterectomy/	25157
13	hysterectom*.mp.	38365
14	or/12-13	38365
15	benign.mp.	175072
16	abnormal uterine bleeding.mp.	1382
17	aub.mp.	312
18	menorrhagi*.mp.	4908
19	metrorrhagi*.mp.	2754
20	dysmenorrhoe*.mp.	4844
21	heavy menstrual bleeding.mp.	417
22	(fibroid* not sarcoma).mp.	4423
23	leiomyoma*.mp.	20211
24	myoma*.mp.	5348
25	endometriosis.mp.	21089
26	adenomyosis.mp.	1800
27	pelvic organ prolapse.mp.	3242
28	uterine prolapse.mp.	5265
29	chronic pelvic pain.mp.	2604
30	or/15-29	232016
31	uterine hemorrhage/	8002
32	menorrhagia/	3640
33	metrorrhagia/	2087
34	dysmenorrhea/	3189
35	leiomyoma/	16399
36	myoma/	1057
37	endometriosis/	17441
38	adenomyosis/	119
39	pelvic organ prolapse/	1489
40	uterine prolapse/	4926
41	or/31-40	54106
42	exp uterine cervical neoplasms/	60965
43	exp endometrial neoplasms/	16003
44	exp sarcoma/	118747
45	((cervix or cervical) adj1 (tumoşr or neoplasm* or cancer)).mp.	69629
46	(endometri* adj1 (tumoşr or neoplasm* or cancer)).mp.	19572
47	sarcoma*.mp.	104660
48	or/42-47	242037

49	30 or 41	238291
50	14 and 49	9885
51	14 not 48	28457
52	50 or 51	29829
53	11 and 52	364
54	Randomized Controlled Trials as Topic/	99741
55	randomized controlled trial/	400708
56	Random Allocation/	84147
57	Double Blind Method/	132583
58	Single Blind Method/	20647
59	clinical trial/	501512
60	clinical trial, phase i.pt.	15355
61	clinical trial, phase ii.pt.	24586
62	clinical trial, phase iii.pt.	10075
63	clinical trial, phase iv.pt.	1037
64	controlled clinical trial.pt.	90738
65	randomized controlled trial.pt.	400708
66	multicenter study.pt.	188835
67	clinical trial.pt.	501512
68	exp Clinical Trials as topic/	294927
69	or/54-68	1091507
70	(clinical adj trial\$.tw.	236170
71	((singl\$ or doubl\$ or treb\$ or tripl\$) adj (blind\$3 or mask\$3)).tw.	137262
72	placebos/	34020
73	placebo\$.tw.	169541
74	randomly allocated.tw.	18317
75	(allocated adj2 random\$.tw.	20993
76	or/70-75	453201
77	69 or 76	1252407
78	case report.tw.	216451
79	letter/	886612
80	historical article/	312834
81	or/78-80	1403683
82	77 not 81	1221156
83	Epidemiologic studies/	6277
84	exp case control studies/	712375
85	exp cohort studies/	1441309
86	Case control.tw.	85453
87	(cohort adj (study or studies)).tw.	100075
88	Cohort analy\$.tw.	4222
89	(Follow up adj (study or studies)).tw.	39447
90	(observational adj (study or studies)).tw.	51101
91	Longitudinal.tw.	156253
92	Retrospective.tw.	300619
93	Cross sectional.tw.	189832
94	Cross-sectional studies/	193365
95	or/83-94	2038085
96	53 and (95 not 82)	108
97	limit 96 to (danish or english or norwegian or swedish)	92
98	limit 97 to yr="2004 -Current"	72

Embase

ID	Søgestreng	Hits
1	laparoscop*.mp.	148667
2	vagin*.mp.	155973
3	dehiscence.mp.	18218
4	colpotom*.mp.	758
5	sutur*.mp.	96961
6	vicryl.mp.	2473
7	barbed.mp.	1567
8	non-barbed.mp.	11
9	surgical technique.mp.	292556
10	instrument*.mp.	507577
11	1 and (or/2-3) and (or/4-10)	3715
12	exp *hysterectomy/	15936
13	hysterectom*.mp.	57114
14	or/12-13	57244
15	benign.mp.	219018
16	abnormal uterine bleeding.mp.	2052
17	aub.mp.	426
18	menorrhagi*.mp.	7958
19	metrorrhagi*.mp.	4554
20	dysmenorrhe*.mp.	9470
21	heavy menstrual bleeding.mp.	671
22	(fibroid* not sarcoma).mp.	6745
23	leiomyoma*.mp.	20848
24	myoma*.mp.	15035
25	endometriosis.mp.	28534
26	adenomyosis.mp.	3376
27	pelvic organ prolapse.mp.	9160
28	uterine prolapse.mp.	1353
29	chronic pelvic pain.mp.	3973
30	or/15-29	298238
31	uterus bleeding/	7716
32	menorrhagia/	7146
33	metrorrhagia/	4153
34	dysmenorrhea/	8635
35	leiomyoma/	14393
36	uterus myoma/	10265
37	myoma/	2582
38	endometriosis/	26154
39	adenomyosis/	2705
40	pelvic organ prolapse/	8400
41	uterus prolapse/	4000
42	pelvis pain syndrome/	10232
43	or/31-42	88104
44	exp uterine cervix tumor/	86202
45	exp endometrium tumor/	44314
46	exp sarcoma/	150049
47	((cervix or cervical) adj1 (tumoşr or neoplasm* or cancer)).mp.	71805
48	(endometri* adj1 (tumoşr or neoplasm* or cancer)).mp.	30172
49	sarcoma*.mp.	122896
50	or/44-49	310043
51	30 or 43	308768
52	14 and 51	16924
53	14 not 50	40424

54	52 or 53	43462
55	11 and 54	1516
56	Clinical trial/	838297
57	Randomized controlled trial/	355617
58	Randomization/	63900
59	Single blind procedure/	19033
60	Double blind procedure/	118503
61	Crossover procedure/	40609
62	Placebo/	259915
63	randomi?ed controlled trial\$.tw.	105688
64	Rct.tw.	15313
65	Random allocation.tw.	1385
66	Randomly allocated.tw.	21348
67	Allocated randomly.tw.	1982
68	(allocated adj2 random).tw.	798
69	Single blind\$.tw.	15153
70	Double blind\$.tw.	151211
71	((treble or triple) adj blind\$.tw.	429
72	Placebo\$.tw.	209692
73	Prospective study/	266696
74	or/56-73	1415665
75	Case study/	28994
76	Case report.tw.	277134
77	Abstract report/ or letter/	923345
78	or/75-77	1223558
79	74 not 78	1377012
80	Clinical study/	106319
81	Case control study/	82777
82	Family study/	10559
83	Longitudinal study/	70738
84	Retrospective study/	366910
85	Prospective study/	266696
86	Randomized controlled trials/	60811
87	85 not 86	264997
88	Cohort analysis/	182266
89	(Cohort adj (study or studies)).mp.	125662
90	(Case control adj (study or studies)).tw.	78589
91	(follow up adj (study or studies)).tw.	46990
92	(observational adj (study or studies)).tw.	69440
93	(epidemiologic\$ adj (study or studies)).tw.	76439
94	(cross sectional adj (study or studies)).tw.	92033
95	or/80-84,87-94	1271879
96	55 and (95 not 79)	211
97	limit 96 to (danish or english or norwegian or swedish)	197
98	limit 97 to yr="2004 -Current"	168

PICO 8

Medline

ID	Søgestreng	Hits
1	morcell*.mp.	610
2	extirp*.mp.	7910
3	hysterectom*.mp.	38274
4	exp hysterectomy/	25120
5	(or/1-2) and (or/3-4)	393
6	Randomized Controlled Trials as Topic/	99474
7	randomized controlled trial/	399438
8	Random Allocation/	84027
9	Double Blind Method/	132305
10	Single Blind Method/	20536
11	clinical trial/	501090
12	clinical trial, phase i.pt.	15291
13	clinical trial, phase ii.pt.	24501
14	clinical trial, phase iii.pt.	10019
15	clinical trial, phase iv.pt.	1031
16	controlled clinical trial.pt.	90638
17	randomized controlled trial.pt.	399438
18	multicenter study.pt.	188006
19	clinical trial.pt.	501090
20	exp Clinical Trials as topic/	294364
21	or/6-20	1088502
22	(clinical adj trial\$.tw.	234771
23	((singl\$ or doubl\$ or treb\$ or tripl\$) adj (blind\$3 or mask\$3)).tw.	136820
24	placebos/	33994
25	placebo\$.tw.	168903
26	randomly allocated.tw.	18202
27	(allocated adj2 random\$.tw.	20872
28	or/22-27	451125
29	21 or 28	1248101
30	case report.tw.	215170
31	letter/	883988
32	historical article/	312479
33	or/30-32	1399474
34	29 not 33	1216910
35	Epidemiologic studies/	6258
36	exp case control studies/	708879
37	exp cohort studies/	1436040
38	Case control.tw.	84954
39	(cohort adj (study or studies)).tw.	99167
40	Cohort analy\$.tw.	4189
41	(Follow up adj (study or studies)).tw.	39305
42	(observational adj (study or studies)).tw.	50589
43	Longitudinal.tw.	155363
44	Retrospective.tw.	298496
45	Cross sectional.tw.	188389
46	Cross-sectional studies/	192355
47	or/35-46	2028404
48	5 and (34 or 47)	128

49	limit 48 to (danish or english or norwegian or swedish)	101
50	limit 49 to yr="2004 -Current"	66
51	meta analysis/	54378
52	meta-analysis as topic/	14571
53	systemat*.ti,ot,ab. and review.pt.	69559
54	meta analys*.ti,ot,kw.	39207
55	metaanalys*.ti,ot,kw.	728
56	systematic review*.ti,ot,kw.	39913
57	"cochrane database of systematic reviews".jn.	11863
58	or/51-57	139802
59	49 and 58	1

Embase

ID	Søgestreng	Hits
1	morcell*.mp.	1143
2	extirp*.mp.	9701
3	hysterectom*.mp.	56405
4	exp hysterectomy/	49186
5	(or/1-2) and (or/3-4)	662
6	Clinical trial/	838991
7	Randomized controlled trial/	354375
8	Randomization/	63603
9	Single blind procedure/	18953
10	Double blind procedure/	118348
11	Crossover procedure/	40446
12	Placebo/	259762
13	randomi?ed controlled trial\$.tw.	104641
14	Rct.tw.	15002
15	Random allocation.tw.	1383
16	Randomly allocated.tw.	21193
17	Allocated randomly.tw.	1971
18	(allocated adj2 random).tw.	799
19	Single blind\$.tw.	15025
20	Double blind\$.tw.	150610
21	((treble or triple) adj blind\$.tw.	423
22	Placebo\$.tw.	208747
23	Prospective study/	264109
24	or/6-23	1410943
25	Case study/	28279
26	Case report.tw.	275032
27	Abstract report/ or letter/	922766
28	or/25-27	1220210
29	24 not 28	1372362
30	Clinical study/	105098
31	Case control study/	82006
32	Family study/	10545
33	Longitudinal study/	70102
34	Retrospective study/	363408
35	Prospective study/	264109
36	Randomized controlled trials/	59902
37	35 not 36	262438
38	Cohort analysis/	179969
39	(Cohort adj (study or studies)).mp.	123914
40	(Case control adj (study or studies)).tw.	78049
41	(follow up adj (study or studies)).tw.	46740
42	(observational adj (study or studies)).tw.	68239
43	(epidemiologic\$ adj (study or studies)).tw.	76143
44	(cross sectional adj (study or studies)).tw.	91014
45	or/30-34,37-44	1259748
46	5 and (29 or 45)	135
47	limit 46 to (danish or english or norwegian or swedish)	120
48	limit 47 to yr="2004 -Current"	96

PICO 9

Medline

ID	Søgestreng	Hits
1	suspen*.mp.	114966
2	angle stitch.mp.	2
3	vagina*.mp.	117053
4	ligament*.mp.	64987
5	uterosacr*.mp.	628
6	prolapse.mp.	23904
7	1 and (or/2-6)	2245
8	exp hysterectomy/	25120
9	hysterectom*.mp.	38274
10	or/8-9	38274
11	benign.mp.	174440
12	abnormal uterine bleeding.mp.	1375
13	aub.mp.	310
14	menorrhagi*.mp.	4900
15	metrorrhagi*.mp.	2750
16	dysmenorrhe*.mp.	4834
17	heavy menstrual bleeding.mp.	413
18	(fibroid* not sarcoma).mp.	4400
19	leiomyoma*.mp.	20163
20	myoma*.mp.	5339
21	endometriosis.mp.	21038
22	adenomyosis.mp.	1796
23	pelvic organ prolapse.mp.	3213
24	uterine prolapse.mp.	5260
25	chronic pelvic pain.mp.	2588
26	or/11-25	231221
27	uterine hemorrhage/	7990
28	menorrhagia/	3636
29	metrorrhagia/	2084
30	dysmenorrhea/	3185
31	leiomyoma/	16370
32	myoma/	1057
33	endometriosis/	17414
34	adenomyosis/	116
35	pelvic organ prolapse/	1475
36	uterine prolapse/	4923
37	or/27-36	54014
38	exp uterine cervical neoplasms/	60816
39	exp endometrial neoplasms/	15957
40	exp sarcoma/	118570
41	((cervix or cervical) adj1 (tumo\$r or neoplasm* or cancer)).mp.	69415
42	(endometri* adj1 (tumo\$r or neoplasm* or cancer)).mp.	19505
43	sarcoma*.mp.	104447
44	or/38-43	241470
45	26 or 37	237490
46	10 and 45	9851
47	10 not 44	28388
48	46 or 47	29759
49	7 and 48	229

50	Randomized Controlled Trials as Topic/	99474
51	randomized controlled trial/	399438
52	Random Allocation/	84027
53	Double Blind Method/	132305
54	Single Blind Method/	20536
55	clinical trial/	501090
56	clinical trial, phase i.pt.	15291
57	clinical trial, phase ii.pt.	24501
58	clinical trial, phase iii.pt.	10019
59	clinical trial, phase iv.pt.	1031
60	controlled clinical trial.pt.	90638
61	randomized controlled trial.pt.	399438
62	multicenter study.pt.	188006
63	clinical trial.pt.	501090
64	exp Clinical Trials as topic/	294364
65	or/50-64	1088502
66	(clinical adj trial\$.tw.	234771
67	((singl\$ or doubl\$ or treb\$ or tripl\$) adj (blind\$3 or mask\$3)).tw.	136820
68	placebos/	33994
69	placebo\$.tw.	168903
70	randomly allocated.tw.	18202
71	(allocated adj2 random\$.tw.	20872
72	or/66-71	451125
73	65 or 72	1248101
74	case report.tw.	215170
75	letter/	883988
76	historical article/	312479
77	or/74-76	1399474
78	73 not 77	1216910
79	Epidemiologic studies/	6258
80	exp case control studies/	708879
81	exp cohort studies/	1436040
82	Case control.tw.	84954
83	(cohort adj (study or studies)).tw.	99167
84	Cohort analy\$.tw.	4189
85	(Follow up adj (study or studies)).tw.	39305
86	(observational adj (study or studies)).tw.	50589
87	Longitudinal.tw.	155363
88	Retrospective.tw.	298496
89	Cross sectional.tw.	188389
90	Cross-sectional studies/	192355
91	or/79-90	2028404
92	49 and (78 or 91)	118
93	limit 92 to (danish or english or norwegian or swedish)	93
94	limit 93 to yr="2004 -Current"	40

Embase

ID	Søgestreng	Hits
1	suspen*.mp.	142764
2	angle stitch.mp.	2
3	vagina*.mp.	149364
4	ligament*.mp.	77366
5	uterosacr*.mp.	1112
6	prolapse.mp.	33269
7	1 and (or/2-6)	2994
8	exp *hysterectomy/	15688
9	hysterectom*.mp.	56405
10	or/8-9	56534
11	benign.mp.	217751
12	abnormal uterine bleeding.mp.	1981
13	aub.mp.	412
14	menorrhagi*.mp.	7873
15	metrorrhagi*.mp.	4534
16	dysmenorrhe*.mp.	9402
17	heavy menstrual bleeding.mp.	641
18	(fibroid* not sarcoma).mp.	6586
19	leiomyoma*.mp.	20721
20	myoma*.mp.	14837
21	endometriosis.mp.	28286
22	adenomyosis.mp.	3328
23	pelvic organ prolapse.mp.	9116
24	uterine prolapse.mp.	1337
25	chronic pelvic pain.mp.	3935
26	or/11-25	296319
27	uterus bleeding/	7633
28	menorrhagia/	7065
29	metrorrhagia/	4134
30	dysmenorrhea/	8572
31	leiomyoma/	14328
32	uterus myoma/	10162
33	myoma/	2477
34	endometriosis/	25910
35	adenomyosis/	2660
36	pelvic organ prolapse/	8361
37	uterus prolapse/	3985
38	pelvis pain syndrome/	10225
39	or/27-38	87450
40	exp uterine cervix tumor/	85687
41	exp endometrium tumor/	43913
42	exp sarcoma/	149630
43	((cervix or cervical) adj1 (tumo\$r or neoplasm* or cancer)).mp.	71281
44	(endometri* adj1 (tumo\$r or neoplasm* or cancer)).mp.	29789
45	sarcoma*.mp.	122623
46	or/40-45	308630
47	26 or 39	306864
48	10 and 47	16594
49	10 not 46	39951
50	48 or 49	42913
51	7 and 50	489
52	Clinical trial/	838991
53	Randomized controlled trial/	354375

54	Randomization/	63603
55	Single blind procedure/	18953
56	Double blind procedure/	118348
57	Crossover procedure/	40446
58	Placebo/	259762
59	randomi?ed controlled trial\$.tw.	104641
60	Rct.tw.	15002
61	Random allocation.tw.	1383
62	Randomly allocated.tw.	21193
63	Allocated randomly.tw.	1971
64	(allocated adj2 random).tw.	799
65	Single blind\$.tw.	15025
66	Double blind\$.tw.	150610
67	((treble or triple) adj blind\$.tw.	423
68	Placebo\$.tw.	208747
69	Prospective study/	264109
70	or/52-69	1410943
71	Case study/	28279
72	Case report.tw.	275032
73	Abstract report/ or letter/	922766
74	or/71-73	1220210
75	70 not 74	1372362
76	Clinical study/	105098
77	Case control study/	82006
78	Family study/	10545
79	Longitudinal study/	70102
80	Retrospective study/	363408
81	Prospective study/	264109
82	Randomized controlled trials/	59902
83	81 not 82	262438
84	Cohort analysis/	179969
85	(Cohort adj (study or studies)).mp.	123914
86	(Case control adj (study or studies)).tw.	78049
87	(follow up adj (study or studies)).tw.	46740
88	(observational adj (study or studies)).tw.	68239
89	(epidemiologic\$ adj (study or studies)).tw.	76143
90	(cross sectional adj (study or studies)).tw.	91014
91	or/76-80,83-90	1259748
92	51 and (75 or 91)	146
93	limit 92 to (danish or english or norwegian or swedish)	135
94	limit 93 to yr="2004 -Current"	110