

Søgeprotokol for opdatering på NKR Nationale Kliniske Retningslinjer

Projekttitel/aspekt	NKR 32 for Dobbeltbelastet Alkoholafhængighed – Guidelines version 2019
Projektgruppe	Jeanett Friis Rohde
Søgespecialist	Kirsten Birkefoss
Senest opdateret	07.01.2019
Covidence login:	Login name: nkralkodob Password: nkralkodobslut

Baggrund	<p>Mennesker med psykisk lidelse og samtidig afhængighed af alkohol og/eller stoffer kaldes 'dobbeltbelastede' eller mennesker med en dobbeltdiagnose. Der er tale om en heterogen gruppe af patienter med forskellige diagnosekombinationer, typer af afhængighed mv.</p> <p>Det vurderes, at godt halvdelen af de mennesker, der søger behandling for alkoholafhængighed, er dobbeltbelastede, dvs. at de også har en psykisk lidelse.</p> <p>Mennesker med en psykisk lidelse og samtidig afhængighed af alkohol er en gruppe, som behandlingssystemet på alle niveauer har haft vanskeligheder med at give relevante behandlingstilbud. I den psykiatriske og psykosociale indsats kan alkoholafhængigheden opleves som en barriere for behandling af den psykiske lidelse. På samme måde kan mennesker med psykiske lidelser, herunder navnlig mennesker med psykoser, opleves som vanskelige at håndtere i alkoholbehandlingsinstitutioner.</p>
Generelle søgetermer	<p>Engelske: Substance-related disorder*; substance abuse; substance abuse detection; substance misuse, substance use; substance abuse treatment center*/centre*; alcohol-related disorders; alcohol-induced disorders; sobriety; alcoholism; alcoholic*; contingen*; alcohol or drinking... abstinence*/abstain*/abus*/addict*/attenuat*/ binge*/crav*/dependen*/detox*/disease*/disorder*/excessiv*/harm*/hazard*/h eavy/high risk/intoxicat*/misus*/overdos*/over dos*/problem*/rehab*/reliance/ reliant/relaps*/withdraw*;</p> <p>Mental disorder*; Mental illness; Personality disorder*; Mood disorder*; Anxiety disorder*; Neurotic disorder*; Schizophren*; psychiatr*; mental health; psychos*; psychotic*; neurotic; neurotical; bipolar disorder*; anxiety; depression; depressive; manio*; schizo*; borderline; anti-social; antisocial; compulsive; paranoid;</p> <p>Danske: Stoffer; Stofmisbrug*; Behandlingshjem; Afholdenhed; Alkoholmisbrug; misbrug ... alkohol; alkoholfrembragt/e sygdom/me; alkohol- overforbrug; overforbrug ... alkohol; alkoholmisbruger/e; alkoholisme; alkoholisk hjertesygdom; alkoholisk kardiomyopati; alkoholabstinens*; abstinens* ... alkohol*; delirium; alkoholafhængig*; afhængig* ... alkohol; alkoholafgiftning; afgiftning ... alkohol; alkoholforgiftning; alkohol- /spiritusproblem/er; problem/er ... alkohol/spiritus; alkoholskade/r; skadelig ... alkohol; alkoholrehabilitering; alkoholbehandling;</p> <p>Psykisk helse; Mental helse; Psykisk* forstyrrelse*; Psykiatr*; Mentalsygepleie*; Affektiv* lidelse*; Humørforstyrrelse*; Mental* forstyrrelse*; Psykisk* sygdom*; Personlighedsforstyrrelse*; Psykos*; Grænsespsykos*;</p>

	<p>Psykotisk*; Affektiv* forstyrrelse*; Humørsvingninger; Angst*; Neurotisk*; Neurose*; Depression; Depressiv; Skizofreni*; Skizo*; Paranoid*; Bipolar Lidelse*; Manio-depressiv; Maniodepressiv; Bipolar depression, Manier; Borderline; Antisocial; Anti-social; Tvangslidelse*;</p> <p>Norske: Alkoholmisbruk; Alkohol misbruk; Alkoholprodusert/e; Alkoholforårsakat/de; Alkoholmisbruker/e; Alkoholisme; Alkoholisk hjertesygdom; Alkoholisk kardiomyopati; Alkoholabstinens/er; Abstinens/er ... alkohol; Delirium; Alkoholavhengig/hed; Avhengig/hed ... alkohol; Alkoholafgiftning; Alkoholforgiftning; Alkoholproblem/er; Alkoholskade/r; Skadelig ... alkohol; Alkoholrehabilitering; Alkoholbehandling; Rus*;</p> <p>Psykisk helse; Mental helse; Psykisk* forstyrrelse*; Psykiatr*; Mentalsykepleie*; Beteendestörning*; Mental* störning*; Psykisk* sykdom*; Personlighetsforstyrrelse*; Psykos*; Grensespsykos*; Psykotisk*; Affektiv* forstyrrelse*; Humørsvingning*; Angst*; Neurotisk*; Neurose*; Depresjon; Depressiv; Skizofreni*; Skizotyp*; Paranoid*; Bipolar Lidelse*/liding*; Manio-depressiv; Maniodepressiv; Bipolar depresjon, Manier; Borderline; Antisocial; Anti-social; Tvangslidelse*/liding*;</p> <p>Svenske: Substansrelaterade störningar; Drogmisbruk*; Behandlingshem för missbrukare; Alkoholmissbruk; Alkoholmissbruk; Alkoholorsakad/e; Alkoholmissbrukar/e; Alkoholism; Alkoholpsykos; Alkoholhallucinos; Alkohol delirium; Alkoholberoende; Beroende av alhokol; Alkoholavgiftning; Alkoholforgiftning; Alkoholavgiftning; Alkoholproblem/er; Problem/er ... alkohol; Alkoholskada/or; Skadlig ... alkohol; Alkoholrehabilitering; Alkoholbehandling; Avhållsam*;</p> <p>Psykisk* hälsa; Mental hälsa; Psykisk* störning*; Psykiatr*; Mentalvård; Beteendestörning*; Mental* störning*; Psykisk* sjukdom*; Personlighetsstörning*; Psykos*; Gränspsykos*; Psykotisk*; Affektiva störningar; Humörsvängning*; Känslöstörning*; Ångest*; Neurotisk* störning*; Neurose*; Depression; Depressiv sjukdom; Schizofreni*; Schizotyp*; Paranoid*; Bipolär sjukdom; Maniodepressiv; Bipolär depression, Manier; Maniodepressiv psykos; Borderline; Antisocial; Anti-social; Tvångsbeteende; Tvångshandling;</p>
Inklusions- og eksklusionskriterier	Sprog: Engelsk, tysk, dansk, norsk og svensk År: 2015-2019 Population: Alle Publikationstyper: Guidelines, MTV, Cochrane Reviews

Informationskilder

Databaser	Interface	Fund	Dato for søgning
G-I-N International	http://www.g-i-n.net/	10	03.01.2019
NICE (UK)	http://www.nice.org.uk/	10	03.01.2019
Trip Database	http://www.guideline.gov	6	03.01.2019
Scottish Intercollegiate Guidelines Network (SIGN)	http://sign.ac.uk	0	03.01.2019
HTA Databasen (CRD database)	http://www.crd.york.ac.uk/CRDWeb/	33	03.01.2019
SBU, Sverige	http://www.sbu.se	0	03.01.2019
Socialstyrelsen, Sverige	http://www.socialstyrelsen.se	1	03.01.2019
Helsedirektoratet, Norge	https://helsedirektoratet.no/	0	03.01.2019
FHI, Norge	http://www.fhi.no/	0	03.01.2019
NHMRC, Australien	https://www.clinicalguidelines.gov.au/	1	03.01.2019
Canadian Medical Association, Canada	https://www.cma.ca/En/Pages/clinical-practice-guidelines.aspx	1	04.01.2019
AWMF, Tyskland	http://www.awmf.org/leitlinien/aktuelle-leitlinien.html	1	04.01.2019
American Psychiatric Association (APA)		1	04.01.2019
European Psychiatric Association (EPA)		0	04.01.2019
MEDLINE	OID	166	04.01.2019
EMBASE	OID	219	04.01.2019
PSYCINFO	OID	59	04.01.2019

Note:

- Guidelines fra firmaet Hayes er fra valgt for denne NKR
- Søgetermer og inklusions- og eksklusionskriterier er tilpasset de enkelte databaser.
- Dubletter er så vidt muligt frasorteret ved hjælp af Covidence. De fundne referencer overføres til fagkonsulenten i Covidence.
- Fuldtekster præsenteres i Covidence i pdf-format eller som link
- Søgestrategi for hver enkelt database præsenteres – hvis muligt vises det eksplicit hvor mange referencer den enkelte søgestreng genererer
- Covidence = webbaseret referencehåndteringssystem og kvalitetsvurderingsværktøj
- MAGIC = online skabelonværktøj til guidelines


Søgestrategi


GIN


Søgt på:

Alcohol* OR drinking OR drinker* OR substance abuse OR substance use OR substance misuse

10 fund

Relevance	Title	Organisation	Type	Date	Relevant Countries	Publication Status	
77%	National klinisk retningslinje for behandling af alkoholafhængighed [National clinical guideline for the treatment of alcohol dependence]	SST (DK) - Danish Health Authority	Guideline	Mar 04, 2015	Denmark	Published	
67%	National klinisk retningslinje for udredning og behandling af personer med samtidig alkoholafhængighed og psykisk lidelse [National clinical guideline for the assessment and treatment of concomitant alcohol dependence and mental disorder]	SST (DK) - Danish Health Authority	Guideline	Feb 08, 2016	Denmark	Published	

Relevance	Title	Organisation	Type	Date	Relevant Countries	Publication Status	
53%	Foetal alcohol syndrome and foetal alcohol spectrum disorder guideline	SIGN (GB) - Scottish Intercollegiate Guidelines Network	Guideline	Dec 31, 2018	United Kingdom	In development	
49%	Diagnostik des Fetalen Alkoholsyndroms. S3-LL (GNP) [Diagnosis of fetal alcohol syndrome]	AWMF (DE) - Association of Scientific Medical Societies	Guideline	Apr 30, 2016	Germany	Under review	
48%	Non-alcoholic fatty liver disease (NAFLD): assessment and management (NG49)	NICE (UK) - National Institute for Health and Care Excellence	Guideline	Jul 01, 2016	United Kingdom	Published	
39%	Australian guidelines to reduce health risks from drinking alcohol (DS 10)	NHMRC (AU) - National Health and Medical Research Council	Guideline	May 01, 2020	Australia	Under review	
34%	Nicht-alkoholische Steatohepatitis (NASH). S2k-LL (DGVS, DGIM, DGCH) [Non-alcoholic	AWMF (DE) - Association of Scientific Medical Societies	Guideline	Dec 31, 2015	Germany	In development	

Relevance	Title	Organisation	Type	Date	Relevant Countries	Publication Status	
	steatohepatitis]						
30%	Nicht-alkoholische Fettlebererkrankungen. S2k-LL (DGVS) [Non-alcoholic fatty liver disease]	AWMF (DE) - Association of Scientific Medical Societies	Guideline	Feb 28, 2015	Germany	Published	
17%	Engaging Clients Who Use Substances [Engaging Clients Who Use Substances]	RNAO (CA) - Registered Nurses' Association of Ontario	Guideline	Mar 31, 2015	International	Published	
4%	Management of Acute and Recurrent Gout: A Clinical Practice Guideline From the American College of Physicians	ACP (US) - American College of Physicians	Guideline	Sep 09, 2016	United States	Published	

NICE

Søgt på hver af ordene:

Alcohol, Substance abuse, Substance misuse, Addiction, Anxiety, Attention Deficit Disorder, Autism, Bipolar disorder, Borderline, Delirium, Depression, Drug misuse, Personality disorder, Psychosis, Schizophrenia

10 fund

- [Alcohol: school-based interventions \(PH7\)](#)

Id:PH7

Published date: November 2007

- [Alcohol-use disorders: diagnosis and management of physical complications \(CG100\)](#)

Id: CG100

Published date: June 2010

- [Alcohol-use disorders: diagnosis, assessment and management of harmful drinking and alcohol dependence \(CG115\)](#)

Id: CG115

Published date: February 2011

- [Alcohol-use disorders: prevention \(PH24\)](#)

Id: PH24

Published date: June 2010

- [Cirrhosis in over 16s: assessment and management \(NG50\)](#)

Id: NG50

Published date: July 2016

- [Nalmefene for reducing alcohol consumption in people with alcohol dependence \(TA325\)](#)

Id: TA325

Published date: November 2014

[Coexisting severe mental illness \(psychosis\) and substance misuse: assessment and management in healthcare settings \(CG120\)](#)

Id: CG120

Published date: March 2011

[Coexisting severe mental illness and substance misuse: community health and social care services \(NG58\)](#)

Id: NG58

Published date: November 2016

[Depression in adults: recognition and management \(CG90\)](#)

Id: CG90

Published date: October 2009

[Preventing suicide in community and custodial settings \(NG105\)](#)

Id: NG105

Published date: September 2018

Trip Database

Søgt på:

Alcohol* or drinking or drinker* or "substance abuse" or "substance use" or "substance misuse"

6 fund

[Post-traumatic stress disorder](#)

is a risk of the person harming themselves or others. [2018] [2018] 1.7.2 Do not exclude people with PTSD from treatment based solely on comorbid Post-traumatic stress disorder (NG116) © NICE 2018. All rights reserved. Subject to Notice of rights (<https://www.nice.org.uk/terms-and-conditions#notice-of-rights>). Page 20 of 54drug or **alcohol** misuse. [2018] [2018] 1.7.3 For people with additional needs, including those with complex PTSD: build in extra time to develop trust with the person, by increasing

National Institute for Health and Clinical Excellence - Clinical Guidelines2018

[Unhealthy Alcohol Use in Adolescents and Adults: Screening and Behavioral Counseling Interventions](#)

Unhealthy **Alcohol** Use in Adolescents and Adults: Screening and Behavioral Counseling Interventions Final Recommendation Statement: Unhealthy **Alcohol** Use in Adolescents and Adults: Screening and Behavioral Counseling Interventions - US Preventive Services Task Force Search USPSTF Website Text size: Assembly version: 1.0.0.308 Last Build: 11/16/2018 6:27:19 PM You are here: Final Recommendation Statement : Final Recommendation Statement Final Recommendation Statement Unhealthy **Alcohol** Use (...) in Adolescents and Adults: Screening and Behavioral Counseling Interventions Recommendations made by the USPSTF are independent of the U.S. government. They should not be construed as an official position of the Agency for Healthcare Research and Quality or the U.S. Department of Health and Human Services. Recommendation Summary Population Recommendation Grade Adults 18 years or older, including pregnant women The USPSTF recommends screening for unhealthy **alcohol** use in primary care settings in adults 18

U.S. Preventive Services Task Force2018

[Pharmacological Treatment of Patients with Alcohol Use Disorder](#)

Pharmacological Treatment of Patients with **Alcohol** Use Disorder | | Search in: Why have you reached this page? Your browser is not currently configured to accept from this website. This means that the site will not run as smoothly/quickly as possible and could result in certain functionality not working as designed.

Recommendation: Enable cookies on your browser. Connect with us! Copyright © American Psychiatric Association Powered by

American Psychiatric Association2017

[Alcohol Abuse and Other Substance Use Disorders: Ethical Issues in Obstetric and Gynecologic Practice](#)

Alcohol Abuse and Other Substance Use Disorders: Ethical Issues in Obstetric and Gynecologic Practice **Alcohol Abuse** and Other Substance Use Disorders: Ethical Issues in Obstetric and Gynecologic Practice - ACOG Menu ▼ **Alcohol Abuse** and Other Substance Use Disorders: Ethical Issues in Obstetric and Gynecologic Practice Page Navigation ▼ Number 633, June 2015 (Replaces Committee Opinion Number 422, December 2008) Committee on Ethics This Committee Opinion was developed by the American College (...)

of Obstetricians and Gynecologists as a service to its members and other practicing clinicians. Although this document reflects the current viewpoint of the College, it is not intended to dictate an exclusive course of action in all cases. **Alcohol Abuse** and Other Substance Use Disorders: Ethical Issues in Obstetric and Gynecologic Practice ABSTRACT: **Alcohol abuse** and other substance use disorders are major, often underdiagnosed health problems for women, regardless of age, race, ethnicity, and socioeconomic *American College of Obstetricians and Gynecologists 2015*

[Canadian Network for Mood and Anxiety Treatments \(CANMAT\) and International Society for Bipolar Disorders \(ISBD\) 2018 guidelines for the management of patients with bipolar disorder](#)

or switching treatment during the maintenance phase. In addition to addressing issues in bipolar I disorder, these guidelines also provide an overview of, and recommendations for, clinical management of bipolar II disorder, as well as advice on specific populations, such as women at various stages of the reproductive cycle, children and adolescents, and older adults. There are also discussions on the impact of specific psychiatric and medical comorbidities such as **substance** use, anxiety, and metabolic (...):331 27793111 Cochrane Database Syst Rev. 2008 Jan 23;(1):CD005171 18254071 JAMA. 2009 Dec 9;302(22):2413-4, 2420 19996392 Br J Psychiatry. 2006 Jan;188:46-50 16388069 J Subst **Abuse** Treat. 2000 Jun;18(4):371-2 10812311 Psychiatry Clin Neurosci. 2003 Jun;57(3):243-50 12753562 Can J Psychiatry. 2002 Oct;47(8):767-70 12420655 Arch Gen Psychiatry. 2003 Feb;60(2):145-52 12578431 Bipolar Disord. 2016 Dec;18(8):631-641 28063207 J Affect Disord. 1996 Feb 12;37(1):23-9 8682975 Compr Psychiatry. 2001 May-Jun *CMA Infobase (Canada) 2018 Full Text: Link to full Text with Trip Pro*

[Management of Substance Use Disorder](#)

), SUD consists of two distinct conditions, **abuse** and dependence, as they relate to **substances** such as tobacco, alcohol, opioids, cannabis, and seven others. Field trials of the DSM-IV criteria showed that the **substance** dependence syndrome was both reliable and valid as a definition, but that the **abuse** syndrome based on a theoretical and hierarchical relationship between **abuse** (less severe) and dependence (more severe) was not valid. Some symptoms of “**abuse**” (e.g., failure to fulfill major role (...)

• **Substance Abuse** and Mental Health Services Administration, Center for **Substance Abuse** Treatment The VA and DoD Leadership reached out to both the internal and external peer reviewers to solicit their feedback on the CPG. Reviewers were provided a hyperlink to the wiki website where the draft CPG was posted. All reviewer feedback was posted in tabular form on the wiki site, along with the name of the reviewer, for transparency. All feedback from the peer reviewers was discussed and considered by the Work

VA/DoD Clinical Practice Guidelines 2015

6 fund

SIGN

[Søgt på alle emner](#)

0 fund

HTA database

Søgt på:

(alcohol* or substance abuse or substance misuse or substance use) AND (guideline* or hta or health technology assessment) IN HTA FROM 2015 TO 2019

33 fund (findes i Covidence)

SBU (Sverige)

Søgt på kategorien: Psykiatri och psykologi



0 fund

Socialstyrelsen (Sverige)

Søgt på: Nationella riktlinjer

1 fund

Nationella riktlinjer för vård och stöd vid missbruk och beroende

-  [Ladda ner sida](#)
-
- [RSS](#) 

Nationella riktlinjer för vård och stöd vid missbruk och beroende innehåller rekommendationer om bedömningsinstrument, medicinska test, läkemedelsbehandling, psykologisk och psykosocial behandling, psykosociala stödinsatser, behandling vid samsjuklighet och behandling av ungdomar. De vänder sig till beslutsfattare och profession inom området.

Ladda ner rapporten

Här finns rapporten, bilagor och en sammanfattning av de centrala rekommendationerna.

- [Ladda ner eller beställ riktlinjerna](#)

Helsedirektoratet

Søgt på:

Nasjonale faglige retningslinjer

0 fund

Folkehelseinstituttet

Søgt på hver af ordene:

Alkohol, Alcohol, Rusmiddel


0 fund

NHMRC, Australien

Søgt på: Google: alcohol guidelines australia

1 fund

[Guidelines on the management of co-occurring alcohol and other drug and mental health conditions in alcohol and other drug treatment settings \(second edition\)](#)



Author:Christina Marel, Katherine L Mills, Rosemary Kingston, Kevin Gournay, Mark Deady, Frances Kay-Lambkin, Amanda Baker, Maree Teesson

In 2014 the Australian Government Department of Health funded the NHMRC Centre of Research Excellence in Mental Health and Substance Use, NDARC, to update and revise the '**Guidelines on the management of co-occurring alcohol and other drug and mental health conditions in alcohol and other drug treatment settings**'. This second edition is based on the best available evidence, and was developed in consultation and collaboration with clinicians, researchers, consumers, and carers from across Australia. The Guidelines aim to:

- Increase the knowledge and awareness of co-occurring mental health conditions in AOD treatment settings;
- Improve the confidence and skills of AOD workers;
- Increase the uptake of evidence-based care.

To download the Guidelines, please click

here: https://extranet.who.int/ncdccs/Data/AUS_B9_Comorbidty-Guidelines-2016.pdf.

Guidelines, Canadian Medical Association, Canada

Søgt på: Mental health, Alcohol, Substance abuse, Substance use, Substance misuse

1 fund

1. Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) 2018 guidelines for the management of patients with bipolar disorder

Canadian Network for Mood and Anxiety Treatments

Published on: 2018-03

AWMF, Tyskland

Søgt på hvert af ordene:

- 1) Deutsche Gesellschaft für Suchtforschung und Suchttherapie
- 2) Alkohol*

1 fund

Alkoholbezogene Störungen: Screening, Diagnose und Behandlung

Registernummer 076 - 001

Klassifikation **S3**

Stand: 31.07.2014 , gültig bis 30.07.2019

14.02.2017: Dokument zu Interessenkonflikt-Erklärungen eingestellt; 28.02.2016: redaktionell überarbeitete Langfassung ausgetauscht; 09.02.2016: Kurzfassung eingestellt; 26.02.2015: redaktionell überarbeitete Langfassung und Report ausgetauscht

- [Basisdaten](#)
- Anwender- & Patientenzielgruppe
- Herausgeber & Autoren
- Inhalte

Verfügbare Dokumente

Kurzfassung der Leitlinie "Alkoholbezogene Störungen: Screening, Diagnose und Behandlung"

- [Download](#)

- PDF
- 1,41 MB

Langfassung der Leitlinie "Alkoholbezogene Störungen: Screening, Diagnose und Behandlung"

- [Download](#)

- PDF
- 4,83 MB

Leitlinienreport

- [Download](#)

- PDF
- 0,84 MB

American Psychiatric Association (APA)

Gennemgæet år for alle guidelines

Pharmacological Treatment of Patients with Alcohol Use Disorder

The Practice Guideline for the Pharmacological Treatment of Patients with Alcohol Use Disorder was approved by the APA Assembly in May and by the APA Board of Trustees July 2017, and published in January 2018..

For questions about this guideline or the development process, please contact Jennifer Medicus, Practice Guidelines Deputy Director, at jmedicus@psych.org or 202-559-3972.

- [Practice Guideline](#)
 - [AJP Executive Summary](#)
-

European Psychiatric Association

Søgt på: Alle guidelines

0 fund

Medline

166 fund (findes i Covidence)

Database(s): **Ovid MEDLINE(R) and Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Daily and Versions(R)** 1946 to January 03, 2019

Search Strategy:

#	Searches	Results
1	exp Alcohol-Related Disorders/ or exp Alcohol-Induced Disorders, Nervous System/ or exp Alcohol Drinking/ or exp Alcoholism/ or exp Alcohol Abstinence/	154977
2	((alcohol* adj2 (dependen* or "use" or abuse or misuse or addict* or craving* or rehabilitation or prevent*)) or alcoholic* or alcoholism or alcohol-related or ((problem* or binge or excessive or harmful or hazardous or heavy) adj2 (drinking or drinker*))).ti,ab,kw,kf.	101499
3	Substance-Related Disorders/	90536
4	Substance Abuse Treatment Centers/	5077
5	(substance adj (abuse or "use" or misuse)).ti,ab,kw,kf.	51039
6	or/1-5	284769
7	Mental disorders/	153681
8	((mental or psychiatric or psycholog* or behavio?r*) adj3 (disorder* or disease* or illness or diagn* or health)).ti,ab,kw,kf.	316515
9	exp Anxiety Disorders/	75217
10	(anxiety or panic or agoraphobia* or social phobia* or Obsessive or Compulsive or stress).ti,ab,kw,kf.	826795
11	(mood adj2 (disorder* or disturbance* or chang*3)).ti,ab,kw,kf.	22059
12	exp Dissociative Disorders/	4087
13	((multiple or dual) adj3 (personalit* or identit*)).ti,ab,kw,kf.	1399
14	dissociative.ti,ab,kw,kf.	8007
15	exp Mental Disorders Diagnosed in Childhood/	168234
16	(Attention Deficit or adhd).ti,ab,kw,kf.	30710
17	exp Mood Disorders/	113389
18	(affective or depress* or bipolar or unipolar or mania* or manic or manic-depressive).ti,ab,kw,kf.	504043
19	Neurotic Disorders/	17945
20	(neurotic or Psychoneuros* or neuros* or psychos*2).ti,ab,kw,kf.	173899

21	exp Personality Disorders/	39548
22	((personalit* or identit*) adj3 (disorder* or disturbance*)).ti,ab,kw,kf.	21090
23	((borderline* adj5 (personalit* or character* or difficult* or disorder* or dysfunction* or BPD or PD or person*1 or state* or patient*)) or borderliner* or (emotional* adj3 unstable)).ti,ab,kw.	12792
24	(antisocial or anti-social or d#ssocial or avoidant or dependent or sociopath* or psychopath* or selfharm or self-harm or suicid* or passive aggressive or passive-aggressive).ti,ab,kw,kf.	1455520
25	exp "Schizophrenia and Disorders with Psychotic Features"/	140148
26	(paranoi* or schizo*).ti,ab,kw,kf.	139418
27	or/7-26	3194742
28	"Diagnosis, Dual (Psychiatry)"/ or Comorbidity/	99185
29	(co-exist* or coexist* or cooccur* or co-occur* or co-morbid* or comorbid* or dual diagnos* or dual disorder* or "dual pathology" or concurrent or co-concurrent or coincident* or simultan* or concomitant or together with or includ*).ti,ab,kw,kf.	4412553
30	or/28-29	4453005
31	(6 and 30) or (6 and 27)	128305
32	limit 31 to (guideline or practice guideline)	194
33	guideline*.ti,kw,kf.	75095
34	cochrane.jw.	14068
35	or/33-34	89155
36	31 and 35	505
37	32 or 36	638
38	limit 37 to (yr="2015-2019" and (danish or english or german or norwegian or swedish))	172
39	exp Non-alcoholic Fatty Liver Disease/	8981
40	(non-alcoholic or nonalcoholic).ti,ab,kw,kf.	22799
41	exp Fetal Alcohol Spectrum Disorders/	3948
42	or/39-41	27775
43	38 not 42	166

Embase

219 fund (findes I Covidence)

Database(s): **Embase** 1974 to 2019 January 03

Search Strategy:

#	Searches	Results
1	exp alcohol abuse/ or exp Alcohol-Related Disorders/ or exp Alcohol-Induced Disorders, Nervous System/ or exp Alcohol Drinking/ or exp Alcoholism/ or exp Alcohol Abstinence/ or Alcohol rehabilitation/	170435
2	((alcohol* adj2 (dependen* or "use" or abuse or misuse or addict* or craving* or rehabilitation or prevent*)) or alcoholic* or alcoholism or alcohol-related or ((problem* or binge or excessive or harmful or hazardous or heavy) adj2 (drinking or drinker*))).ti,ab,kw.	136092
3	Substance-Related Disorders/	19174
4	Substance Abuse Treatment Centers/	8095
5	(substance adj (abuse or "use" or misuse)).ti,ab,kw.	67119
6	or/1-5	282821
7	mental disease/	200234
8	((mental or psychiatric or psycholog* or behavio?r*) adj3 (disorder* or disease* or illness or diagn* or health)).ti,ab,kw.	387283
9	exp anxiety disorder/	212920
10	(anxiety or panic or agoraphobia* or social phobia* or Obsessive or Compulsive or stress).ti,ab,kw.	1081450
11	(mood adj2 (disorder* or disturbance* or chang*3)).ti,ab,kw.	33801
12	exp dissociative disorder/	7778
13	((multiple or dual) adj3 (personalit* or identit*)).ti,ab,kw.	1620
14	dissociative.ti,ab,kw.	8062
15	(Attention Deficit or adhd).ti,ab,kw,kf.	42604
16	exp mood disorder/	462802
17	(affective or depress* or bipolar or unipolar or mania* or manic or manic-depressive).ti,ab,kw.	666644
18	neurosis/	20003
19	(neurotic or Psychoneuros* or neuros* or psychos*2).ti,ab,kw.	226758
20	exp personality disorder/	55103
21	((personalit* or identit*) adj3 (disorder* or disturbance*)).ti,ab,kw.	28755
22	exp borderline state/	12194
23	((borderline* adj5 (personalit* or character* or difficult* or disorder* or dysfunction* or BPD or PD or person*1 or state* or patient*)) or borderliner* or (emotional* adj3 unstable)).ti,ab,kw.	17941
24	(antisocial or anti-social or d#social or avoidant or dependent or sociopath* or psychopath* or selfharm or self-harm or suicid* or passive aggressive or passive-aggressive).ti,ab,kw.	1714866

25	exp schizophrenia spectrum disorder/	170363
26	(paranoi* or schizo*).ti,ab,kw.	176876
27	or/7-26	3839741
28	"Diagnosis, Dual (Psychiatry)"/ or Comorbidity/	237425
29	(co-exist* or coexist* or cooccur* or co-occur* or co-morbid* or comorbid* or dual diagnos* or dual disorder* or "dual pathology" or concurrent or co-concurrent or coincident* or simultan* or concomitant or together with or includ*).ti,ab,kw.	6008016
30	or/28-29	6079524
31	(6 and 30) or (6 and 27)	153042
32	(guideline* or practice guideline*).ti,kw.	108222
33	cochrane.jx.	20994
34	or/32-33	129204
35	31 and 34	699
36	limit 35 to (yr="2015-2019" and (danish or english or german or norwegian or swedish))	228
37	exp Non-alcoholic Fatty Liver Disease/	33193
38	(non-alcoholic or nonalcoholic).ti,ab,kw.	37242
39	exp Fetal Alcohol Spectrum Disorders/	6311
40	or/37-39	50056
41	36 not 40	219

PsycInfo

59 fund (findes I Covidence)

Database(s): **PsycINFO** 1806 to December Week 4 2018

Search Strategy:

#	Searches	Results
1	exp alcohol abuse/ or exp Alcoholism/ or exp Alcohol Abstinence/ or exp Alcohol rehabilitation/	51259
2	((alcohol* adj2 (dependen* or "use" or abuse or misuse or addict* or craving* or rehabilitation or prevent*)) or alcoholic* or alcoholism or alcohol-related or ((problem* or binge or excessive or harmful or hazardous or heavy) adj2 (drinking or drinker*))).ti,ab,id.	78412
3	(substance adj (abuse or "use" or misuse)).ti,ab,id.	62508
4	or/1-3	137439
5	Mental Disorders/	79566
6	((mental or psychiatric or psycholog* or behavio?r*) adj3 (disorder* or disease* or illness or diagn* or health)).ti,ab,id.	360769
7	exp Anxiety Disorders/	78246
8	(anxiety or panic or agoraphobia* or social phobia* or Obsessive or Compulsive or stress).ti,ab,id.	376833

9	(mood adj2 (disorder* or disturbance* or chang*3)).ti,ab,id.	20979
10	exp Dissociative Disorders/	5091
11	((multiple or dual) adj3 (personalit* or identit*)).ti,ab,id.	4168
12	(dissociative or depersonali*).ti,ab,id.	10556
13	(Attention Deficit or adhd).ti,ab,id.	32874
14	exp Affective Disorders/	153561
15	(affective or depress* or bipolar or unipolar or mania* or manic or manic-depressive or mood disorder*).ti,ab,id.	377455
16	neurosis/	6934
17	(neurotic or Psychoneuros* or neuros* or psychos*2).ti,ab,id.	116775
18	exp Personality Disorders/	33688
19	((personalit* or identit*) adj3 (disorder* or disturbance*)).ti,ab,id.	35515
20	exp borderline states/ or exp Borderline Personality Disorder/	10040
21	((borderline* adj5 (personalit* or character* or difficult* or disorder* or dysfunction* or BPD or PD or person*1 or state* or patient*)) or borderliner* or (emotional* adj3 unstable)).ti,ab,id.	14535
22	(antisocial or anti-social or d#ssocial or avoidant or dependent or sociopath* or psychopath* or selfharm or self-harm or suicid* or passive aggressive or passive-aggressive).ti,ab,id.	290990
23	exp Schizophrenia/	85796
24	(paranoi* or schizo*).ti,ab,id.	129601
25	or/5-24	1252647
26	"Dual Diagnosis"/ or Comorbidity/	31087
27	(co-exist* or coexist* or cooccur* or co-occur* or co-morbid* or comorbid* or dual diagnos* or dual disorder* or "dual pathology" or concurrent or co-concurrent or coincident* or simultan* or concomitant or together with or includ*).ti,ab,id.	955221
28	or/26-27	958524
29	(4 and 28) or (4 and 25)	87217
30	(guideline* or practice guideline*).ti,id.	13425
31	29 and 30	303
32	limit 31 to (yr="2015-2019" and (danish or english or german or norwegian or swedish))	59