



Søgeprotokol for nationale kliniske retningslinjer

Projekttitel/aspekt	NKR for behandling af kronisk ødem i underekstremiteterne – Søgning efter primærlitteratur
Fagkonsulent /projektleder	Susan Nørregaard / Stine Schou Mikkelsen
Søgespecialist	Kirsten Birkefoss
Senest opdateret	30.01.2017

Fokuserede spørgsmål	<p>PICO 1: Bør patienter med kronisk ødem i underekstremiteten behandles med kompressionsbandager?</p> <p>PICO 2: Bør patienter med kronisk ødem i underekstremiteten tilbydes kompressionsstrømper?</p> <p>PICO 3: Bør patienter med kronisk ødem i underekstremiteten behandles med multikomponente kompressionsbandager fremfor uelastiske eller elastiske kompressionsbandager?</p> <p>PICO 4: Bør patienter med kronisk ødem i underekstremiteten tilbydes specialfremstillede kompressionsstrømper fremfor standard kompressionsstrømper?</p> <p>PICO 5: Bør patienter med kronisk ødem og akut erysipelas i underekstremiteterne behandles med kompressionsbandager?</p> <p>PICO 6: Bør patienter med kronisk ødem i underekstremiteten og iskæmi behandles med kompressionsbandager?</p> <p>PICO 7: Bør patienter med kronisk ødem i underekstremiteten uden anden indikation for vanddrivende medicin behandles med vanddrivende medicin fremfor kompressionsbehandling?</p> <p>PICO 8: Bør patienter med kronisk ødem i underekstremiteten tilbydes fysisk træning i kombination med kompressionsbehandling?</p> <p>PICO 9: Bør patienter med kronisk ødem i underekstremiteterne tilbydes intensiv CDT/DLT (complex/complete decongestive therapy/decongestive lymphoedema therapy) fremfor kompressionsbandagering?</p> <p>PICO 10: Bør patienter med kronisk ødem i underekstremiteten uden anden indikation for vanddrivende medicin behandles med vanddrivende medicin i kombination med kompressionsbehandling?</p>
Søgetermer	Se søgestrategierne under de enkelte PICOs/PIROs
Inklusions- og eksklusionskriterier	<p>Sprog: Engelsk, tysk, dansk, norsk og svensk</p> <p>År: Sidste 10 år (2006 -2016)</p> <p>Population: Ældre 65 år-</p> <p>Publikationstyper: RCT</p>

Informationskilder

DATABASE	INTERFACE	DATO FOR SØGNING
Medline	OVID	9.12 – 16.12.2016
EMBASE	OVID	9.12 – 16.12.2016
CINAHL	EBSCO	9.12 – 16.12.2016
Pedro	Internettet	9.12 – 16.12.2016

Note

- Søgetermer og inklusions- og eksklusionskriterier er tilpasset de enkelte databaser.
- Dubletter er så vidt muligt frasorteret ved hjælp af RefWorks. De fundne referencer overføres til Covidence (referenceværktøj)
- Fuldtekster præsenteres i Covidence i pdf-format
- Søgestrategi for hver enkelt database præsenteres – hvis muligt vises det eksplicit hvor mange referencer den enkelte søgestreng genererer



SØGESTRATEGI

Søgning på primære studier

PICO 1: Bør patienter med kronisk ødem i underekstremiteten behandles med kompressionsbandager?

PICO 2. Bør patienter med kronisk ødem i underekstremiteten tilbydes kompressionsstrømper?

PICO 3. Bør patienter med kronisk ødem i underekstremiteten behandles med multikomponente kompressionsbandager fremfor uelastiske eller elastiske kompressionsbandager?

PICO 4. Bør patienter med kronisk ødem i underekstremiteten tilbydes specialfremstillede kompressionsstrømper fremfor standard kompressionsstrømper?

PICO 5. Bør patienter med kronisk ødem og akut erysipelas i underekstremiteterne behandles med kompressionsbandager?

PICO 6. Bør patienter med kronisk ødem i underekstremiteten og iskæmi behandles med kompressionsbandager?

Samsøgt 09.12.2016

Medline

33 exp Cellulitis/	7459
34 exp leg ulcer/	20437
35 exp Varicose Ulcer/	4574
36 exp eczema/	10573
37 (ulcer* or edema* or oedema* or wound* or swollen or swelling or erysipelas or Ischemi* or PAD or peripheral arterial disease or (Intermittent adj1 Claudication) or (skin adj1 (change* or infection*)) or phleb* or eczema or cellulitis or (varicose adj5 vein*).ti,ab,kw.	906644
38 ((venous or vein* or varico*) adj3 (insufficien* or incompet* or disorder* or reflux)).ti,ab,kw.	8234
39 (venous adj2 hypertension).ti,ab,kw.	1981
40 ((venous or varico*) adj1 disease*).ti,ab,kw.	2907
41 ((perforator or superficial or tortuous) adj3 vein*).ti,ab,kw.	3099
42 (varix or varices or varicosi* or ceap).ti,ab,kw.	20415



43 ((varico* or venous or vein*) adj3 ulcer*).ti,ab,kw.	4855
44 exp Ischemia/	57096
45 exp Peripheral Arterial Disease/	4648
46 exp Intermittent Claudication/	7754
47 exp varicose veins/	17431
48 exp venous insufficiency/	7204
49 exp lymphedema/	11035
50 (lymphoedema* or lymphedema*).ti,ab,kw.	8658
51 exp Venous Thrombosis/	51360
52 ((deep-vein or venous or deep-venous or vein) adj1 (thrombos* or thromboemboli*)).ti,ab,kw.	56202
53 dvt.ti,ab,kw.	8607
54 exp Postthrombotic Syndrome/	549
55 ((postthrombo* or post-thrombo* or post thrombo* or Postphleb* or post-phleb* or Post phleb* or venous) adj2 syndrome).ti,ab,kw.	2286
56 ((antithrombot* or anti-thrombot* or anti thrombot*) adj6 (treat* or therap*)).ti,ab,kw.	6368
57 (Thromboembolic adj3 deterren*).ti,ab,kw.	19
58 exp saphenous vein/	15101
59 (sapheno* adj3 (vein* or junction* or incompet* or reflux or insufficien*)).ti,ab,kw.	14708
60 exp Coronary artery bypass/	50676
61 ((coronary or bypass) and graft).ti,ab,kw.	29352
62 or/33-57	1056856
63 62 or ((58 or 59) not (60 or 61))	1063822
64 exp Lower extremity/	156129
65 (lower adj2 extremit*).ti,ab,kw.	47325
66 (leg or legs or hip or hips or buttock* or knee or lower limb* or calf or calves or thigh* or groin* or ankle* or foot or feet or pelvis or pelvic or vulva* or vulvo* or ovari* or ovary or vagina* or uterus or uterin* or stocking* or tights* or sock* or knee high* or hosier* or legging* or trouser* or boot*).ti,ab,kw.	1100170
67 or/64-66	1185109
68 63 and 67	122252
69 compression*.ti,ab,kw.	95349
70 exp Intermittent Pneumatic Compression Devices/	587
71 (elastic* or inelastic* or graduated or anti-emboli* or aes or (Thromboembolic adj detterren*) or ted or teds).ti,ab,kw.	99571
72 (stocking* or bandag* or tights* or sock* or knee high* or hosier* or legging* or trouser* or garment* or boot*).ti,ab,kw.	36538
73 71 and 72	2072
74 (compression adj6 (therap* or treat* or regimen* or protocol* or strateg* or method* or use*3)).ti,ab,kw.	13768
75 exp Compression Bandages/	1999
76 69 or 70 or 73 or 74 or 75	97035
77 68 and 76	6643
78 limit 77 to (randomized controlled trial or controlled clinical trial)	768
79 (((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	559908
80 (patient* adj5 (random* or blind* or mask*)).ti,ab,kw.	146303



81 ((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	157622
82 (placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	258010
83 (79 or 80 or 81 or 82) and (2014* or 2015* or 2016*).ed.	130319
84 77 and 83	191
85 78 or 84	870
86 limit 85 to (yr="2006-current" and (danish or english or german or norwegian or swedish))	434

Embase

Database(s): **Embase** 1974 to 2016 December 08

Search Strategy:

#	Searches	Results
1	exp Cellulitis/	16910
2	exp leg ulcer/	13240
3	exp Varicose Ulcer/	49140
4	exp eczema/	25530
5	(ulcer* or edema* or oedema* or wound* or swollen or swelling or erysipelas or Ischemi* or PAD or peripheral arterial disease or (Intermittent adj1 Claudication) or (skin adj1 (change* or infection*)) or phleb* or eczema or cellulitis or (varicose adj5 vein*)).ti,ab,kw.	1145443
6	((venous or vein* or varico*) adj3 (insufficien* or incompet* or disorder* or reflux)).ti,ab,kw.	11286
7	(venous adj2 hypertension).ti,ab,kw.	2764
8	((venous or varico*) adj1 disease*).ti,ab,kw.	3886
9	((perforator or superficial or tortuous) adj3 vein*).ti,ab,kw.	4033
10	(varix or varices or varicosi* or ceap).ti,ab,kw.	27005
11	((varico* or venous or vein*) adj3 ulcer*).ti,ab,kw.	6046
12	exp leg ischemia/	5514
13	peripheral ischemia/	915
14	Peripheral Arterial Disease/	18031
15	exp Intermittent Claudication/	9594
16	exp varicosis/	49140
17	exp venous insufficiency/	9863
18	exp lymphedema/	17702
19	(lymphoedema* or lymphedema*).ti,ab,kw.	11104
20	exp vein thrombosis/	111579
21	((deep-vein or venous or deep-venous or vein) adj1 (thrombos* or thromboemboli*)).ti,ab,kw.	79652
22	dvt.ti,ab,kw.	14872
23	exp postthrombosis syndrome/	2426
24	((postthrombo* or post-thrombo* or post thrombo* or Postphleb* or post-phleb* or Post phleb* or venous) adj2 syndrome).ti,ab,kw.	3182
25	((antithrombot* or anti-thrombot* or anti thrombot*) adj6 (treat* or therap*)).ti,ab,kw.	9636
26	(Thromboembolic adj3 deterren*).ti,ab,kw.	29
27	exp saphenous vein/	13952
28	(sapheno* adj3 (vein* or junction* or incompet* or reflux or insufficien*)).ti,ab,kw.	17623



29 exp Coronary artery bypass graft/	66371
30 ((coronary or bypass) and graft).ti,ab,kw.	37209
31 or/1-26	1365445
32 31 or ((27 or 28) not (29 or 30))	1372523
33 exp Lower extremity/	341507
34 exp Leg/	286859
35 (lower adj2 extremit*).ti,ab,kw.	58751
36 (leg or legs or hip or hips or buttock* or knee or lower limb* or calf or calves or thigh* or groin* or ankle* or foot or feet or pelvis or pelvic or vulva* or vulvo* or ovari* or ovary or vagina* or uterus or uterin* or stocking* or tights* or sock* or knee high* or hosier* or legging* or trouser*).ti,ab,kw.	1289687
37 or/33-36	1379568
38 32 and 37	158536
39 exp compression therapy/	7861
40 exp Intermittent Pneumatic Compression Device/	873
41 exp Compression garment/	4000
42 exp compression bandage/	1875
43 compression*.ti,ab,kw.	116644
44 (elastic* or inelastic* or graduated or anti-emboli* or aes or (Thromboembolic adj detterren*) or ted or teds).ti,ab,kw.	117220
45 (stocking* or bandag* or tights* or sock* or knee high* or hosier* or legging* or trouser* or garment*).ti,ab,kw.	23777
46 44 and 45	2606
47 (compression adj6 (therap* or treat* or regimen* or protocol* or strateg* or method* or use*3)).ti,ab,kw.	18633
48 39 or 40 or 41 or 42 or 43 or 46 or 47	123940
49 38 and 48	10064
50 (((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	696612
51 (placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	324991
52 ((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	198278
53 (patient* adj3 (random* or blind* or mask*)).ti,ab,kw.	134449
54 (50 or 51 or 52 or 53) and (2014* or 2015* or 2016*).em.	771758
55 49 and 54	1265
56 limit 49 to (randomized controlled trial or controlled clinical trial)	1042
57 55 or 56	1622
58 limit 57 to (yr="2006-current" and (english or german or danish or swedish or norwegian))	880

Cinahl

#	Query	Limiters/Expanders	Results
S46	S40 and S45	Limiters - Published Date: 20060101-20161231; Language: Danish, English, German,	260



		Norwegian, Swedish	
S45	S41 OR S42 OR S43 OR S44		142,724
S44	TX (patient* N5 (random* or blind* or mask*))		24,627
S43	TX (placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) N1 (blind* or mask*))		49,860
S42	TX (((random* or control#ed or crossover or cross-over or blind* or mask*) N3 (trial* or study or studies or analy*)) or rct)		130,628
S41	PT Randomized Controlled Trial		30,835
S40	S31 and S39		2,207
S39	S32 or S33 or S34 or S37 or S38		11,864
S38	TX compression*		11,668
S37	S35 and S36		566
S36	TX (stocking* or bandag* or tights* or sock* or knee high* or hosier* or legging* or trouser* or garment*)		11,873
S35	TX (elastic* or inelastic* or graduated or anti-emboli* or aes or (Thromboembolic N1 detterren*) or ted or teds)		9,753
S34	(MH "Compression Garments")		1,490
S33	(MH "Elastic Bandages")		58
S32	(MH "Compression Therapy")		1,674
S31	S26 and S30		25,788
S30	S27 OR S28 OR S29		158,963
S29	TX (leg or legs or hip or hips or buttock* or knee or lower limb* or calf or calves or thigh* or groin* or ankle* or foot or feet or pelvis or pelvic or vulva* or vulvo* or ovari* or ovary or vagina* or uterus or uterin* or stocking* or tights* or sock* or knee high* or hosier* or legging* or trouser* or boot*)		153,534
S28	TX (lower N2 extremit*)		12,541
S27	(MH "Lower Extremity+")		26,959
S26	S25 or ((S21 or S22) not (S23 or S24))		195,645
S25	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR		195,528

	S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20	
S24	TX ((coronary or bypass) and graft)	3,199
S23	(MH "Coronary Artery Bypass+")	7,147
S22	TX (sapheno* N3 (vein* or junction* or incompet* or reflux or insufficien*))	776
S21	(MH "Saphenous Vein")	528
S20	TX (Thromboembolic N3 deterren*)	4
S19	TX ((antithrombot* or anti-thrombot* or anti thrombot*) N6 (treat* or therap*))	935
S18	TX ((postthrombo* or post-thrombo* or post thrombo* or Postphleb* or post-phleb* or Post phleb* or venous) N2 syndrome)	218
S17	(MH "Postthrombotic Syndrome")	51
S16	TX dvt	1,327
S15	TX ((deep-vein or venous or deep-venous or vein) N1 (thrombos* or thromboemboli*))	9,536
S14	(MH "Venous Thrombosis+")	5,859
S13	TX (lymphoedema* or lymphedema*)	2,094
S12	(MH "Lymphedema+")	1,903
S11	(MH "Venous Insufficiency+")	648
S10	(MH "Varicose Veins+")	2,198
S9	(MH "Intermittent Claudication")	810
S8	MH ("Cellulitis+" or "Leg Ulcer+" or "Ischemia+" or "Eczema+" or "Varicose ulcer+")	73,321
S7	TX ((varico* or venous or vein*) N3 ulcer*)	2,347
S6	TX (varix or varices or varicosi* or ceap)	1,050
S5	TX ((perforator or superficial or tortuous) N3 vein*)	166
S4	TX ((venous or varico*) N1 disease*)	456
S3	TX (venous N2 hypertension)	161
S2	TX ((venous or vein* or varico*) N3 (insufficien* or incompet* or disorder* or reflux))	998
S1	TX (ulcer* or edema* or oedema* or wound* or	136,767



	swollen or swelling or erysipelas or Ischemi* or PAD or peripheral arterial disease or (Intermittent N1 Claudication) or (skin N1 (change* or infection*)) or phleb* or eczema or cellulitis or (varicose N5 vein*))		
--	--	--	--

Pedro

PROBLEM: Oedema
METHOD: RCT
PUBLISHED SINCE: 2006

Eller

PROBLEM: Compression
METHOD: RCT
PUBLISHED SINCE: 2006

218 fund

PICO 7: Bør patienter med kronisk ødem i underekstremiteten uden anden indikation for vanddrivende medicin behandles med vanddrivende medicin fremfor kompressionsbehandling?

PICO 10: Bør patienter med kronisk ødem i underekstremiteten uden anden indikation for vanddrivende medicin behandles med vanddrivende medicin i kombination med kompressionsbehandling?

Samsøgt 30.01.2017

Medline

Database(s): Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily and Ovid

MEDLINE(R) 1946 to Present

Search Strategy:

#	Searches	Results
1	exp Cellulitis/	7832
2	exp leg ulcer/	21284
3	exp Varicose Ulcer/	4774
4	exp eczema/	10812
5	(ulcer* or edema* or oedema* or wound* or swollen or swelling or erysipelas or Ischemi* or PAD or peripheral arterial disease or (Intermittent adj1 Claudication) or (skin adj1 (change* or infection*)) or phleb* or eczema or cellulitis or (varicose adj5 vein*)).ti,ab,kw.	956111
6	((venous or vein* or varico*) adj3 (insufficien* or incompet* or disorder* or reflux)).ti,ab,kw.	8791
7	(venous adj2 hypertension).ti,ab,kw.	2118
8	((venous or varico*) adj1 disease*).ti,ab,kw.	3084
9	((perforator or superficial or tortuous) adj3 vein*).ti,ab,kw.	3272
10	(varix or varices or varicosi* or ceap).ti,ab,kw.	21927
11	((varico* or venous or vein*) adj3 ulcer*).ti,ab,kw.	5048
12	exp Peripheral Arterial Disease/	5136
13	exp Intermittent Claudication/	8400
14	exp varicose veins/	18792
15	exp venous insufficiency/	7744
16	exp lymphedema/	11960
17	(lymphoedema* or lymphedema*).ti,ab,kw.	9241
18	exp Venous Thrombosis/	55432
19	((deep-vein or venous or deep-venous or vein) adj1 (thrombos* or thromboemboli*)).ti,ab,kw.	60226
20	dvt.ti,ab,kw.	9222
21	exp Postthrombotic Syndrome/	588
22	((postthrombo* or post-thrombo* or post thrombo* or Postphleb* or post-phleb* or Post phleb* or venous) adj2 syndrome).ti,ab,kw.	2459
23	((antithrombot* or anti-thrombot* or anti thrombot*) adj6 (treat* or therap*)).ti,ab,kw.	6723
24	(Thromboembolic adj3 deterren*).ti,ab,kw.	19
25	exp saphenous vein/	16240



26 (sapheno* adj3 (vein* or junction* or incompet* or reflux or insufficien*)).ti,ab,kw.	15494
27 exp Coronary artery bypass/	53032
28 ((coronary or bypass) and graft).ti,ab,kw.	30775
29 or/1-24	1092456
30 29 or ((25 or 26) not (27 or 28))	1100076
31 exp diuretics/	82757
32 (diuretic* or potassium* or (potassium adj1 sparring) or potassium-sparring or potassum* or loop).mp.	468084
33 (thiazide or Acetazolamide or Amiloride* or anaritide or atrial natriuretic factor prohormone* or azosemide or Bendroflumethiazide or Bumetanide or buthiazide or Canrenoic or Canrenone or Chlorothiazide or Chlorthalidone or cicletanine or Clopamide or Cyclopenthiiazide or cyclothiazide or drospirenone or efonidipine or eplerenone or Ethacrynic Acid or Ethoxzolamide or ethylisopropylamiloride or etozolin or fenquizonone or Furosemide or Hydrochlorothiazide or Hydroflumethiazide or ibopamine or indacrinone or Indapamide or Isosorbide or Mannitol or Mefruside or Methazolamide or Methyclothiazide or Metolazone or Muzolimine or ozolinone or piretanide or Polythiazide or Potassium Citrate or quinethazone or rolofylline or spiradolone or Spironolactone or Ticrynafen or tifuladom or torsemide or traxanox or Triamterene or Trichlormethiazide or tripamide or Ularitide or Xipamide).mp.	99052
34 or/31-33	536455
35 30 and 34	28343
36 (((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	602891
37 (placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	275114
38 ((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	168752
39 (patient* adj5 (random* or blind* or mask*)).ti,ab,kw.	158180
40 36 or 37 or 38 or 39	749961
41 35 and 40	1651
42 limit 35 to (randomized controlled trial or controlled clinical trial)	1284
43 41 or 42	1993
44 limit 43 to (yr="2006-2017" and (english or danish or swedish or german or norwegian))	708

Embase

Database(s): **Embase** 1974 to 2017 January 26

Search Strategy:

#	Searches	Results
1	exp Cellulitis/	17118
2	exp leg ulcer/	13350
3	exp Varicose Ulcer/	49588
4	exp eczema/	25773
5	exp phlebology/	770
6	(ulcer* or edema* or oedema* or wound* or swollen or swelling or erysipelas or Ischemi* or PAD or peripheral arterial disease or (Intermittent adj1 Claudication) or (skin adj1 (change* or infection*)) or phleb* or eczema or cellulitis or (varicose adj5 vein*)).ti,ab,kw.	1156741
7	((venous or vein* or varico*) adj3 (insufficien* or incompet* or disorder* or reflux)).ti,ab,kw.	11472
8	(venous adj2 hypertension).ti,ab,kw.	2793
9	((venous or varico*) adj1 disease*).ti,ab,kw.	3962
10	((perforator or superficial or tortuous) adj3 vein*).ti,ab,kw.	4079
11	(varix or varices or varicosi* or ceap).ti,ab,kw.	27217
12	((varico* or venous or vein*) adj3 ulcer*).ti,ab,kw.	6123
13	exp leg ischemia/	5581



14 peripheral ischemia/	922
15 Peripheral Arterial Disease/	18052
16 exp Intermittent Claudication/	9668
17 exp varicosis/	49588
18 exp venous insufficiency/	9958
19 exp lymphedema/	17941
20 (lymphoedema* or lymphedema*).ti,ab,kw.	11265
21 exp vein thrombosis/	112884
22 ((deep-vein or venous or deep-venous or vein) adj1 (thrombos* or thromboemboli*).ti,ab,kw.	80631
23 dvt.ti,ab,kw.	15092
24 exp postthrombosis syndrome/	2486
25 ((postthrombo* or post-thrombo* or post thrombo* or Postphleb* or post-phleb* or Post phleb* or venous) adj2 syndrome).ti,ab,kw.	3241
26 ((antithrombot* or anti-thrombot* or anti thrombot*) adj6 (treat* or therap*).ti,ab,kw.	9739
27 (Thromboembolic adj3 deterren*).ti,ab,kw.	29
28 exp saphenous vein/	14120
29 (sapheno* adj3 (vein* or junction* or incompet* or reflux or insufficien*).ti,ab,kw.	17806
30 exp Coronary artery bypass graft/	66961
31 ((coronary or bypass) and graft).ti,ab,kw.	37517
32 or/1-27	1379011
33 32 or ((28 or 29) not (30 or 31))	1386125
34 exp diuretic therapy/	3761
35 (diuretic* or potassium* or (potassium adj1 sparring) or potassium-sparring or potassum* or loop).ti,ab,kw,dn.	321313
(thiazide or Acetazolamide or Amiloride* or anaritide or atrial natriuretic factor prohormone* or azosemide or Bendroflumethiazide or Bumetanide or buthiazide or Canrenoic or Canrenone or Chlorothiazide or Chlorthalidone or cicletanine or Clopamide or Cyclopenthiiazide or cyclothiazide or drospirenone or efonidipine or eplerenone or Ethacrynic Acid or Ethoxzolamide or ethylisopropylamiloride or etozolin or fenquizone or Furosemide or Hydrochlorothiazide or Hydroflumethiazide or ibopamine or indacrinone or Indapamide or Isosorbide or Mannitol or Mefruside or Methazolamide or Methyclothiazide or Metolazone or Muzolimine or ozolinone or piretanide or Polythiazide or Potassium Citrate or quinethazone or rolofylline or spiradoline or Spironolactone or Ticrynafen or tifludom or torsemide or traxanox or Triamterene or Trichlormethiazide or tripamide or Ularitide or Xipamide).ti,ab,kw,dn.	86852
36	
37 or/34-36	390081
38 33 and 37	27464
39 (((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*) or rct).ti,ab,kw.	706434
40 (placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	328480
41 ((single or double or triple) adj2 (blind* or mask*).ti,ab,kw.	200305
42 (patient* adj3 (random* or blind* or mask*).ti,ab,kw.	136113
43 39 or 40 or 41 or 42	870389
44 38 and 43	1812
45 limit 38 to (randomized controlled trial or controlled clinical trial)	1120
46 44 or 45	2180
47 limit 46 to (yr="2006-2017" and (english or german or danish or swedish or norwegian))	974

Cinahl

#	Query	Limiters/Expanders	Results
S39	S33 AND S38	Limiters - Published Date: 20060101-20170131; Language: Danish, English, German, Norwegian, Swedish	148
S38	S34 OR S35 OR S36 OR S37		143,262
S37	TX (patient* N3 (random* or blind* or mask*))		17,900
S36	TX (placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) N2 (blind* or mask*)))		50,377
S35	TX (((random* or control#ed or crossover or cross-over or blind* or mask*) N3 (trial* or study or studies or analy*)) or rct)		132,438
S34	PT Randomized Controlled Trial		30,865
S33	S28 and S32		1,607
S32	S29 OR S30 OR S31		15,462
S31	TX (thiazide or Acetazolamide or Amiloride* or anaritide or atrial natriuretic factor prohormone* or azosemide or Bendroflumethiazide or Bumetanide or buthiazide or Canrenoic or Canrenone or Chlorothiazide or Chlorthalidone or cicletanine or Clopamide or Cyclopenthiazide or cyclothiazide or drospirenone or efonidipine or eplerenone or Ethacrynic Acid or Ethoxzolamide or ethylisopropylamiloride or etozolin or fenquizone or Furosemide or Hydrochlorothiazide or Hydroflumethiazide or ibopamine or indacrinone or Indapamide or Isosorbide or Mannitol or Mefruside or Methazolamide or Methyclothiazide or Metolazone or Muzolimine or ozolinone or piretanide or Polythiazide or Potassium Citrate or quinethazone or rolofylline or spiradoline or Spironolactone or Ticrynafen or tifluadom or torsemide or traxanox or Triamterene or Trichlormethiazide or tripamide or Ularitide or Xipamide)		4,140
S30	TX (diuretic* or potassium* or (potassium N1 sparring) or potassium-sparring or potassum* or loop)		12,632
S29	(MH "Diuretics+")		4,322
S28	S27 or ((S23 or S24) not (S25 or S26))		151,450
S27	S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22		151,318
S26	TX ((coronary or bypass) and graft)		3,213

S25	(MH "Coronary Artery Bypass+")	7,179
S24	TX (sapheno* N3 (vein* or junction* or incompet* or reflux or insufficien*))	776
S23	(MH "Saphenous Vein")	530
S22	TX (Thromboembolic N3 deterren*)	4
S21	TX ((antithrombot* or anti-thrombot* or anti thrombot*) N6 (treat* or therap*))	940
S20	TX ((postthrombo* or post-thrombo* or post thrombo* or Postphleb* or post-phleb* or Post phleb* or venous) N2 syndrome)	220
S19	(MH "Postthrombotic Syndrome")	51
S18	TX dvt	1,360
S17	TX ((deep-vein or venous or deep-venous or vein) N1 (thrombos* or thromboemboli*))	9,651
S16	(MH "Venous Thrombosis+")	5,882
S15	TX (lymphoedema* or lymphedema*)	2,117
S14	(MH "Lymphedema+")	1,913
S13	(MH "Venous Insufficiency+")	651
S12	(MH "Varicose Veins+")	2,208
S11	(MH "Intermittent Claudication")	811
S10	(MH "Leg ulcer+" OR "Cellulitis+" OR "Eczema+")	12,508
S9	TX ((varico* or venous or vein*) N3 ulcer*)	2,359
S8	TX (varix or varices or varicosi* or ceap)	1,058
S7	TX ((perforator or superficial or tortuous) N3 vein*)	166
S6	TX ((venous or varico*) N1 disease*)	463
S5	TX (venous N2 hypertension)	163
S4	TX ((venous or vein* or varico*) N3 (insufficien* or incompet* or disorder* or reflux))	1,002
S3	TX (ulcer* or edema* or oedema* or wound* or swollen or swelling or erysipelas or Ischemi* or PAD or peripheral arterial disease or (Intermittent N1 Claudication) or (skin N1 (change* or infection*)) or phleb* or eczema or cellulitis or (varicose N5 vein*))	137,815
S2	TX ((extract* or pool*) N1 (data or analys*))	15,051



S1	TX ((antithrombot* or anti-thrombot* or anti thrombot*) N6 (treat* or therap*))		940
----	--	--	-----

PICO 8: Bør patienter med kronisk ødem i underekstremiteten tilbydes fysisk træning i kombination med kompressionsbehandling?

Søgt 30.01.2017

Medline

Database(s): Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily and Ovid

MEDLINE(R) 1946 to Present

Search Strategy:

#	Searches	Results
1	exp Motor Activity/	270948
2	exp exercise/	169317
3	exp daily life activity/	0
4	exp exercise therapy/	44949
5	exp Mind-Body Therapies/	49073
6	exp Rehabilitation/	194277
7	exp "Activities of Daily Living"/	66832
8	exp health behavior/	167741
9	exp Life style/	85417
10	exp Leisure activities/	221438
11	exp Physical Exertion/	59875
12	exp Animal Assisted Therapy/	353
13	exp Exercise Movement Techniques/	7259
14	exp "Physical Education and Training"/	16473
15	exp Patient Education as Topic/	84944
16	Weight-Bearing/	19384
17	(exercis* or train* or physiotherapy).ti,ab,kw.	690471
18	((muscl* or resistance or physical or endurance or strengthen* or aquatic* or balance or circuit-based or stabil* or gait or postur* or manouv* or position* or reposition* or carriage or home or residential or residenc*) adj3 (train* or exercis* or therap* or strength* or fit* or condition* or technique* or program*)).ti,ab,kw.	268933
19	(aerobic* or anaerobic* or movement therapy or watergym* or water gym* or aquagym or gym* or hydrotherap* or pilates or spinning or yoga or mckenzie or feldenkrais).ti,ab,kw.	153762
20	(Jog* or run* or powerwalk* or tai chi or tai ji or taichi or taiji or taijiquan or qigong or core stability or zumba or Swim* or treadmill* or Bicycl* or cycling or walk* or skating or rowing or pacing or paced or titreted or soccer or football or handball or cricket or hockey or baseball or basketball or volleyball or ball game* or gardening or cleaning or (play* adj2 ball) or (weight* adj3 (lift* or train* or exercis*))).ti,ab,kw.	479006
21	((home* or residential or residenc* or domestic or hous* or leisure or recreation* or social or day-to-day or day to day or daily or ordinary or normal or physical or usual or personal or gradual or graded or early or earlier or stimulat* or strength* or support* or assist* or adapt* or modif* or chang* or improv* or increas*) adj3 (activ* or function* or routine* or life style or lifestyle or work* or job*4)).ti,ab,kw.	1143654
22	(adl or (activ* adj3 (living or live*1 or life))).ti,ab,kw.	71540
23	((lifestyle* or life style*) adj3 chang*) or ((stay* or remain* or keep* or get on with or go on with or continu* or restor* or recover*) adj3 (activ* or mobile or moving or life or live*1 or living or life style or	355094

lifestyle or routine* or function* or work* or job*4)) or mobility or immobility or return to work or sick leave).ti,ab,kw.	
24 or/1-23	3156048
25 exp Cellulitis/	7832
26 exp leg ulcer/	21284
27 exp Varicose Ulcer/	4774
28 exp eczema/	10812
29 (ulcer* or edema* or oedema* or wound* or swollen or swelling or erysipelas or Ischemi* or PAD or peripheral arterial disease or (Intermittent adj1 Claudication) or (skin adj1 (change* or infection*)) or phleb* or eczema or cellulitis or (varicose adj5 vein*)).ti,ab,kw.	956111
30 ((venous or vein* or varico*) adj3 (insufficien* or incompet* or disorder* or reflux)).ti,ab,kw.	8791
31 (venous adj2 hypertension).ti,ab,kw.	2118
32 ((venous or varico*) adj1 disease*).ti,ab,kw.	3084
33 ((perforator or superficial or tortuous) adj3 vein*).ti,ab,kw.	3272
34 (varix or varices or varicosi* or ceap).ti,ab,kw.	21927
35 ((varico* or venous or vein*) adj3 ulcer*).ti,ab,kw.	5048
36 exp Ischemia/	61437
37 exp Peripheral Arterial Disease/	5136
38 exp Intermittent Claudication/	8400
39 exp varicose veins/	18792
40 exp venous insufficiency/	7744
41 exp lymphedema/	11960
42 (lymphoedema* or lymphedema*).ti,ab,kw.	9241
43 exp Venous Thrombosis/	55432
44 ((deep-vein or venous or deep-venous or vein) adj1 (thrombos* or thromboemboli*)).ti,ab,kw.	60226
45 dvt.ti,ab,kw.	9222
46 exp Postthrombotic Syndrome/	588
47 ((postthrombo* or post-thrombo* or post thrombo* or Postphleb* or post-phleb* or Post phleb* or venous) adj2 syndrome).ti,ab,kw.	2459
48 ((antithrombot* or anti-thrombot* or anti thrombot*) adj6 (treat* or therap*)).ti,ab,kw.	6723
49 (Thromboembolic adj3 deterren*).ti,ab,kw.	19
50 exp saphenous vein/	16240
51 (sapheno* adj3 (vein* or junction* or incompet* or reflux or insufficien*)).ti,ab,kw.	15494
52 exp Coronary artery bypass/	53032
53 ((coronary or bypass) and graft).ti,ab,kw.	30775
54 or/25-49	1117342
55 54 or ((50 or 51) not (52 or 53))	1124705
56 exp Lower extremity/	169551
57 (lower adj2 extremit*).ti,ab,kw.	50141
58 (leg or legs or hip or hips or buttock* or knee or lower limb* or calf or calves or thigh* or groin* or ankle* or foot or feet or pelvis or pelvic or vulva* or vulvo* or ovari* or ovary or vagina* or uterus or uterin* or stocking* or tights* or sock* or knee high* or hosier* or legging* or trouser* or boot*).ti,ab,kw.	1159279
59 or/56-58	1251646
60 24 and 55 and 59	20356
61 compression*.ti,ab,kw.	101562

62 exp Intermittent Pneumatic Compression Devices/	614
63 (elastic* or inelastic* or graduated or anti-emboli* or aes or (Thromboembolic adj detterren*) or ted or teds).ti,ab,kw.	105079
64 (stocking* or bandag* or tights* or sock* or knee high* or hosier* or legging* or trouser* or garment* or boot*).ti,ab,kw.	38202
65 63 and 64	2162
66 (compression adj6 (therap* or treat* or regimen* or protocol* or strateg* or method* or use*3)).ti,ab,kw.	14550
67 exp Compression Bandages/	2126
68 61 or 62 or 65 or 66 or 67	103330
69 60 and 68	1569
70 (((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	602891
71 (placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	275114
72 ((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	168752
73 (patient* adj3 (random* or blind* or mask*)).ti,ab,kw.	104675
74 70 or 71 or 72 or 73	734011
75 69 and 74	287
76 limit 69 to (randomized controlled trial or controlled clinical trial)	212
77 75 or 76	337
78 limit 77 to (yr="2006-2017" and (english or danish or swedish or german or norwegian))	205

Embase

Database(s): **Embase** 1974 to 2017 January 26

Search Strategy:

#	Searches	Results
1	exp Motor Activity/	548007
2	exp exercise/	308210
3	exp sport/	145608
4	exp daily life activity/	73426
5	exp exercise therapy/	66095
6	exp physical activity/	361210
7	exp physical capacity/	36496
8	exp training/	85050
9	exp kinesiotherapy/	66095
10	exp qigong/ or exp tai chi/	2498
11	exp Rehabilitation/	362800
12	exp Telerehabilitation/	154
13	exp "Activities of Daily Living"/	73426
14	exp physical performance/	81795
15	exp Lifestyle/ or exp lifestyle modification/	134650
16	exp Leisure activities/	30705
17	exp Physical Exertion/	308210
18	exp Animal Assisted Therapy/	689



SUNDHEDSSTYRELSEN

19 exp Exercise Movement Techniques/	66095
20 exp "Physical Education and Training"/	11805
21 exp Patient Education/	100465
22 Weight-Bearing/	26057
23 (exercis* or train* or physiotherapy).ti,ab,kw.	805729
24 ((muscl* or resistance or physical or endurance or strengthen* or aquatic* or balance or circuit-based or stabil* or gait or postur* or maneu* or position* or reposition* or carriage or home or residential or residenc*) adj3 (train* or exercis* or therap* or strength* or fit* or condition* or technique* or program*)).ti,ab,kw.	312945
25 (aerobic* or anaerobic* or movement therapy or watergym* or water gym* or aquagym or gym* or hydrotherap* or pilates or spinning or yoga or mckenzie or feldenkrais).ti,ab,kw.	168133
26 (Jog* or run* or powerwalk* or tai chi or tai ji or taichi or taiji or taijiquan or qigong or core stability or zumba or Swim* or treadmill* or Bicycl* or cycling or walk* or skating or rowing or pacing or paced or titreted or soccer or football or handball or cricket or hockey or baseball or basketball or volleyball or ball game* or gardening or cleaning or (play* adj2 ball) or (weight* adj3 (lift* or train* or exercis*))).ti,ab,kw.	551686
27 ((home* or residential or residenc* or domestic or hous* or leisure or recreation* or social or day-to-day or day to day or daily or ordinary or normal or physical or usual or personal or gradual or graded or early or earlier or stimulat* or strength* or support* or assist* or adapt* or modif* or chang* or improv* or increas*) adj3 (activ* or function* or routine* or life style or lifestyle or work* or job*4)).ti,ab,kw.	1285501
28 (adl or (activ* adj3 (living or live*1 or life))).ti,ab,kw.	84020
29 (((lifestyle* or life style*) adj3 chang*) or ((stay* or remain* or keep* or get on with or go on with or continu* or restor* or recover*) adj3 (activ* or mobile or moving or life or live*1 or living or life style or lifestyle or routine* or function* or work* or job*4)) or mobility or immobility or return to work or sick leave).ti,ab,kw.	388618
30 or/1-29	3931355
31 exp Cellulitis/	17118
32 exp leg ulcer/	13350
33 exp Varicose Ulcer/	49588
34 exp eczema/	25773
35 exp phlebology/	770
36 (ulcer* or edema* or oedema* or wound* or swollen or swelling or erysipelas or Ischemi* or PAD or peripheral arterial disease or (Intermittent adj1 Claudication) or (skin adj1 (change* or infection*)) or phleb* or eczema or cellulitis or (varicose adj5 vein*)).ti,ab,kw.	1156741
37 ((venous or vein* or varico*) adj3 (insufficien* or incompet* or disorder* or reflux)).ti,ab,kw.	11472
38 (venous adj2 hypertension).ti,ab,kw.	2793
39 ((venous or varico*) adj1 disease*).ti,ab,kw.	3962
40 ((perforator or superficial or tortuous) adj3 vein*).ti,ab,kw.	4079
41 (varix or varices or varicosi* or ceap).ti,ab,kw.	27217
42 ((varico* or venous or vein*) adj3 ulcer*).ti,ab,kw.	6123
43 exp Ischemia/	709902
44 exp Peripheral Arterial Disease/	151062
45 exp Intermittent Claudication/	9668
46 exp varicosis/	49588
47 exp venous insufficiency/	9958
48 exp lymphedema/	17941
49 (Lymphoedema* or lymphedema*).ti,ab,kw.	11265
50 exp vein thrombosis/	112884
51 ((deep-vein or venous or deep-venous or vein) adj1 (thrombos* or thromboemboli*)).ti,ab,kw.	80631
52 dvt.ti,ab,kw.	15092
53 exp postthrombosis syndrome/	2486
54 ((postthrombo* or post-thrombo* or post thrombo* or Postphleb* or post-phleb* or Post phleb* or venous) adj2 syndrome).ti,ab,kw.	3241
55 ((antithrombot* or anti-thrombot* or anti thrombot*) adj6 (treat* or therap*)).ti,ab,kw.	9739
56 (Thromboembolic adj3 deterren*).ti,ab,kw.	29



57 exp saphenous vein/	14120
58 (sapheno* adj3 (vein* or junction* or incompet* or reflux or insufficien*)).ti,ab,kw.	17806
59 exp Coronary artery bypass graft/	66961
60 ((coronary or bypass) and graft).ti,ab,kw.	37517
61 or/31-56	1853843
62 61 or ((57 or 58) not (59 or 60))	1860099
63 exp Lower extremity/	345641
64 exp Leg/	289929
65 (lower adj2 extremit*).ti,ab,kw.	59428
66 (leg or legs or hip or hips or buttock* or knee or lower limb* or calf or calves or thigh* or groin* or ankle* or foot or feet or pelvis or pelvic or vulva* or vulvo* or ovari* or ovary or vagina* or uterus or uterin* or stocking* or tights* or sock* or knee high* or hosier* or legging* or trouser* or boot*).ti,ab,kw.	1320200
67 or/63-66	1410774
68 30 and 62 and 67	34938
69 exp compression therapy/	7953
70 exp Compression garment/	4116
71 exp compression bandage/	1918
72 compression*.ti,ab,kw.	117885
73 exp Intermittent Pneumatic Compression Device/	891
74 (elastic* or inelastic* or graduated or anti-emboli* or aes or (Thromboembolic adj detterren*) or ted or teds).ti,ab,kw.	118789
75 (stocking* or bandag* or tights* or sock* or knee high* or hosier* or legging* or trouser* or garment* or boot*).ti,ab,kw.	42681
76 74 and 75	2724
77 (compression adj6 (therap* or treat* or regimen* or protocol* or strateg* or method* or use*3)).ti,ab,kw.	18898
78 or/69-77	274196
79 68 and 78	3573
80 (((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	706434
81 (placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	328480
82 ((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	200305
83 (patient* adj3 (random* or blind* or mask*)).ti,ab,kw.	136113
84 80 or 81 or 82 or 83	870389
85 79 and 84	461
86 limit 79 to (randomized controlled trial or controlled clinical trial)	340
87 85 or 86	557
88 limit 87 to (yr="2006-2017" and (english or danish or swedish or german or norwegian))	362

Cinahl

#	Query	Limiters/Expanders	Results
S64	S40 AND S45 AND S63	Limiters - Published Date: 20060101- 20170131; Language: Danish, English, German, Norwegian, Swedish	136
S63	S46 OR S47 OR S48 OR S49 OR S50 OR S51 OR S52 OR S53 OR S54 OR S55 OR S56 OR S57 OR S58 OR S59 OR S60 OR S61 OR S62		1,006,316
S62	TX (((lifestyle* or life style*) N3 chang*) or ((stay* or remain* or keep* or get on with or go on with or continu* or restor* or recover*) N3 (activ* or mobile or moving or life or live* or living or life style or lifestyle or routine* or function* or work* or job*)) or mobility or immobility or return to work or sick leave)		69,234
S61	TX (adl or (activ* N3 (living or live* or life)))		29,480
S60	TX ((home* or home-base* or homebase* or residential or residenc* or domestic or hous* or leisure or recreation* or social or day-to-day or day to day or daily or ordinary or normal or physical or usual or personal or gradual or graded or early or earlier or stimulat* or strength* or support* or assist* or adapt* or modif* or chang* or improv* or increas*) N3 (activ* or function* or routine* or life style or lifestyle or work* or job*))		259,865
S59	TX (Jog* or run* or powerwalk* or tai chi or tai ji or taichi or taiji or taijiquan or qigong or core stability or zumba or Swim* or treadmill* or Bicycl* or cycling or spinning or walk* or skating or rowing or pacing or paced or titreted or soccer or football or handball or cricket or hockey or baseball or basketball or volleyball or ball game* or gardening or cleaning or (play* N2 ball) or (weight* N3 (lift* or train* or exercis*)))		120,198
S58	TX (aerobic* or anaerobic* or movement therapy or watergym* or water gym* or aquagym or gym* or hydrotherap* or pilates or spinning or yoga or mckenzie or feldenkrais)		22,765
S57	TX ((muscl* or resistance or physical or endurance or strength* or aquatic* or balance or circuit-based or stabil* or gait or postur* or maneuv* or position* or reposition* or carriage or home or home- base* or homebase* or residential or residenc* or inpatient* or outpatient* or in-patient* or out-patient*) N3 (train* or exercis* or therap* or strength* or fit* or condition* or technique* or program*))		249,146
S56	TX (exercis* or train* or physiotherap*)		260,418
S55	(MH "Patient Education+")		51,245



S54	(MH "Animal Assisted Therapy (Iowa NIC)") OR (MH "Activity Therapy (Iowa NIC)")		2
S53	(MH "Leisure Activities+") OR (MH "Physical Fitness+") OR (MH "Physical Performance") OR (MH "Sports+")		83,680
S52	(MH "Life Style+")		118,914
S51	(MH "Alternative Therapies+")		119,763
S50	(MH "Telehealth+")		9,282
S49	(MH "Rehabilitation+")		163,107
S48	(MH "human activities+")		208,243
S47	(MH "Exercise+")		58,929
S46	(MH "Coping+")		22,586
S45	S41 OR S42 OR S43 OR S44		143,235
S44	TX (patient* N3 (random* or blind* or mask*))		17,900
S43	TX (placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) N1 (blind* or mask*))		50,325
S42	TX (((random* or control#ed or crossover or cross-over or blind* or mask*) N3 (trial* or study or studies or analy*)) or rct)		132,438
S41	PT Randomized Controlled Trial		30,865
S40	S31 and S39		2,204
S39	S32 or S33 or S34 or S37 or S38		11,945
S38	TX compression*		11,748
S37	S35 and S36		569
S36	TX (stocking* or bandag* or tights* or sock* or knee high* or hosier* or legging* or trouser* or garment*)		11,920
S35	TX (elastic* or inelastic* or graduated or anti-emboli* or aes or (Thromboembolic N1 detterren*) or ted or teds)		10,004
S34	(MH "Compression Garments")		1,499
S33	(MH "Elastic Bandages")		58
S32	(MH "Compression Therapy")		1,682
S31	S26 and S30		25,660
S30	S27 OR S28 OR S29		155,965
S29	TX (leg or legs or hip or hips or buttock* or knee or lower limb* or calf		150,456

	or calves or thigh* or groin* or ankle* or foot or feet or pelvis or pelvic or vulva* or vulvo* or ovari* or ovary or vagina* or uterus or uterin* or stocking* or tights* or sock* or knee high* or hosier* or legging* or trouser*)		
S28	TX (lower N2 extremit*)		12,653
S27	(MH "Lower Extremity+")		27,127
S26	S25 or ((S21 or S22) not (S23 or S24))		196,982
S25	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20		196,865
S24	TX ((coronary or bypass) and graft)		3,213
S23	(MH "Coronary Artery Bypass+")		7,179
S22	TX (sapheno* N3 (vein* or junction* or incompet* or reflux or insufficien*))		776
S21	(MH "Saphenous Vein")		530
S20	TX (Thromboembolic N3 deterren*)		4
S19	TX ((antithrombot* or anti-thrombot* or anti thrombot*) N6 (treat* or therap*))		940
S18	TX ((postthrombo* or post-thrombo* or post thrombo* or Postphleb* or post-phleb* or Post phleb* or venous) N2 syndrome)		220
S17	(MH "Postthrombotic Syndrome")		51
S16	TX dvt		1,360
S15	TX ((deep-vein or venous or deep-venous or vein) N1 (thrombos* or thromboemboli*))		9,651
S14	(MH "Venous Thrombosis+")		5,882
S13	TX (lymphoedema* or lymphedema*)		2,117
S12	(MH "Lymphedema+")		1,913
S11	(MH "Venous Insufficiency+")		651
S10	(MH "Varicose Veins+")		2,208
S9	(MH "Intermittent Claudication")		811
S8	(MH "Ischemia+") or (MH "Cellulitis+") or (MH "leg ulcer+") or (MH "Varicose Ulcer+") or (MH "eczema+")		74,871
S7	TX ((varico* or venous or vein*) N3 ulcer*)		2,359
S6	TX (varix or varices or varicosi* or ceap)		1,058



S5	TX ((perforator or superficial or tortuous) N3 vein*)		166
S4	TX ((venous or varico*) N1 disease*)		463
S3	TX (venous N2 hypertension)		163
S2	TX ((venous or vein* or varico*) N3 (insufficien* or incompet* or disorder* or reflux))		1,002
S1	TX (ulcer* or edema* or oedema* or wound* or swollen or swelling or erysipelas or Ischemi* or PAD or peripheral arterial disease or (Intermittent N1 Claudication) or (skin N1 (change* or infection*)) or phleb* or eczema or cellulitis or (varicose N5 vein*))		137,815

Pedro

PROBLEM: Oedema
METHOD: Clinical trial
PUBLISHED SINCE: 2006

Eller

FREETEXT: Compression
METHOD: Clinical trial
PUBLISHED SINCE: 2006

64 fund

PICO 9: Bør patienter med kronisk ødem i underekstremiteterne tilbydes intensiv CDT/DLT (complex/complete decongestive therapy/decongestive lymphoedema therapy) fremfor kompressionsbandagering?

Søgt 27.01.2017

Medline

Database(s): Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily and Ovid

MEDLINE(R) 1946 to Present

Search Strategy:

#	Searches	Results
1	((complete or complex*) adj6 decongestive).ti,ab,kw.	198
2	(decongestive adj6 (lymphoedema* or lymphedema* or lymphatic)).ti,ab,kw.	132
3	(CDT or DLT or CDT?DLT or CDT-DLT).ti,ab,kw.	6257
4	or/1-3	6435
5	Drainage/mt	11911
6	((lymphoedema* or lymphedema* or lymphatic) adj3 drainage).ti,ab,kw.	3143
7	or/5-6	14960
8	exp Compression Bandages/	2126
9	compression*.ti,ab,kw.	101562
10	exp Intermittent Pneumatic Compression Devices/	614
11	or/8-10	102493
12	7 and 11	269
13	4 or 12	6658
14	exp Cellulitis/	7832
15	exp leg ulcer/	21284
16	exp Varicose Ulcer/	4774
17	exp eczema/	10812
18	(ulcer* or edema* or oedema* or wound* or swollen or swelling or erysipelas or Ischemi* or PAD or peripheral arterial disease or (Intermittent adj1 Claudication) or (skin adj1 (change* or infection*)) or phleb* or eczema or cellulitis or (varicose adj5 vein*)).ti,ab,kw.	956111
19	((venous or vein* or varico*) adj3 (insufficien* or incompet* or disorder* or reflux)).ti,ab,kw.	8791
20	(venous adj2 hypertension).ti,ab,kw.	2118
21	((venous or varico*) adj1 disease*).ti,ab,kw.	3084
22	((perforator or superficial or tortuous) adj3 vein*).ti,ab,kw.	3272
23	(varix or varices or varicosi* or ceap).ti,ab,kw.	21927
24	((varico* or venous or vein*) adj3 ulcer*).ti,ab,kw.	5048
25	exp Ischemia/	61437
26	exp Peripheral Arterial Disease/	5136
27	exp Intermittent Claudication/	8400
28	exp varicose veins/	18792
29	exp venous insufficiency/	7744
30	exp lymphedema/	11960
31	(lymphoedema* or lymphedema*).ti,ab,kw.	9241
32	exp Venous Thrombosis/	55432
33	((deep-vein or venous or deep-venous or vein) adj1 (thrombos* or thromboemboli*)).ti,ab,kw.	60226



34 dvt.ti,ab,kw.	9222
35 exp Postthrombotic Syndrome/	588
36 ((postthrombo* or post-thrombo* or post thrombo* or Postphleb* or post-phleb* or Post phleb* or venous) adj2 syndrome).ti,ab,kw.	2459
37 ((antithrombot* or anti-thrombot* or anti thrombot*) adj6 (treat* or therap*)).ti,ab,kw.	6723
38 (Thromboembolic adj3 deterren*).ti,ab,kw.	19
39 exp saphenous vein/	16240
40 (sapheno* adj3 (vein* or junction* or incompet* or reflux or insufficien*)).ti,ab,kw.	15494
41 exp Coronary artery bypass/	53032
42 ((coronary or bypass) and graft).ti,ab,kw.	30775
43 or/14-38	1117342
44 43 or ((39 or 40) not (41 or 42))	1124705
45 44	1124705
46 13 and 44	775
47 (((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	602891
48 (placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	275114
49 ((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	168752
50 (patient* adj3 (random* or blind* or mask*)).ti,ab,kw.	104675
51 47 or 48 or 49 or 50	734011
52 46 and 51	125
53 limit 46 to (randomized controlled trial or controlled clinical trial)	60
54 52 or 53	136
55 limit 54 to (yr="2006-2017" and (english or danish or swedish or german or norwegian))	106

Embase

Database(s): **Embase** 1974 to 2017 January 26

Search Strategy:

#	Searches	Results
1	((complete or complex) adj3 decongestive adj3 therap*).ti,ab,kw.	200
2	(decongestive adj3 (lymphoedema* or lymphedema* or lymphatic) adj3 therap*).ti,ab,kw.	59
3	(CDT or DLT or CDT?DLT or CDT-DLT).ti,ab,kw.	9058
4	or/1-3	9204
5	exp lymphatic drainage/	5678
6	((lymphoedema* or lymphedema* or lymphatic) adj3 drainage).ti,ab,kw.	3928
7	or/5-6	7111
8	exp compression therapy/	7953
9	exp Compression garment/	4116
10	exp compression bandage/	1918
11	compression*.ti,ab,kw.	117885
12	(elastic* or inelastic* or graduated or anti-emboli* or aes or (Thromboembolic adj deterren*) or ted or teds).ti,ab,kw.	118789
13	(stocking* or bandag* or tights* or sock* or knee high* or hosier* or legging* or trouser* or garment* or boot*).ti,ab,kw.	42681
14	12 and 13	2724
15	exp Intermittent Pneumatic Compression Devices/	891



16 (compression adj6 (therap* or treat* or regimen* or protocol* or strateg* or method* or use*3)).ti,ab,kw.	18898
17 or/8-11,14-16	125373
18 7 and 17	673
19 4 or 18	9762
20 exp Cellulitis/	17118
21 exp leg ulcer/	13350
22 exp Varicose Ulcer/	49588
23 exp eczema/	25773
24 exp phlebology/	770
25 (ulcer* or edema* or oedema* or wound* or swollen or swelling or erysipelas or Ischemi* or PAD or peripheral arterial disease or (Intermittent adj1 Claudication) or (skin adj1 (change* or infection*)) or phleb* or eczema or cellulitis or (varicose adj5 vein*)).ti,ab,kw.	1156741
26 ((venous or vein* or varico*) adj3 (insufficien* or incompet* or disorder* or reflux)).ti,ab,kw.	11472
27 (venous adj2 hypertension).ti,ab,kw.	2793
28 ((venous or varico*) adj1 disease*).ti,ab,kw.	3962
29 ((perforator or superficial or tortuous) adj3 vein*).ti,ab,kw.	4079
30 (varix or varices or varicosi* or ceap).ti,ab,kw.	27217
31 ((varico* or venous or vein*) adj3 ulcer*).ti,ab,kw.	6123
32 exp Ischemia/	709902
33 exp Peripheral Arterial Disease/	151062
34 exp Intermittent Claudication/	9668
35 exp varicosis/	49588
36 exp venous insufficiency/	9958
37 exp lymphedema/	17941
38 (lymphoedema* or lymphedema*).ti,ab,kw.	11265
39 exp vein thrombosis/	112884
40 ((deep-vein or venous or deep-venous or vein) adj1 (thrombos* or thromboemboli*)).ti,ab,kw.	80631
41 dvt.ti,ab,kw.	15092
42 exp postthrombosis syndrome/	2486
43 ((postthrombo* or post-thrombo* or post thrombo* or Postphleb* or post-phleb* or Post phleb* or venous) adj2 syndrome).ti,ab,kw.	3241
44 ((antithrombot* or anti-thrombot* or anti thrombot*) adj6 (treat* or therap*)).ti,ab,kw.	9739
45 (Thromboembolic adj3 deterren*).ti,ab,kw.	29
46 exp saphenous vein/	14120
47 (sapheno* adj3 (vein* or junction* or incompet* or reflux or insufficien*)).ti,ab,kw.	17806
48 exp Coronary artery bypass graft/	66961
49 ((coronary or bypass) and graft).ti,ab,kw.	37517
50 or/20-45	1853843
51 50 or ((46 or 47) not (48 or 49))	1860099
52 51	1860099
53 19 and 51	1842
54 (((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	706434
55 (placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	328480
56 ((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	200305
57 (patient* adj3 (random* or blind* or mask*)).ti,ab,kw.	136113
58 54 or 55 or 56 or 57	870389
59 53 and 58	207
60 limit 53 to (randomized controlled trial or controlled clinical trial)	174
61 59 or 60	289
62 limit 61 to (yr="2006-2017" and (english or danish or swedish or german or norwegian))	221

Cinahl

#	Query	Limiters/Expanders	Results
S52	(S47 OR S48 OR S49 OR S50) AND (S46 AND S51)	Limiters - Published Date: 20060101-20170131	24
S51	S47 OR S48 OR S49 OR S50		143,235
S50	TX (patient* N3 (random* or blind* or mask*))		17,900
S49	TX (placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) N1 (blind* or mask*))		50,325
S48	TX (((random* or control#ed or crossover or cross-over or blind* or mask*) N3 (trial* or study or studies or analy*)) or rct)		132,438
S47	PT Randomized Controlled Trial		30,865
S46	S28 AND S45		203
S45	S32 OR S44		1,223
S44	S35 AND S43		124
S43	S36 OR S37 OR S38 OR S41 OR S42		11,998
S42	TX compression*		11,748
S41	S39 AND S40		625
S40	TX (stocking* or bandag* or tights* or sock* or knee high* or hosier* or legging* or trouser* or garment* or boot*)		17,076
S39	TX (elastic* or inelastic* or graduated or anti-emboli* or aes or (Thromboembolic N1 detterren*) or ted or teds)		10,004
S38	(MH "Compression Garments")	Limiters - Published Date: 20060101-20170131; Language: Danish, English, German, Norwegian, Swedish	862
S37	(MH "Elastic Bandages")		58
S36	(MH "Compression Therapy")		1,682
S35	S33 OR S34		4,454

S34	TX ((lymphoedema* or lymphedema* or lymphatic) N3 drainage)	182
S33	MH Drainage+	4,296
S32	S29 OR S30 OR S31	1,114
S31	TX (CDT or DLT or CDT?DLT or CDT-DLT)	1,062
S30	TX (decongestive N3 (lymphoedema* or lymphedema* or lymphatic))	14
S29	TX ((complete or complex) N3 decongestive)	63
S28	S27 or ((S23 or S24) not (S25 or S26))	151,450
S27	S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22	151,318
S26	TX ((coronary or bypass) and graft)	3,213
S25	(MH "Coronary Artery Bypass+")	7,179
S24	TX (sapheno* N3 (vein* or junction* or incompet* or reflux or insufficien*))	776
S23	(MH "Saphenous Vein")	530
S22	TX (Thromboembolic N3 deterren*)	4
S21	TX ((antithrombot* or anti-thrombot* or anti thrombot*) N6 (treat* or therap*))	940
S20	TX ((postthrombo* or post-thrombo* or post thrombo* or Postphleb* or post-phleb* or Post phleb* or venous) N2 syndrome)	220
S19	(MH "Postthrombotic Syndrome")	51
S18	TX dvt	1,360
S17	TX ((deep-vein or venous or deep-venous or vein) N1 (thrombos* or thromboemboli*))	9,651
S16	(MH "Venous Thrombosis+")	5,882
S15	TX (lymphoedema* or lymphedema*)	2,117
S14	(MH "Lymphedema+")	1,913
S13	(MH "Venous Insufficiency+")	651
S12	(MH "Varicose Veins+")	2,208
S11	(MH "Intermittent Claudication")	811
S10	(MH "Leg ulcer+" OR "Cellulitis+" OR "Eczema+" OR "Ischemia+")	34,107
S9	TX ((varico* or venous or vein*) N3 ulcer*)	2,359



S8	TX (varix or varices or varicosi* or ceap)		1,058
S7	TX ((perforator or superficial or tortuous) N3 vein*)		166
S6	TX ((venous or varico*) N1 disease*)		463
S5	TX (venous N2 hypertension)		163
S4	TX ((venous or vein* or varico*) N3 (insufficien* or incompet* or disorder* or reflux))		1,002
S3	TX (ulcer* or edema* or oedema* or wound* or swollen or swelling or erysipelas or Ischemi* or PAD or peripheral arterial disease or (Intermittent N1 Claudication) or (skin N1 (change* or infection*)) or phleb* or eczema or cellulitis or (varicose N5 vein*))		137,815
S2	TX ((extract* or pool*) N1 (data or analys*))		15,051
S1	TX ((antithrombot* or anti-thrombot* or anti thrombot*) N6 (treat* or therap*))		940



PICO 10: Bør patienter med kronisk ødem i underekstremiteten uden anden indikation for vanddrivende medicin behandles med vandrivende medicin i kombination med kompressionsbehandling?

Samsøgt med PICO 7 – se denne