

Søgeprotokol for Opdatering af NKR 13 Alkoholafhængighed

Projekttitel/aspekt	Opdatering af NKR Alkoholafhængighed - Primærlitteratur
Fagkonsulent /projektleder	Gro Askgaard / Annette Wittrup Enggaard
Søgespecialist	Kirsten Birkefoss
Senest opdateret	16.03.2018

Fokuserede spørgsmål	<p>PICO 4: Bør personer med alkoholafhængighed med behov for mere intensiv behandling end ambulante behandling tilbydes døgntil behandling frem for dagbehandling?</p> <p>PICO 6: Bør personer med alkoholafhængighed tilbydes ambulante alkoholbehandling i 6 måneder eller længere frem for kortere forløb af 3-6 måneders varighed?</p> <p>PICO 8: Bør disulfiram anvendes som supplement til den strukturerede samtalebehandling frem for samtalebehandling alene til personer med alkoholafhængighed, der ønsker afholdenhed?</p> <p>PICO 10: Bør acamprosat anvendes som supplement til den strukturerede samtalebehandling frem for samtalebehandling alene til personer med alkoholafhængighed?</p> <p>PICO 11: Bør naltrexon anvendes som supplement til den strukturerede samtalebehandling frem for samtalebehandling alene til personer med alkoholafhængighed?</p>
Søgetermer	Se søgestrategierne under de enkelte PICO's/PIRO's
Inklusions- og eksklusionskriterier	<p>Sprog: Engelsk, tysk, dansk, norsk og svensk</p> <p>År: 2014 -2017</p> <p>Population: Voksne 18 år-</p> <p>Publikationstyper: RCT</p>

Informationskilder

DATABASE	INTERFACE	DATO FOR SØGNING
Medline	OVID	02.11.2017 – 16.03.2018
EMBASE	OVID	02.11.2017 – 16.03.2018
CINAHL	EBSCO	02.11.2017 – 14.12.2017
PsycINFO	OVID	02.11.2017 – 14.12.2017



SUNDHEDSSTYRELSEN



Note

- Søgetermer og inklusions- og eksklusionskriterier er tilpasset de enkelte databaser.
- Dubletter er så vidt muligt frasorteret ved hjælp af RefWorks. De fundne referencer overføres til Covidence (referenceværktøj)
- Fuldtekster præsenteres i Covidence i pdf-format
- Søgestrategi for hver enkelt database præsenteres – hvis muligt vises det eksplicit hvor mange referencer den enkelte søgestreng genererer

SØGESTRATEGI

Søgning på primære studier

PICO 4: Bør personer med alkoholafhængighed med behov for mere intensiv behandling end ambulant behandling tilbydes døgnbehandling frem for dagbehandling?

Søgt 13.-14.12.2017

Medline

Database(s): Ovid MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily, Ovid MEDLINE and Versions(R)

Search Strategy:

#	Searches	Results
1	exp Alcohol-Related Disorders/pc, px, rh, th	38892
2	exp Alcoholism/pc, px, rh, th	29878
3	exp Alcohol Drinking/pc, px, rh, th	16447
4	exp Alcohol Abstinence/pc, px, rh, th	134
5	Binge drinking/pc, px, rh, th	556
6	Substance Abuse Treatment Centers/	5311
7	or/1-6	53782
8	((alcohol* or contingen* or sobriety) adj4 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,kw.	24923
9	((problem* or binge or excessive or harmful or hazardous or heavy or high risk or addiction) adj2 (drinking or drinker*) adj4 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,kw.	1399
10	or/7-9	67912
11	exp Inpatients/	19173
12	exp Outpatients/	14431
13	((inpatient* or in-patient* or outpatient* or out-patient* or "day care" or "after hours" or "out of hours" or 24 hour* or 24-hour* or 24hour* or twenty-four-hour* or day night or day or residential or stay-over or rehabilitation) adj4 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,kw.	243943
14	or/11-13	271150
15	10 and 14	4365
16	limit 15 to randomized controlled trial	631
17	((((randomi* or control?ed or crossover or cross-over or blinding or blinded or masking or masked or placebo*) adj4 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	602136
18	((patient* or person* or client*) adj3 random*).ti,ab,kw.	99705
19	or/17-18	642354
20	15 and 19	536

21 16 or 20 818
 22 limit 21 to (yr="2014-2017" and (english or danish or german or norwegian or swedish)) 180

Embase

Database(s): **Embase** 1974 to 2017 December 11

Search Strategy:

#	Searches	Results
1	exp Alcohol-Related Disorders/pc, th	10501
2	exp Alcoholism/pc, th	10501
3	exp Alcohol Drinking/pc, th	1294
4	exp Alcohol Abstinence/pc, th	0
5	Binge drinking/pc, th	26
6	exp Alcohol rehabilitation/	29
7	or/1-6	11553
8	((alcohol* or contingen* or sobriety) adj4 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,kw.	31706
9	((problem* or binge or excessive or harmful or hazardous or heavy or high risk or addiction) adj2 (drinking or drinker*) adj4 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,kw.	1796
10	or/7-9	39972
11	exp Inpatients/ or exp Hospital patient/	136504
12	exp Outpatient/ or exp Outpatient care/	123532
13	((inpatient* or in-patient* or outpatient* or out-patient* or "day care" or "after hours" or "out of hours" or 24 hour* or 24-hour* or 24hour* or twenty-four-hour* or day night or day or residential or stay-over or rehabilitation) adj4 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,kw.	337524
14	or/11-13	543182
15	10 and 14	4251
16	limit 15 to randomized controlled trial	439
17	((((randomi* or control?ed or crossover or cross-over or blinding or blinded or masking or masked or placebo*) adj4 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	738883
18	((patient* or person* or client*) adj3 random*).ti,ab,kw.	134139
19	or/17-18	794034
20	15 and 19	636
21	16 or 20	755
22	limit 21 to (yr="2014-2017" and (english or danish or german or norwegian or swedish))	221

PsycInfo

Database(s): **PsycINFO** 1806 to November Week 2 2017

Search Strategy:

#	Searches	Results
1	exp Alcoholism/	29076
2	exp Alcohol abuse/	45283
3	exp Alcohol Abstinence/	1509
4	exp Alcohol rehabilitation/	10391
5	exp Alcohol Intoxication/	2949
6	exp Alcohol Withdrawal/	1214
7	exp Sobriety/	1509
8	or/1-7	52548
9	((alcohol* or contingen* or sobriety) adj4 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,id.	21991
10	((problem* or binge or excessive or harmful or hazardous or heavy or high risk or addiction) adj2 (drinking or drinker*) adj4 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,id.	1418
11	or/8-10	60311
12	exp Inpatients/ or exp Hospitalized patients/ or Psychiatric Hospitalization/	18390
13	exp Outpatients/ or exp Outpatient treatment/	12239
14	((inpatient* or in-patient* or outpatient* or out-patient* or "day care" or "after hours" or "out of hours" or 24 hour* or 24-hour* or 24hour* or twenty-four-hour* or day night or day or residential or stay-over or rehabilitation) adj4 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,id.	49768
15	or/12-14	72403
16	11 and 15	4639
17	((((randomi* or control?ed or crossover or cross-over or blinding or blinded or masking or masked or placebo*) adj4 (trial*1 or study or studies or analy*)) or rct).ti,ab,id.	78498
18	((patient* or person* or client*) adj3 random*).ti,ab,id.	7102
19	or/17-18	81657
20	16 and 19	405
21	limit 20 to (yr="2014-2017" and (english or danish or german or norwegian or swedish))	85



Cinahl

#	Query	Limiters/Expanders	Results
S17	S12 and S16	Limiters - Published Date: 20140101-20171231; Language: Danish, English, Norwegian, Swedish	122
S16	S13 OR S14 OR S15		123,519
S15	((patient* or person* or client*) N3 random*)		18,951
S14	((randomi* or crossover or cross-over or blinding or blinded or masking or masked or placebo*) N4 (trial* or study or studies or analy*)) or rct)		115,195
S13	PT randomized controlled trial		40,487
S12	S7 AND S11		2,492
S11	S8 OR S9 OR S10		247,774
S10	((inpatient* or in-patient* or outpatient* or out-patient* or "day care" or "after hours" or "out of hours" or 24 hour* or 24-hour* or 24hour* or twenty-four-hour* or day night or day or residential or stay-over) N4 (Therap* or Treatment* or Intervention* or Councel* or counsel* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*))		162,387
S9	(MH "Outpatients") OR (MH "Outpatient Service")		38,761
S8	(MH "Inpatients")		63,952
S7	S4 OR S5 OR S6		18,137
S6	((problem* or binge or excessive or harmful or hazardous or heavy or high risk or addiction) N2 (drinking or drinker*) N4 (Therap* or Treatment* or Intervention* or Councel* or counsel* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*))		536
S5	((alcohol* or contingen* or sobriety) N4		8,416



	(Therap* or Treatment* or Intervention* or Counsel* or counsel* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*))		
S4	(s1 or s2) and s3		15,945
S3	(Therap* or Treatment* or Intervention* or Counsel* or counsel* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)		1,542,095
S2	(MH "Alcohol Rehabilitation Programs+") or (MH "Alcoholic Intoxication+") or (MH "Alcohol Drinking+")		18,490
S1	(MH "Alcohol-Related Disorders+") or (MH "Alcohol Rehabilitation Programs+")		20,209

PICO 6: Bør personer med alkoholafhængighed tilbydes ambulat alkoholbehandling i 6 måneder eller længere frem for kortere forløb af 3-6 måneders varighed?

Søgt 13.-14.12.2017

Medline

Database(s): Ovid MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily, Ovid MEDLINE and Versions(R)

Search Strategy:

#	Searches	Results
1	exp Alcohol-Related Disorders/pc, px, rh, th	38865
2	exp Alcoholism/pc, px, rh, th	29862
3	exp Alcohol Drinking/pc, px, rh, th	16413
4	exp Alcohol Abstinence/pc, px, rh, th	135
5	Binge drinking/pc, px, rh, th	555
6	Substance Abuse Treatment Centers/	5308
7	or/1-6	53728
8	((alcohol* or contingen* or sobriety) adj3 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,kw.	20730
9	((problem* or binge or excessive or harmful or hazardous or heavy or high risk or addiction) adj2 (drinking or drinker*) adj3 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,kw.	1082
10	or/7-9	65036
11	((length or sequence or duration or schedul*) adj4 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,kw.	90669
12	((brief or short-term or short term* or short or shorter or minimal or basic or fundamental) adj4 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,kw.	92857
13	((intensive or extend* or extensi* or comprehensive or widespread or prolonged or long-term or long term or longer or expand* or wider or enlarge* or increas*) adj4 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,kw.	435450
14	12 and 13	14585
15	11 or 14	103737
16	10 and 15	1264
17	limit 16 to randomized controlled trial	246
18	((randomi* or control?ed or crossover or cross-over or blinding or blinded or masking or masked or placebo*) adj4 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	600468



19 ((person* or patient* or client*) adj3 (random* or placebo*)).ti,ab,kw.	118521
20 18 or 19	646664
21 16 and 20	264
22 17 or 21	339
23 limit 22 to (yr="2014-2017" and (english or danish or german or norwegian or swedish))	110

Embase

Database(s): Embase 1974 to 2017 December 13

Search Strategy:

#	Searches	Results
1	exp Alcohol-Related Disorders/pc, th	10501
2	exp Alcoholism/pc, th	10501
3	exp Alcohol Drinking/pc, th	1294
4	exp Alcohol Abstinence/	5801
5	exp Alcohol rehabilitation/	29
6	Substance Abuse Treatment Centers/	7930
7	or/1-6	23870
8	((alcohol* or contingen* or sobriety) adj3 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,kw.	26250
9	((problem* or binge or excessive or harmful or hazardous or heavy or high risk or addiction) adj2 (drinking or drinker*) adj3 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,kw.	1384
10	or/7-9	45659
11	((length or sequence or duration or schedul*) adj4 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,kw.	128531
12	((brief or short-term or short term* or short or shorter or minimal or basic or fundamental) adj4 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,kw.	117972
13	((intensive or extend* or extensi* or comprehensive or widespread or prolonged or long-term or long term or longer or expand* or wider or enlarge* or increas*) adj4 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,kw.	556239
14	12 and 13	18303
15	11 or 14	144798
16	10 and 15	1281
17	limit 16 to randomized controlled trial	204



18	((randomi* or control?ed or crossover or cross-over or blinding or blinded or masking or masked or placebo*) adj4 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	739488
19	((person* or patient* or client*) adj3 (random* or placebo*)).ti,ab,kw.	158357
20	18 or 19	802358
21	16 and 20	300
22	17 or 21	345
23	limit 22 to (yr="2014-2017" and (english or danish or german or norwegian or swedish))	124

PsycINFO

Database(s): PsycINFO 1806 to November Week 2 2017

Search Strategy:

#	Searches	Results
1	exp Alcoholism/	29076
2	exp Alcohol abuse/	45283
3	exp Alcohol Abstinence/	1509
4	exp Alcohol rehabilitation/	10391
5	exp Alcohol Intoxication/	2949
6	exp Alcohol Withdrawal/	1214
7	exp Sobriety/	1509
8	((alcohol* or contingen* or sobriety) adj3 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,id.	18667
9	((problem* or binge or excessive or harmful or hazardous or heavy or high risk or addiction) adj2 (drinking or drinker*) adj3 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,id.	1100
10	or/1-9	58658
11	((length or sequence or duration or schedul*) adj4 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,id.	19350
12	((brief or short-term or short term* or short or shorter or minimal or basic or fundamental) adj4 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,id.	35264
13	((intensive or extend* or extensi* or comprehensive or widespread or prolonged or long-term or long term or longer or expand* or wider or enlarge* or increas*) adj4 (Therap* or Treatment* or Intervention* or Coun#el* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)).ti,ab,id.	90775
14	11 or (12 and 13)	24065
15	10 and 14	1117
16	((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study	83455

or studies or analy*)) or rct).ti,ab,id.	
17 (placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,id.	44577
18 ((single or double or triple) adj2 (blind* or mask*).ti,ab,id.	23771
19 ((patient* or client* or person*) adj3 (random* or placebo*).ti,ab,id.	9408
20 or/16-19	107549
21 15 and 20	158
22 limit 21 to (yr="2014-2017" and (english or danish or german or norwegian or swedish))	43

Cinahl

#	Query	Limiters/Expanders	Results
S16	S11 and S15	Limiters - Published Date: 20140101-20171231; Language: Danish, English, Norwegian, Swedish	34
S15	S12 OR S13 OR S14		123,519
S14	((patient* or person* or client*) N3 random*)		18,951
S13	((randomi* or crossover or cross-over or blinding or blinded or masking or masked or placebo*) N4 (trial* or study or studies or analy*)) or rct)		115,195
S12	PT randomized controlled trial		40,487
S11	S6 AND S10		422
S10	S7 OR (S8 AND S9)		20,041
S9	((intensive or extend* or extensi* or comprehensive or widespread or prolonged or long-term or long term or longer or expand* or wider or enlarge* or increas*) N4 (Therap* or Treatment* or Intervention* or Councel* or counsel* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*))		65,800
S8	((brief or short-term or short term* or short or shorter or minimal or basic or fundamental) N4 (Therap* or Treatment* or Intervention* or Councel* or counsel* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*))		17,049
S7	((length or sequence or duration or schedul*) N4 (Therap* or		17,500



	Treatment* or Intervention* or Council* or counsel* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*)		
S6	S3 OR S4 OR S5		34,327
S5	((problem* or binge or excessive or harmful or hazardous or heavy or high risk or addiction) N2 (drinking or drinker*) N4 (Therap* or Treatment* or Intervention* or Council* or counsel* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*))		536
S4	((alcohol* or contingen* or sobriety) N4 (Therap* or Treatment* or Intervention* or Council* or counsel* or Course* or program* or Coach* or session* or consultat* or mentor* or sponsor* or interview*))		8,416
S3	s1 or s2		32,135
S2	(MH "Alcohol Rehabilitation Programs+") or (MH "Alcoholic Intoxication+") or (MH "Alcohol Drinking+")		18,490
S1	(MH "Alcohol-Related Disorders+") or (MH "Alcohol Rehabilitation Programs+")		20,209

PICO 8: Bør disulfiram anvendes som supplement til den strukturerede samtalebehandling frem for samtalebehandling alene til personer med alkoholafhængighed, der ønsker afholdenhed?

Søgt 02.11.2017

Medline

Database(s): Ovid MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily, Ovid MEDLINE and Versions(R)

Search Strategy:

#	Searches	Results
1	exp Alcohol-Related Disorders/	111045
2	exp Alcohol-Induced Disorders, Nervous System/	4243
3	exp Alcoholism/	74303
4	exp Alcohol Drinking/	64452
5	exp Alcohol Abstinence/	401
6	Substance Abuse Treatment Centers/	5153
7	Substance Withdrawal Syndrome/ or exp Substance Abuse/ or Substance Abuse Treatment Centers/ or Substance-Related Disorders/	267824
8	(alcohol* or alcohol-related or alcohol-induced or addiction* or contingen* or ((problem* or binge or excessive or harmful or hazardous or heavy or high risk) adj2 (drinking or drinker*))).ti,ab,kw.	367149
9	or/1-8	526450
10	exp Disulfiram/	3482
11	disulfiram.mp.	4317
12	antabus*.ti,ab,kw.	697
13	exp Alcohol Deterrents/	4414
14	(alcohol adj1 deterrent*).ti,ab,kw.	50
15	or/10-14	5250
16	9 and 15	3108
17	((((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	601722
18	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	273581
19	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	168825
20	(patient* adj3 (random* or blind* or mask*)).ti,ab,kw.	104439
21	or/17-20	732461
22	16 and 21	388
23	limit 16 to (randomized controlled trial or controlled clinical trial)	268
24	22 or 23	450

Embase

Database(s): **Embase** 1974 to 2017 October 30

Search Strategy:

#	Searches	Results
1	exp Alcohol-Related Disorders/	114066
2	exp Alcohol-Induced Disorders, Nervous System/	114066
3	exp Alcoholism/	114066
4	exp Alcohol Drinking/	44662
5	exp Alcohol Abstinence/	5741
6	exp Alcohol rehabilitation/	27
7	Substance Abuse Treatment Centers/	7883
8	Substance Withdrawal Syndrome/ or exp Substance Abuse/ or Substance Abuse Treatment Centers/ or Substance-Related Disorders/	87155
9	(alcohol* or alcohol-related or alcohol-induced or addiction* or contingen* or ((problem* or binge or excessive or harmful or hazardous or heavy or high risk) adj2 (drinking or drinker*))).ti,ab,kw.	472803
10	or/1-9	562058
11	exp Disulfiram/	8140
12	disulfiram.mp.	8553
13	antabus*.ti,ab,kw.	509
14	"drugs used in the treatment of addiction"/	698
15	(alcohol adj1 deterrent*).ti,ab,kw.	63
16	or/11-15	9194
17	10 and 16	4252
18	((randomi* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	730242
19	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	343709
20	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	208840
21	(patient* adj3 (random* or blind* or mask*)).ti,ab,kw.	144528
22	or/18-21	903891
23	17 and 22	371
24	limit 17 to randomized controlled trial	158
25	23 or 24	428
26	limit 25 to (yr="2014-2017" and (english or danish or german or norwegian or swedish))	82



PsycINFO

Database(s): **PsycINFO** 1806 to October Week 4 2017

Search Strategy:

#	Searches	Results
1	exp Alcoholism/	29049
2	exp Alcohol abuse/	45218
3	exp Alcohol Abstinence/	1506
4	exp Alcohol rehabilitation/	10384
5	exp Alcohol Intoxication/	2946
6	exp Alcohol Withdrawal/	1214
7	exp Sobriety/	1506
8	(alcohol* or alcohol-related or alcohol-induced or addiction* or contingen* or sobriety or ((problem* or binge or excessive or harmful or hazardous or heavy or high risk) adj2 (drinking or drinker*))).ti,ab,id.	178797
9	or/1-8	180954
10	exp Disulfiram/	339
11	disulfiram.mp.	700
12	antabus*.ti,ab,id.	170
13	(alcohol adj1 deterrent*).ti,ab,id.	6
14	or/10-13	784
15	9 and 14	664
16	((((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,id.	83016
17	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,id.	44474
18	((single or double or triple) adj2 (blind* or mask*)).ti,ab,id.	23715
19	(patient* adj3 (random* or blind* or mask*)).ti,ab,id.	7420
20	or/16-19	107083
21	15 and 20	113
22	limit 21 to (yr="2014-2017" and (english or danish or german or norwegian or swedish))	14

Observationelle studier

Søgt 16.03.2018

Medline

Database(s): Ovid MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily, Ovid MEDLINE and Versions(R) 1946 to March 14 2018

Search Strategy:

#	Searches	Results
1	exp Disulfiram/	3332
2	disulfiram.mp.	4124
3	antabus*.ti,ab,kw,kf.	676
4	or/1-3	4174
5	exp Liver diseases/	504505
6	((Drug Induced or drug-induced or drug related or drug-related or chemically induced or chemically-induced or toxic or intoxication or damage* or injur* or failure or dysfunction* or malfunction*) adj10 (liver or Hepatitis or Hepatitides or hepatocell* or hepatocell*).ti,ab,kw,kf.	82134
7	(hepatitis or hepatotoxic* or hepato-toxic*).ti,ab,kw,kf.	218966
8	((liver or hepat*) and necrosis).ti,ab,kw,kf.	32420
9	exp "Drug-Related Side Effects and Adverse Reactions"/	104467
10	((side or adverse) adj3 (effect* or reaction*).ti,ab,kw,kf.	401541
11	to.fs.	385169
12	ae.fs.	1562037
13	or/5-12	2712290
14	4 and 13	1260
15	limit 14 to (comparative study or evaluation studies or multicenter study or observational study or twin study or validation studies)	104
16	exp Epidemiologic studies/	2127892
17	((Epidemiologic or cohort* or perspective or prospective or longitud* or follow-up or follow up or followup or retro-spective or retrospective or case-control* or case control* or observational or cross-section* or cross section* or multi-cent* or multicent* or evaluation or comparative or intervention or provoca* or validation) adj4 (study or studies or trial*1 or analys*).ti,ab,kw,kf.	1488690
18	exp Epidemiology/	24620
19	(cohort* or follow-up or followup or follow up).ti,ab,kw,kf.	1189823
20	or/16-19	3251697
21	14 and 20	96
22	15 or 21	183
23	limit 22 to (danish or english or german or swedish or norwegian)	163
24	limit 23 to (systematic reviews or review)	27
25	23 not 24	136

Embase

Database(s): Embase 1974 to 2018 March 15

Search Strategy:

#	Searches	Results
1	exp Disulfiram/	8162
2	disulfiram.mp.	8553
3	antabus*.ti,ab,kw.	517
4	or/1-3	8616
5	exp Liver disease/	883543
6	((Drug Induced or drug-induced or chemically induced or chemically-induced or drug related or drug-related or toxic or intoxication or damage* or injur* or failure or dysfunction* or malfunction*) adj10 (liver or Hepatitis or Hepatitides or hepatocell* or hepato-cell*)).ti,ab,kw.	131730
7	(hepatitis or hepatotoxic* or hepato-toxic*).ti,ab,kw.	294766
8	((liver or hepat*) and necrosis).ti,ab,kw.	42911
9	exp adverse drug reaction/	476144
10	((side or adverse) adj3 (effect* or reaction*)).ti,ab,kw.	569659
11	to.fs.	517337
12	ae.fs.	1226669
13	or/5-12	3028963
14	4 and 13	3401
15	limit 14 to multicenter study	17
16	exp Epidemiologic studies/	2856590
17	Observational study/ or Multicenter study/ or Evaluation study/ or exp comparative study/ or exp case control study/ or intervention study/ or exp longitudinal study/ or prospective study/ or retrospective study/ or Follow up/ or validation study/ or cohort analysis/ or cross-sectional study/ or crossover procedure/ or double blind procedure/ or single blind procedure/	4026943
18	((Epidemiologic or cohort* or perspective or prospective or longitud* or follow-up or follow up or followup or retro-spective or retrospective or case-control* or case control* or observational or cross-section* or cross section* or multi-cent* or multicent* or evaluation or comparative or intervention or provoca* or validation) adj4 (study or studies or trial*1 or analys*)).ti,ab,kw.	2100906
19	exp Epidemiology/	2856590
20	(cohort* or follow-up or followup or follow up).ti,ab,kw.	1844608
21	or/16-20	6822648
22	14 and 21	759
23	15 or 22	759
24	limit 23 to (danish or english or german or swedish or norwegian)	700
25	limit 24 to ("systematic review" or review or letter or note)	300
26	24 not 25	400

PICO 10: Bør acamprosat anvendes som supplement til den strukturerede samtalebehandling frem for samtalebehandling alene til personer med alkoholafhængighed?

Søgt 02.11.2017

Medline

Database(s): Ovid MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily, Ovid MEDLINE and Versions(R)

Search Strategy:

#	Searches	Results
1	exp Alcohol-Related Disorders/	111045
2	exp Alcohol-Induced Disorders, Nervous System/	4243
3	exp Alcoholism/	74303
4	exp Alcohol Drinking/	64452
5	exp Alcohol Abstinence/	401
6	Substance Abuse Treatment Centers/	5153
7	Substance Withdrawal Syndrome/ or exp Substance Abuse/ or Substance Abuse Treatment Centers/ or Substance-Related Disorders/	267824
8	(alcohol* or alcohol-related or alcohol-induced or addiction* or contingen* or sobriety or ((problem* or binge or excessive or harmful or hazardous or heavy or high risk) adj2 (drinking or drinker*))).ti,ab,kw.	367348
9	or/1-8	526517
10	acamprosat*.mp.	844
11	Alcohol Deterrents/	1368
12	(alcohol adj1 deterrent*).ti,ab,kw.	50
13	or/10-12	1727
14	9 and 13	1577
15	((((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	601722
16	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	273581
17	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	168825
18	(patient* adj3 (random* or blind* or mask*)).ti,ab,kw.	104439
19	or/15-18	732461
20	14 and 19	333
21	limit 14 to (randomized controlled trial or controlled clinical trial)	221
22	20 or 21	374
23	limit 22 to (yr="2014-2017" and (english or danish or german or norwegian or swedish))	64

Embase

Database(s): **Embase** 1974 to 2017 October 30

Search Strategy:

#	Searches	Results
1	exp Alcohol-Related Disorders/	114066
2	exp Alcohol-Induced Disorders, Nervous System/	114066
3	exp Alcoholism/	114066
4	exp Alcohol Drinking/	44662
5	exp Alcohol Abstinence/	5741
6	exp Alcohol rehabilitation/	27
7	Substance Abuse Treatment Centers/	7883
8	Substance Withdrawal Syndrome/ or exp Substance Abuse/ or Substance Abuse Treatment Centers/ or Substance-Related Disorders/	87155
9	(alcohol* or alcohol-related or alcohol-induced or addiction* or contingen* or sobriety or ((problem* or binge or excessive or harmful or hazardous or heavy or high risk) adj2 (drinking or drinker*))).ti,ab,kw.	473018
10	or/1-9	562168
11	exp Acamprosate/	2240
12	acamprosate*.mp.	2317
13	"drugs used in the treatment of addiction"/	698
14	(alcohol adj1 deterrent*).ti,ab,kw.	63
15	or/11-14	2934
16	10 and 15	2527
17	((randomi* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	730242
18	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	343709
19	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	208840
20	(patient* adj3 (random* or blind* or mask*)).ti,ab,kw.	144528
21	or/17-20	903891
22	16 and 21	426
23	limit 16 to randomized controlled trial	211
24	22 or 23	492
25	limit 24 to (yr="2014-2017" and (english or danish or german or norwegian or swedish))	89

Psycinfo

Database(s): **PsycINFO** 1806 to October Week 4 2017

Search Strategy:

#	Searches	Results
1	exp Alcoholism/	29049
2	exp Alcohol abuse/	45218
3	exp Alcohol Abstinence/	1506
4	exp Alcohol rehabilitation/	10384
5	exp Alcohol Intoxication/	2946
6	exp Alcohol Withdrawal/	1214
7	exp Sobriety/	1506
8	(alcohol* or alcohol-related or alcohol-induced or addiction* or contingen* or sobriety or ((problem* or binge or excessive or harmful or hazardous or heavy or high risk) adj2 (drinking or drinker*))).ti,ab,id.	179065
9	or/1-8	181175
10	exp Acamprosate/	199
11	acamprosate*.mp.	457
12	(alcohol adj1 deterrent*).ti,ab,id.	6
13	or/10-12	463
14	9 and 13	433
15	((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,id.	83016
16	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,id.	44474
17	((single or double or triple) adj2 (blind* or mask*)).ti,ab,id.	23715
18	(patient* adj3 (random* or blind* or mask*)).ti,ab,id.	7420
19	or/15-18	107083
20	14 and 19	164
21	limit 20 to (yr="2014-2017" and (english or danish or german or norwegian or swedish))	16

PICO 11: Bør naltrexon anvendes som supplement til den strukturerede samtalebehandling frem for samtalebehandling alene til personer med alkoholafhængighed?

Søgt 02.11.2017

Medline

Database(s): Ovid MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily, Ovid MEDLINE and Versions(R)

Search Strategy:

#	Searches	Results
1	exp Alcohol-Related Disorders/	111045
2	exp Alcohol-Induced Disorders, Nervous System/	4243
3	exp Alcoholism/	74303
4	exp Alcohol Drinking/	64452
5	exp Alcohol Abstinence/	401
6	Substance Abuse Treatment Centers/	5153
7	Substance Withdrawal Syndrome/ or exp Substance Abuse/ or Substance Abuse Treatment Centers/ or Substance-Related Disorders/	267824
8	(alcohol* or alcohol-related or alcohol-induced or addiction* or contingen* or sobriety or ((problem* or binge or excessive or harmful or hazardous or heavy or high risk) adj2 (drinking or drinker*))).ti,ab,kw.	367348
9	or/1-8	526517
10	naltrexone/	7697
11	naltrexon*.mp.	9660
12	Alcohol Deterrents/	1368
13	(alcohol adj1 deterrent*).ti,ab,kw.	50
14	or/10-13	10665
15	9 and 14	4210
16	((((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	601722
17	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	273581
18	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	168825
19	(patient* adj3 (random* or blind* or mask*)).ti,ab,kw.	104439
20	or/16-19	732461
21	15 and 20	1000
22	limit 15 to (randomized controlled trial or controlled clinical trial)	706
23	21 or 22	1120
24	limit 23 to (yr="2014-2017" and (english or danish or german or norwegian or swedish))	246

Embase

Database(s): **Embase** 1974 to 2017 October 30

Search Strategy:

#	Searches	Results
1	exp Alcohol-Related Disorders/	114066
2	exp Alcohol-Induced Disorders, Nervous System/	114066
3	exp Alcoholism/	114066
4	exp Alcohol Drinking/	44662
5	exp Alcohol Abstinence/	5741
6	exp Alcohol rehabilitation/	27
7	Substance Abuse Treatment Centers/	7883
8	Substance Withdrawal Syndrome/ or exp Substance Abuse/ or Substance Abuse Treatment Centers/ or Substance-Related Disorders/	87155
9	(alcohol* or alcohol-related or alcohol-induced or addiction* or contingen* or sobriety or ((problem* or binge or excessive or harmful or hazardous or heavy or high risk) adj2 (drinking or drinker*))).ti,ab,kw.	473018
10	or/1-9	562168
11	Naltrexone/	13251
12	naltrexon*.mp.	14501
13	"drugs used in the treatment of addiction"/	698
14	(alcohol adj1 deterrent*).ti,ab,kw.	63
15	or/11-14	15096
16	10 and 15	6093
17	((randomi* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	730242
18	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	343709
19	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	208840
20	(patient* adj3 (random* or blind* or mask*)).ti,ab,kw.	144528
21	or/17-20	903891
22	16 and 21	1170
23	limit 16 to randomized controlled trial	510
24	22 or 23	1279
25	limit 24 to (yr="2014-2017" and (english or danish or german or norwegian or swedish))	322

PsycInfo

Database(s): **PsycINFO** 1806 to October Week 4 2017

Search Strategy:

#	Searches	Results
1	exp Alcoholism/	29049
2	exp Alcohol abuse/	45218
3	exp Alcohol Abstinence/	1506
4	exp Alcohol rehabilitation/	10384
5	exp Alcohol Intoxication/	2946
6	exp Alcohol Withdrawal/	1214
7	exp Sobriety/	1506
8	(alcohol* or alcohol-related or alcohol-induced or addiction* or contingen* or sobriety or ((problem* or binge or excessive or harmful or hazardous or heavy or high risk) adj2 (drinking or drinker*))).ti,ab,id.	179065
9	or/1-8	181175
10	Naltrexone/	1759
11	Naltrexon*.mp.	3190
12	(alcohol adj1 deterrent*).ti,ab,id.	6
13	or/10-12	3196
14	9 and 13	1355
15	((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,id.	83016
16	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,id.	44474
17	((single or double or triple) adj2 (blind* or mask*)).ti,ab,id.	23715
18	(patient* adj3 (random* or blind* or mask*)).ti,ab,id.	7420
19	or/15-18	107083
20	14 and 19	495
21	limit 20 to (yr="2014-2017" and (english or danish or german or norwegian or swedish))	94