

Søgeprotokol for Opdatering på NKR Generaliserede Smerter i bevægeapparatet

Projekttitel/aspekt	Opdateret søgning på NKR Generaliserede smerter i bevægeapparatet - Primærlitteratur
Projektleder	Henriette Callesen
Fagkonsulent	Marianne Uggen Rasmussen
Søgespecialist	Kirsten Birkefoss
Senest opdateret	06.01.2018

Fokuserede spørgsmål	<p>PICO 3: Bør voksne med generaliserede smerter i bevægeapparatet tilbydes kognitiv adfærdsterapi i form af Kognitiv terapi?</p> <p>PICO 8: Bør voksne med generaliserede smerter i bevægeapparatet tilbydes behandling med opioider med dual action?</p> <p>PICO 9: Bør voksne med generaliserede smerter i bevægeapparatet tilbydes behandling med opioider uden dual action?</p> <p>PICO 10: Bør voksne med generaliserede smerter i bevægeapparatet tilbydes behandling med Tricykliske antidepressiva (TCA)?</p> <p>PICO 11: Bør voksne med generaliserede smerter i bevægeapparatet tilbydes behandling med Serotonin og Noradrenaline Reuptake Inhibitor (SNRI)?</p>
Søgetermer	Se søgestrategierne under de enkelte PICOs/PIROs
Inklusions- og eksklusionskriterier	<p>Sprog: Engelsk, tysk, dansk, norsk og svensk</p> <p>År: 2014 -2017</p> <p>Population: Alle</p> <p>Publikationstyper: RCT</p>

Informationskilder

DATABASER	INTERFACE	DATO FOR SØGNING
Medline	OVID	03.01.2018
Embase	OVID	03.01.2018
PsycInfo	OVID	03.01.2018
Cinahl	EBSCo	03.01.2018
Pedro (PICO 3)	Internet	06.12.2017

Note

- Søgetermer og inklusions- og eksklusionskriterier er tilpasset de enkelte databaser.
- Dubletter er så vidt muligt frasorteret ved hjælp af RefWorks. De fundne referencer overføres til Covidence (referenceværktøj)
- Fuldtekster præsenteres i Covidence i pdf-format
- Søgestrategi for hver enkelt database præsenteres – hvis muligt vises det eksplicit hvor mange referencer den enkelte søgestreng genererer

SØGESTRATEGI

Søgning på primære studier

PICO 3: Bør voksne med generaliserede smerter i bevægeapparatet tilbydes kognitiv adfærdsterapi i form af Kognitiv terapi?

Søgt 06.12.2017

Medline

Database(s): Ovid MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily, Ovid MEDLINE and Versions(R)

Search Strategy:

#	Searches	Results
1	exp Fibromyalgia/	8435
2	(widespread adj3 (musculoskeletal or muscular) adj3 pain).ti,ab,kw.	279
3	(chronic adj3 widespread adj3 pain).ti,ab,kw.	928
4	(generalized adj5 pain).ti,ab,kw.	1123
5	cwp.ti,ab,kw.	731
6	fibromyalgi*.ti,ab,kw.	9878
7	or/1-6	13008
8	exp Cognitive therapy/	24995
9	(cognitive adj3 (therap* or psychotherap*)).ti,ab,kw.	19642
10	cbt.ti,ab,kw.	9166
11	(Acceptance adj2 Commitment adj2 Therapy).ti,ab,kw.	591
12	act.ti,ab,kw.	250473
13	or/8-12	285350
14	7 and 13	511
15	limit 14 to (randomized controlled trial or controlled clinical trial)	91
16	((((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*))) or rct).ti,ab,kw.	613041
17	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	277175
18	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	170912
19	(patient* adj3 (random* or blind* or mask*)).ti,ab,kw.	106564
20	or/16-19	745650
21	14 and 20	168
22	15 or 21	183
23	limit 22 to (yr="2014-2017" and (english or danish or german or norwegian or swedish))	69

Embase

Database(s): Embase 1974 to 2017 December 05

Search Strategy:

#	Searches	Results
1	exp Fibromyalgia/	17427
2	(widespread adj3 (musculoskeletal or muscular) adj3 pain).ti,ab,kw.	384
3	(chronic adj3 widespread adj3 pain).ti,ab,kw.	1301
4	(generalized adj5 pain).ti,ab,kw.	1872
5	cwp.ti,ab,kw.	890
6	fibromyalgi*.ti,ab,kw.	14344
7	or/1-6	21262
8	exp Cognitive therapy/	43477
9	(cognitive adj3 (therap* or psychotherap*)).ti,ab,kw.	28434
10	cbt.ti,ab,kw.	12884
11	(Acceptance adj2 Commitment adj2 Therapy).ti,ab,kw.	930
12	act.ti,ab,kw.	286052
13	or/8-12	340663
14	7 and 13	1135
15	limit 14 to (randomized controlled trial or controlled clinical trial)	125
16	((((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*))) or rct).ti,ab,kw.	762481
17	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	346541
18	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	210400
19	(patient* adj3 (random* or blind* or mask*)).ti,ab,kw.	145914
20	or/16-19	935103
21	14 and 20	247
22	15 or 21	271
23	limit 22 to (yr="2014-2017" and (english or danish or german or norwegian or swedish))	77

PsycInfo

Database(s): **PsycINFO** 1806 to November Week 2 2017

Search Strategy:

#	Searches	Results
1	exp Fibromyalgia/	1723
2	(widespread adj3 (musculoskeletal or muscular) adj3 pain).ti,ab,id.	59
3	(chronic adj3 widespread adj3 pain).ti,ab,id.	237
4	(generalized adj5 pain).ti,ab,id.	217
5	cwp.ti,ab,id.	86
6	fibromyalgi*.ti,ab,id.	2853
7	or/1-6	3161
8	exp Cognitive therapy/	12811
9	(cognitive adj3 (therap* or psychotherap* or treat*)).ti,ab,id.	37560
10	cbt.ti,ab,id.	11431
11	(Acceptance adj2 Commitment adj2 Therapy).ti,ab,id.	1633
12	act.ti,ab,id.	65794
13	exp Cognitive Behavior Therapy/	17517
14	or/8-13	108819
15	7 and 14	202
16	((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,id.	83455
17	(placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) adj (blind* or mask*))).ti,ab,id.	44633
18	((patient* or client* or person*) adj6 (random* or placebo* or mask*)).ti,ab,id.	18461
19	or/16-18	110499
20	15 and 19	69
21	limit 20 to (yr="2014-2017" and (english or danish or german or norwegian or swedish))	17

Cinahl

#	Query	Limiters/Expanders	Results
S18	S7 AND S12 AND S17	Limiters - Published Date: 20140101-20171231; Language: Danish, English, German, Norwegian,	165

		Swedish Search modes - Boolean/Phrase	
S17	S13 OR S14 OR S15 OR S16	Search modes - Boolean/Phrase	255,353
S16	TX (patient* N3 (random* or blind* or mask*))	Search modes - Boolean/Phrase	40,626
S15	TX (placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) N1 (blind* or mask*))	Search modes - Boolean/Phrase	80,252
S14	TX (((random* or control#ed or crossover or cross-over or blind* or mask*) N3 (trial* or study or studies or analy*)) or rct)	Search modes - Boolean/Phrase	235,418
S13	PT Randomized Controlled Trial	Search modes - Boolean/Phrase	41,118
S12	S8 OR S9 OR S10 OR S11	Search modes - Boolean/Phrase	28,581
S11	TX (Acceptance N2 Commitment N2 Therapy)	Search modes - Boolean/Phrase	602
S10	TX (cbt)	Search modes - Boolean/Phrase	6,984
S9	TX (cognitive N3 (therap* or psychotherap* or treatment*))	Search modes - Boolean/Phrase	25,926
S8	(MH "Cognitive therapy+")	Search modes - Boolean/Phrase	10,750
S7	S1 OR S2 OR S3 OR S4 OR S5 OR S6	Search modes - Boolean/Phrase	8,242
S6	TX (fibromyalgi*)	Search modes - Boolean/Phrase	7,137
S5	TX (CWP)	Search modes - Boolean/Phrase	245
S4	TX (generalized N5 pain)	Search modes - Boolean/Phrase	828
S3	TX (chronic N3 widespread N3 pain)	Search modes - Boolean/Phrase	587
S2	TX (widespread N3 (musculoskeletal or muscular) N3 pain)	Search modes - Boolean/Phrase	240

S1	(MH "Fibromyalgia")	Search modes - Boolean/Phrase	3,454
----	---------------------	----------------------------------	-------

PEDRO

"Chronic widespread pain" or "Chronic fatigue" or "Chronic musculoskeletal pain" or Fibromyalgia or "Myalgic Encephalomyelitis" or "Generalized pain" or "Generalized musculoskeletal pain" or "Myofascial pain"

AND

"Cognitive therapy" or "cognitive behavior therapy" or "cognitive behavioral therapy" or "cognitive behaviour therapy" or "cognitive behavioural therapy" or "acceptance and commitment therapy"

Method: Clinical trial

Published: 2014-2017

PICO 8: Bør voksne med generaliserede smerter i bevægeapparatet tilbydes behandling med opioider med dual action?

PICO 9: Bør voksne med generaliserede smerter i bevægeapparatet tilbydes behandling med opioider uden dual action?

Samsøgt 03.01.2018

Medline

Database(s): Ovid MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily, Ovid MEDLINE and Versions(R)

Search Strategy:

#	Searches	Results
1	exp Fibromyalgia/	8638
2	(widespread adj3 (musculoskeletal or muscular) adj3 pain).ti,ab,kw.	288
3	(chronic adj3 widespread adj3 pain).ti,ab,kw.	957
4	(generalized adj5 pain).ti,ab,kw.	1143
5	cwp.ti,ab,kw.	741
6	fibromyalgi*.ti,ab,kw.	10116
7	or/1-6	13287
8	exp Analgesics, Opioid/	111601
9	exp Morphine Derivatives/	51702
10	Morphine/	39421
11	Codeine/	4541
12	Meperidine/	6055
13	hydromorphone/	1272
14	fentanyl/	13781
15	oxycodone/	2058
16	buprenorphine/	4903
17	tramadol/	2983
	(opioid* or opiat* or morphin* or codein* or Pethidin* or Meperidine or Ketobemidon*	
18	or hydromorphon* or oxycodon* or fentanyl or buprenorphin* or tramadol or tapentadol).ti,ab,kw.	152319
19	or/8-18	186432
20	7 and 19	437
21	limit 20 to randomized controlled trial	26
22	((random* or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	538725
23	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	283051
24	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	174054

25	((patient* or client* or person*) adj3 (random* or blind* or mask*)).ti,ab,kw.	111166
26	or/22-25	698716
27	20 and 26	76
28	21 or 27	77
29	limit 28 to (yr="2010-2017" and (english or danish or german or norwegian or swedish))	40

Embase

Database(s): Embase 1974 to 2018 January 02

Search Strategy:

#	Searches	Results
1	exp Fibromyalgia/	17536
2	(widespread adj3 (musculoskeletal or muscular) adj3 pain).ti,ab,kw.	388
3	(chronic adj3 widespread adj3 pain).ti,ab,kw.	1310
4	(generalized adj5 pain).ti,ab,kw.	1886
5	cwp.ti,ab,kw.	896
6	fibromyalgi*.ti,ab,kw.	14434
7	or/1-6	21404
8	exp Analgesics, Opioid/	301155
9	exp Morphine Derivative/	186174
10	Morphine/	97014
11	Codeine/	19615
12	Pethidine/	22598
13	Ketobemidone/	580
14	hydromorphone/	8485
15	fentanyl/	56588
16	oxycodone/	14615
17	buprenorphine/	14719
18	tramadol/	17751
19	tapentadol/	1181
	(opiod* or opiat* or morphin* or codein* or Meperidin* or Pethidin* or Ketobemidon*	
20	or hydromorphon* or oxycodon* or fentanyl or buprenorphin* or tramadol or tapentadol).ti,ab,kw.	190371
21	or/8-20	364474
22	7 and 21	2070
23	limit 22 to randomized controlled trial	91
24	((random* or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	663003
25	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	349012

26	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	211788
27	((patient* or client* or person*) adj3 (random* or blind* or mask*)).ti,ab,kw.	150468
28	or/24-27	869294
29	22 and 28	257
30	23 or 29	280
31	limit 30 to (yr="2010-2017" and (english or danish or german or norwegian or swedish))	165

Cinahl

#	Query	Limiters/Expanders	Results
S17	S7 AND S11 AND S16	Limiters - Published Date: 20100101-20171231; Language: Danish, English, German, Norwegian, Swedish Search modes - Boolean/Phrase	18
S16	S12 OR S13 OR S14 OR S15	Search modes - Boolean/Phrase	145,830
S15	((patient* or client* or person*) N3 (random* or blind* or mask*))	Search modes - Boolean/Phrase	21,257
S14	(placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) N1 (blind* or mask*))	Search modes - Boolean/Phrase	53,505
S13	((((random* or crossover or cross-over or blind* or mask*) N3 (trial* or study or studies or analy*)) or rct)	Search modes - Boolean/Phrase	129,557
S12	PT Randomized Controlled Trial	Search modes - Boolean/Phrase	41,118
S11	S8 OR S9 OR S10	Search modes - Boolean/Phrase	31,937
S10	(opioid* or opiat* or morphin* or codein* or Meperidin* or Pethidin* or Ketobemidon* or hydromorphon* or oxycodon* or fentanyl or buprenorphin* or tramadol or tapentadol)	Search modes - Boolean/Phrase	24,366
S9	(MH "Narcotics+")	Search modes - Boolean/Phrase	20,162
S8	(MH "Analgesics, Opioid+")	Search modes -	17,608

		Boolean/Phrase	
S7	S1 OR S2 OR S3 OR S4 OR S5 OR S6	Search modes - Boolean/Phrase	8,242
S6	TX (fibromyalgi*)	Search modes - Boolean/Phrase	7,137
S5	TX (CWP)	Search modes - Boolean/Phrase	245
S4	TX (generalized N5 pain)	Search modes - Boolean/Phrase	828
S3	TX (chronic N3 widespread N3 pain)	Search modes - Boolean/Phrase	587
S2	TX (widespread N3 (musculoskeletal or muscular) N3 pain)	Search modes - Boolean/Phrase	240
S1	(MH "Fibromyalgia")	Search modes - Boolean/Phrase	3,454

PICO 10: Bør voksne med generaliserede smerter i bevægeapparatet tilbydes behandling med Tricykliske antidepressiva (TCA)?

Søgt 03.01.2018

Medline

Database(s): Ovid MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily, Ovid MEDLINE and Versions(R)

Search Strategy:

#	Searches	Results
1	exp Fibromyalgia/	8638
2	(widespread adj3 (musculoskeletal or muscular) adj3 pain).ti,ab,kw.	288
3	(chronic adj3 widespread adj3 pain).ti,ab,kw.	957
4	(generalized adj5 pain).ti,ab,kw.	1143
5	cwp.ti,ab,kw.	741
6	fibromyalgi*.ti,ab,kw.	10116
7	or/1-6	13287
8	Antidepressive Agents, Tricyclic/	10865
9	Amitriptyline/	6841
10	Imipramine/	10412
11	Nortriptyline/	2277
12	Clomipramine/	2999
13	Maprotiline/	942
14	Dothiepin/	307
15	Doxepin/	856
16	(tca or Amitriptylin* or Imipramin* or Nortriptylin* or Clomipramin* or Maprotilin* or dosulepin* or Dothiepin* or Doxepin*).ti,ab,kw.	31593
17	((anti-depressive or antidepressive or anti-depressant or antidepressant) adj3 (drug* or agent* or pill*1)).ti,ab,kw.	10593
18	(anti-depressants or antidepressants or anti-depressi* or antidepressi*).ti,ab,kw.	38231
19	17 or 18	44137
20	(tricyclic or tri-cyclic).ti,ab,kw,kf.	15974
21	19 and 20	9212
22	or/8-16,21	47941
23	7 and 22	360
24	limit 23 to randomized controlled trial	47
25	((random* or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	538725
26	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	283051
27	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	174054

28	((patient* or client* or person*) adj3 (random* or blind* or mask*)).ti,ab,kw.	111166
29	or/25-28	698716
30	23 and 29	124
31	24 or 30	131
32	limit 31 to (yr="2010-2017" and (english or danish or german or norwegian or swedish))	47

Embase

Database(s): Embase 1974 to 2018 January 02

Search Strategy:

#	Searches	Results
1	exp Fibromyalgia/	17536
2	(widespread adj3 (musculoskeletal or muscular) adj3 pain).ti,ab,kw.	388
3	(chronic adj3 widespread adj3 pain).ti,ab,kw.	1310
4	(generalized adj5 pain).ti,ab,kw.	1886
5	cwp.ti,ab,kw.	896
6	fibromyalgi*.ti,ab,kw.	14434
7	or/1-6	21404
8	exp tricyclic antidepressant agent/	108658
9	Amitriptyline/	37421
10	Imipramine/	34286
11	Nortriptyline/	14271
12	Clomipramine/	17057
13	Maprotiline/	6052
14	Dothiepin/	2347
15	Doxepin/	9018
16	(tca or Amitriptylin* or Imipramin* or Nortriptylin* or Clomipramin* or Maprotilin* or dosulepin* or Dothiepin* or Doxepin*).ti,ab,kw.	36989
17	((anti-depressive or antidepressive or anti-depressant or antidepressant) adj3 (drug* or agent* or pill*1)).ti,ab,kw.	14461
18	(anti-depressants or antidepressants or anti-depressi* or antidepressi*).ti,ab,kw.	52345
19	17 or 18	59996
20	(tricyclic or tri-cyclic).ti,ab,kw,kf.	20791
21	19 and 20	11722
22	or/8-16,21	123869
23	7 and 22	1698
24	limit 23 to randomized controlled trial	118
25	((random* or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	663003
26	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	349012
27	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	211788

28	((patient* or client* or person*) adj3 (random* or blind* or mask*)).ti,ab,kw.	150468
29	or/25-28	869294
30	23 and 29	266
31	24 or 30	301
32	limit 31 to (yr="2010-2017" and (english or danish or german or norwegian or swedish))	113

PsycInfo

Database(s): PsycINFO 1806 to December Week 4 2017

Search Strategy:

#	Searches	Results
1	exp Fibromyalgia/	1747
2	(widespread adj3 (musculoskeletal or muscular) adj3 pain).ti,ab,id.	61
3	(chronic adj3 widespread adj3 pain).ti,ab,id.	243
4	(generalized adj5 pain).ti,ab,id.	220
5	cwp.ti,ab,id.	90
6	fibromyalgi*.ti,ab,id.	2886
7	or/1-6	3199
8	exp Tricyclic Antidepressant Drugs/	6294
9	Amitriptyline/	1299
10	Imipramine/	2286
11	Nortriptyline/	308
12	Clomipramine/	1128
13	Maprotiline/	222
14	Doxepin/	56
15	(tca or Amitriptylin* or Imipramin* or Nortriptylin* or Clomipramin* or Maprotilin* or dosulepin* or Dothiepin* or Doxepin*).ti,ab,id.	9346
16	((anti-depressive or antidepressive or anti-depressant or antidepressant) adj3 (drug* or agent* or pill*1)).ti,ab,id.	5993
17	(anti-depressants or antidepressants or anti-depressi* or antidepressi*).ti,ab,id.	21229
18	16 or 17	24229
19	(tricyclic or tri-cyclic).ti,ab,id.	5055
20	18 and 19	4101
21	or/8-15,20	13095
22	7 and 21	70
23	((random* or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,id.	68089
24	(placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) adj (blind* or mask*))).ti,ab,id.	44890
25	((patient* or client* or person*) adj6 (random* or placebo* or mask*)).ti,ab,id.	18621
26	or/23-25	99225

27 22 and 26

28

28 limit 27 to (yr="2010-2017" and (english or danish or german or norwegian or swedish)) 11

Cinahl

#	Query	Limiters/Expanders	Result:
S17	S7 AND S11 AND S16	Limiters - Published Date: 20100101-20171231; Language: Danish, English, German, Norwegian, Swedish Search modes - Boolean/Phrase	15
S16	S12 OR S13 OR S14 OR S15	Search modes - Boolean/Phrase	145,48
S15	((patient* or client* or person*) N3 (random* or blind* or mask*))	Search modes - Boolean/Phrase	21,203
S14	(placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) N1 (blind* or mask*))	Search modes - Boolean/Phrase	53,398
S13	((((random* or crossover or cross-over or blind* or mask*) N3 (trial* or study or studies or analy*)) or rct)	Search modes - Boolean/Phrase	129,21
S12	PT Randomized Controlled Trial	Search modes - Boolean/Phrase	41,118
S11	S8 OR S9 OR S10	Search modes - Boolean/Phrase	9,468
S10	((anti-depressive or antidepressive or anti-depressant or antidepressants) and (tricyclic or tri-cyclic))	Search modes - Boolean/Phrase	1,748
S9	tca or Amitriptylin* or Imipramin* or Nortriptylin* or Clomipramin* or Maprotilin* or dosulepin* or Dothiepin* or Doxepin*	Search modes - Boolean/Phrase	412
S8	(MH "Antidepressive Agents, Tricyclic+")	Search modes - Boolean/Phrase	8,950

S7	S1 OR S2 OR S3 OR S4 OR S5 OR S6	Search modes - Boolean/Phrase	8,211
S6	TX (fibromyalgi*)	Search modes - Boolean/Phrase	7,113
S5	TX (CWP)	Search modes - Boolean/Phrase	244
S4	TX (generalized N5 pain)	Search modes - Boolean/Phrase	824
S3	TX (chronic N3 widespread N3 pain)	Search modes - Boolean/Phrase	581
S2	TX (widespread N3 (musculoskeletal or muscular) N3 pain)	Search modes - Boolean/Phrase	239
S1	(MH "Fibromyalgia")	Search modes - Boolean/Phrase	3,444

PICO 11: Bør voksne med generaliserede smerter i bevægeapparatet tilbydes behandling med Serotonin og Noradrenaline Reuptake Inhibitor (SNRI)?

Søgt 03.01.2018

Medline

Database(s): Ovid MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily, Ovid MEDLINE and Versions(R)

Search Strategy:

#	Searches	Results
1	exp Fibromyalgia/	8638
2	(widespread adj3 (musculoskeletal or muscular) adj3 pain).ti,ab,kw.	288
3	(chronic adj3 widespread adj3 pain).ti,ab,kw.	957
4	(generalized adj5 pain).ti,ab,kw.	1143
5	cwp.ti,ab,kw.	741
6	fibromyalgi*.ti,ab,kw.	10116
7	or/1-6	13287
8	Exp "serotonin and noradrenalin reuptake inhibitors"/	4252
9	Venlafaxine Hydrochloride/	2597
10	Duloxetine Hydrochloride/	1514
11	(snri* or nsri* or Venlafaxin* or duloxetin*).ti,ab,kw,kf.	6741
12	(serotonin and (noradrenalin or norepinephrine or (dual adj1 (serotonin-norepinephrine or uptake))))).ti,ab,kw.	9585
13	or/8-12	15594
14	7 and 13	396
15	limit 14 to randomized controlled trial	46
16	((((random* or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	538725
17	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	283051
18	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	174054
19	((patient* or client* or person*) adj3 (random* or blind* or mask*)).ti,ab,kw.	111166
20	or/16-19	698716
21	14 and 20	156
22	15 or 21	157
23	limit 22 to (yr="2010-2017" and (english or danish or german or norwegian or swedish))	97

Embase

Database(s): Embase 1974 to 2018 January 02

Search Strategy:

#	Searches	Results
1	exp Fibromyalgia/	17536
2	(widespread adj3 (musculoskeletal or muscular) adj3 pain).ti,ab,kw.	388
3	(chronic adj3 widespread adj3 pain).ti,ab,kw.	1310
4	(generalized adj5 pain).ti,ab,kw.	1886
5	cwp.ti,ab,kw.	896
6	fibromyalgi*.ti,ab,kw.	14434
7	or/1-6	21404
8	exp "serotonin noradrenalin reuptake inhibitor"/	99084
9	Venlafaxine/	19468
10	Duloxetine/	9413
11	(snri* or nsri* or Venlafaxin* or duloxetin*).ti,ab,kw,kf.	10160
12	(serotonin and (noradrenalin or norepinephrine or (dual adj1 (serotonin-norepinephrine or uptake))))).ti,ab,kw.	11457
13	or/8-12	107930
14	7 and 13	1635
15	limit 14 to randomized controlled trial	132
16	((random* or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	663003
17	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	349012
18	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	211788
19	((patient* or client* or person*) adj3 (random* or blind* or mask*)).ti,ab,kw.	150468
20	or/16-19	869294
21	14 and 20	382
22	15 or 21	406
23	limit 22 to (yr="2010-2017" and (english or danish or german or norwegian or swedish))	257

PsycINFO

Database(s): PsycINFO 1806 to December Week 4 2017

Search Strategy:

#	Searches	Results
1	exp Fibromyalgia/	1747
2	(widespread adj3 (musculoskeletal or muscular) adj3 pain).ti,ab,id.	61
3	(chronic adj3 widespread adj3 pain).ti,ab,id.	243
4	(generalized adj5 pain).ti,ab,id.	220
5	cwp.ti,ab,id.	90

6	fibromyalgi*.ti,ab,id.	2886
7	or/1-6	3199
8	exp Serotonin Norepinephrine Reuptake Inhibitors/	1557
9	Venlafaxine/	1223
10	Duloxetine/	0
11	(SNRI* or NSRI* or Venlafaxin* or duloxetine*).ti,ab,id.	3355
12	(serotonin and (noradrenalin or norepinephrine or NSRI or (dual adj1 (serotonin-norepinephrine or uptake))).ti,ab,id.	3166
13	or/8-12	5969
14	7 and 13	110
15	((random* or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,id.	68089
16	(placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) adj (blind* or mask*))).ti,ab,id.	44890
17	((patient* or client* or person*) adj6 (random* or placebo* or mask*)).ti,ab,id.	18621
18	or/15-17	99225
19	14 and 18	34
20	limit 19 to (yr="2010-2017" and (english or danish or german or norwegian or swedish))	18

Cinahl

#	Query	Limiters/Expanders	Results
S17	S7 AND S11 AND S16	Limiters - Published Date: 20140101-20171231; Language: Danish, English, German, Norwegian, Swedish Search modes - Boolean/Phrase	26
S16	S12 OR S13 OR S14 OR S15	Search modes - Boolean/Phrase	145,486
S15	((patient* or client* or person*) N3 (random* or blind* or mask*))	Search modes - Boolean/Phrase	21,203
S14	(placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) N1 (blind* or mask*))	Search modes - Boolean/Phrase	53,398
S13	((random* or crossover or cross-over or blind* or mask*) N3 (trial* or study or studies or analy*)) or rct)	Search modes - Boolean/Phrase	129,215

S12	PT Randomized Controlled Trial	Search modes - Boolean/Phrase	41,118
S11	S8 OR S9 OR S10	Search modes - Boolean/Phrase	12,987
S10	(serotonin and (noradrenalin or norepinephrine or NSRI or dual serotonin-norepinephrine))	Search modes - Boolean/Phrase	512
S9	SNRI* or nsri* or Venlafaxin* or duloxetine*	Search modes - Boolean/Phrase	160
S8	((MH "Serotonin Uptake Inhibitors+"))	Search modes - Boolean/Phrase	12,713
S7	S1 OR S2 OR S3 OR S4 OR S5 OR S6	Search modes - Boolean/Phrase	8,211
S6	TX (fibromyalgi*)	Search modes - Boolean/Phrase	7,113
S5	TX (CWP)	Search modes - Boolean/Phrase	244
S4	TX (generalized N5 pain)	Search modes - Boolean/Phrase	824
S3	TX (chronic N3 widespread N3 pain)	Search modes - Boolean/Phrase	581
S2	TX (widespread N3 (musculoskeletal or muscular) N3 pain)	Search modes - Boolean/Phrase	239
S1	(MH "Fibromyalgia")	Search modes - Boolean/Phrase	3,444