



1 PICO 1a Igangsættelse af fødslen ved 41+0 versus ekspektierende


1.1 Intrauterin fosterdød (stillbirth)




1.2 Perinatal død (perinatal death)



1.3 Terapeutisk hypotermi (therapeutic hypothermia)



1.4 Alvorlige skadevirkninger (hyperstimulation, abruptio, ruptur)




Test for subgroup differences: Chi² = 0.20, df = 1 (P = 0.65), I² = 0%

Footnotes


- (1) 41+0 vs 42+0
- (2) 41+0 vs 44+0
- (3) 41+0 vs 44+0
- (4) 41+0 vs 42+0

1.5 Fødsels- og graviditetsoplevelse (maternal satisfaction) - kontinert




1.6 Fødsels- og graviditetsoplevelse (maternal satisfaction)

Study or Subgroup	Igangsættelse 41+0		Ekspekterende		Total	Weight	Risk Ratio M-H, Random, 95% CI	Risk Ratio M-H, Random, 95% CI	Risk of Bias														
	Events	Total	Events	Total					A	B	C	D	E	F	G								
1.6.1 Igangsættelse 41+3-5																							
Subtotal (95% CI)	0	0	0	0	0	0	Not estimable																
Total events	0	0	0	0	0	0																	
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
1.6.2 Igangsættelse senest 42+0																							
Subtotal (95% CI)	0	0	0	0	0	0	Not estimable																
Total events	0	0	0	0	0	0																	
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
1.6.3 Igangsættelse senest efter 42+0 eller ikke rapporteret																							
Heimstad 2007 (1)	184	250	94	246	100.0%	100.0%	1.93 [1.62, 2.30]																
Subtotal (95% CI)	184	250	94	246	100.0%	100.0%	1.93 [1.62, 2.30]																
Total events	184	250	94	246	100.0%	100.0%																	
Heterogeneity: Not applicable																							
Test for overall effect: Z = 7.33 (P < 0.00001)																							




Footnotes
 (1) 41+0 vs 43+0. "Hoping to be randomised to the same trial arm as they had been in this study"

1.7 Arteriel navlesnors pH < 7.00




Footnotes:
 (1) pH<7.05
 (2) Rapportere metabolisk acidose (pH<7.05 og base excess mere end 12)
 (3) pH<7.10!
 (4) pH<7.0


1.8 Appar score mindre end 7 efter 5 min



1.9 Amning (breastfeeding)



1.10 Maternel infektion (endometrit, sepsis)




Test for subgroup differences: Chi² = 0.02, df = 1 (P = 0.89), I² = 0%


Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias


1.11 Postpartum blødning (postpartum haemorrhage)




Footnotes
 (1) ≥ 1000 mL
 (2) > 1000 mL
 (3) > 500 mL




1.13 Kejsersnit (caesarean section)



1.14 Instrumental vaginal forløsning (operative vaginal birth)




1.15 Intrauterin væksthæmning (fetal growth restriction)



2 PICO 1b igangsættelse af fødslen ved 41+3-5 versus ekspekterende

2.1 Intrauterin fosterdød (stillbirth)



2.2 Perinatal død (perinatal death)

Study or Subgroup	Igangsættels 41+3-5		Ekspekterende		Risk Ratio	Risk Ratio		Risk of Bias						
	Total	Events	Total	Events		M-H, Random, 95% CI	M-H, Random, 95% CI	A	B	C	D	E	F	G
2.2.1 Igangsættelse senest 42+0														
Subtotal (95% CI)	0	0	0	0										
Total events	0	0	0	0										
Heterogeneity: Not applicable														
Test for overall effect: Not applicable														
2.2.2 Igangsættelse senest efter 42+0 eller ikke rapporteret														
Chanrachkul 2003 (1)	0	124	0	125										
Suikkari 1983 (2)	0	66	0	53										
Subtotal (95% CI)	0	190	0	178										
Total events	0	0	0	0										
Heterogeneity: Not applicable														
Test for overall effect: Not applicable														
Total (95% CI)	0	190	0	178										
Total events	0	0	0	0										
Heterogeneity: Not applicable														
Test for overall effect: Not applicable														
Test for subgroup differences: Not applicable														
Footnotes														
(1) 0 events														
(2) 0 events														



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias



2.3 Terapeutisk hypotermi (therapeutic hypothermia)

Study or Subgroup	Igangsættelse 41+3-5		Ekspekterende		Total Weight	Risk Ratio M-H, Random, 95% CI	Risk Ratio M-H, Random, 95% CI	Risk of Bias															
	Events	Total	Events	Total				A	B	C	D	E	F	G									
2.3.1 Igangsættelse senest 42+0																							
Subtotal (95% CI)	0	0	0	0	0		Not estimable																
Total events	0	0	0	0	0																		
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
2.3.2 Igangsættelse senest efter 42+0 eller ikke rapporteret																							
Subtotal (95% CI)	0	0	0	0	0		Not estimable																
Total events	0	0	0	0	0																		
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
Total (95% CI)	0	0	0	0	0		Not estimable																
Total events	0	0	0	0	0																		
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
Test for subgroup differences: Not applicable																							



- Risk of bias legend**
- (A) Random sequence generation (selection bias)
 - (B) Allocation concealment (selection bias)
 - (C) Blinding of participants and personnel (performance bias)
 - (D) Blinding of outcome assessment (detection bias)
 - (E) Incomplete outcome data (attrition bias)
 - (F) Selective reporting (reporting bias)
 - (G) Other bias

2.4.4 I øvrige skadevirkninger (hyperstimulation, abruptio, hyperstimulation)

Study or Subgroup	Igangsættelse 41+3-5		Ekspekterende		Total Weight	Risk Ratio M-H, Random, 95% CI	Risk Ratio M-H, Random, 95% CI	Risk of Bias																
	Events	Total	Events	Total				A	B	C	D	E	F	G										
2.4.1 Hyperstimulation																								
Subtotal (95% CI)	0	0	0	0	0		Not estimable																	
Total events	0	0	0	0	0																			
Heterogeneity: Not applicable																								
Test for overall effect: Not applicable																								
2.4.2 Abruptio placentae																								
Subtotal (95% CI)	0	0	0	0	0		Not estimable																	
Total events	0	0	0	0	0																			
Heterogeneity: Not applicable																								
Test for overall effect: Not applicable																								
2.4.3 Ruptur																								
Subtotal (95% CI)	0	0	0	0	0		Not estimable																	
Total events	0	0	0	0	0																			
Heterogeneity: Not applicable																								
Test for overall effect: Not applicable																								




2.5 Fødsels- og graviditetsoplevelse (maternal satisfaction)

Study or Subgroup	Igangsættelse 41+3-5		Ekspekterende		Total	Weight	Mean Difference IV, Random, 95% CI	Mean Difference IV, Random, 95% CI	Risk of Bias									
	Mean	SD	Mean	SD						A	B	C	D	E	F	G		
2.5.1 Igangsættelse senest 42+0	0		0		0	0	Not estimable											
Subtotal (95% CI)																		
Heterogeneity: Not applicable																		
Test for overall effect: Not applicable																		
2.5.2 Igangsættelse senest efter 42+0 eller ikke rapporteret	0		0		0	0	Not estimable											
Subtotal (95% CI)																		
Heterogeneity: Not applicable																		
Test for overall effect: Not applicable																		
Total (95% CI)																		
Heterogeneity: Not applicable																		
Test for overall effect: Not applicable																		
Test for subgroup differences: Not applicable																		




- Risk of bias legend**
- (A) Random sequence generation (selection bias)
 - (B) Allocation concealment (selection bias)
 - (C) Blinding of participants and personnel (performance bias)
 - (D) Blinding of outcome assessment (detection bias)
 - (E) Incomplete outcome data (attrition bias)
 - (F) Selective reporting (reporting bias)
 - (G) Other bias


2.6 Arteriel navlesnors pH < 7.00




2.7 Appar score mindre end 7 efter 5 min




2.8 Amning (breastfeeding)



2.9 Maternal infektion (endometrit, sepsis)



2.10 Postpartum blødning (postpartum haemorrhage)




2.11 Epidural bedøvelse (epidural)

Study or Subgroup	Igangsættelse 41+3-5		Ekspekterende		Total Weight	Risk Ratio M-H,Random,95% CI	Risk Ratio M-H,Random,95% CI	Risk of Bias															
	Events	Total	Events	Total				A	B	C	D	E	F	G									
2.11.1 Igangsættelse senest 42+0																							
Subtotal (95% CI)	0	0	0	0	0		Not estimable																
Total events	0		0																				
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
2.11.2 Igangsættelse senest efter 42+0 eller ikke rapporteret																							
Subtotal (95% CI)	0	0	0	0	0		Not estimable																
Total events	0		0																				
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							

Risk of bias legend


- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

2.12 Kejsersnit (caesarean section)



2.13 Instrumental vaginal forløsning (operative vaginal birth)

Study or Subgroup	Igangsættels 41+3-5		Ekspekterende		Total Weight	Risk Ratio M-H,Random,95% CI	Risk Ratio M-H,Random,95% CI	Risk of Bias															
	Events	Total	Events	Total				A	B	C	D	E	F	G									
2.13.1 Igangsættelse senest 42+0																							
Subtotal (95% CI)	0	0	0	0	0																		
Total events	0	0	0	0	0																		
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
2.13.2 Igangsættelse senest efter 42+0 eller ikke rapporteret																							
Subtotal (95% CI)	0	0	0	0	0																		
Total events	0	0	0	0	0																		
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
Total (95% CI)	0	0	0	0	0																		
Total events	0	0	0	0	0																		
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
Test for subgroup differences: Not applicable																							



- Risk of bias legend**
- (A) Random sequence generation (selection bias)
 - (B) Allocation concealment (selection bias)
 - (C) Blinding of participants and personnel (performance bias)
 - (D) Blinding of outcome assessment (detection bias)
 - (E) Incomplete outcome data (attrition bias)
 - (F) Selective reporting (reporting bias)
 - (G) Other bias

2.14 Intrauterin væksthæmning (fetal growth restriction)


Study or Subgroup	Igangsættelse 41+3-5		Ekspekterende		Total Weight	Risk Ratio M-H, Random, 95% CI	Risk Ratio M-H, Random, 95% CI	Risk of Bias															
	Events	Total	Events	Total				A	B	C	D	E	F	G									
2.14.1 Igangsættelse senest 42+0																							
Subtotal (95% CI)	0	0	0	0	0		Not estimable																
Total events	0	0	0	0																			
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
2.14.2 Igangsættelse senest efter 42+0 eller ikke rapporteret																							
Subtotal (95% CI)	0	0	0	0	0		Not estimable																
Total events	0	0	0	0																			
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
Total (95% CI)	0	0	0	0	0		Not estimable																
Total events	0	0	0	0																			
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
Test for subgroup differences: Not applicable																							




Risk of bias legend
 (A) Random sequence generation (selection bias)
 (B) Allocation concealment (selection bias)
 (C) Blinding of participants and personnel (performance bias)
 (D) Blinding of outcome assessment (detection bias)
 (E) Incomplete outcome data (attrition bias)
 (F) Selective reporting (reporting bias)
 (G) Other bias

3 Igangsættelse af fødslen 41+0-5 versus ekspekterende (subgruppe ift. paritet)


3.1 Intrauterin fosterdød (stillbirth)




3.2 Perinatal død (perinatal death)




3.3 Appar score mindre end 7 efter 5 min




3.4 Kejsersnit (caesarean section)




3.5 Instrumental vaginal forløsning (operative vaginal birth)



3.6 Mekonium aspiration (meconium aspirations syndrome)




3.7 Indlæggelse på neonatal afdeling (admission to neonatal intensive care unit)




4 Igangsættelse af fødslen 41+0-5 versus ekspekterende (subgruppe ftft monitorering)


4.1 Intrauterin fosterdød (stillbirth)




4.2 Perinatal død (perinatal death)




4.3 Appar score mindre end 7 efter 5 min




4.4 Kajsersnit (caesarean section)




4.5 Instrumental vaginal forløsning (operative vaginal birth)



4.6 Mekonium aspiration (meconium aspirations syndrome)




4.7 Indlæggelse på neonatal afdeling (admission to neonatal intensive care unit)




5 PICO 1a - extra outcomes


5.1 Neonatal encephalopathy (HIE)



5.16 Birth asphyxia




5.17 Admission to neonatal intensive care unit



- Risk of bias legend
- (A) Random sequence generation (selection bias)
 - (B) Allocation concealment (selection bias)
 - (C) Blinding of participants and personnel (performance bias)
 - (D) Blinding of outcome assessment (detection bias)
 - (E) Incomplete outcome data (attrition bias)
 - (F) Selective reporting (reporting bias)
 - (G) Other bias


5.18 Mekonium aspiration (meconium aspirations syndrome)



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

5.19 Length of labour (hours)



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

6 PICO 1b - extra outcomes


6.16 Neonatal encephalopathy (HIE)

Study or Subgroup	Induction		Expectant		Total	Weight	Risk Ratio M-H,Random,95% CI	Risk Ratio M-H,Random,95% CI	Risk of Bias															
	Events	Total	Events	Total					A	B	C	D	E	F	G									
6.16.1 Igangsættelse senest 42+0																								
Subtotal (95% CI)	0	0	0	0	0																			
Total events	0	0	0	0	0																			
Heterogeneity: Not applicable																								
Test for overall effect: Not applicable																								
6.16.2 Igangsættelse senest efter 42+0 eller ikke rapporteret																								
Subtotal (95% CI)	0	0	0	0	0																			
Total events	0	0	0	0	0																			
Heterogeneity: Not applicable																								
Test for overall effect: Not applicable																								
Total (95% CI)	0	0	0	0	0																			
Total events	0	0	0	0	0																			
Heterogeneity: Not applicable																								
Test for overall effect: Not applicable																								
Test for subgroup differences: Not applicable																								




Risk of bias legend
 (A) Random sequence generation (selection bias)
 (B) Allocation concealment (selection bias)
 (C) Blinding of participants and personnel (performance bias)
 (D) Blinding of outcome assessment (detection bias)
 (E) Incomplete outcome data (attrition bias)
 (F) Selective reporting (reporting bias)
 (G) Other bias

6.17 Birth asphyxia



6.18 Admission to neonatal intensive care unit



6.19 Meconium aspiration syndrome

Study or Subgroup	Induction		Expectant		Total	Weight	Risk Ratio M-H,Random,95% CI	Risk Ratio M-H,Random,95% CI	Risk of Bias																				
	Events	Total	Events	Total					A	B	C	D	E	F	G														
6.19.1 Igangsættelse senest 42+0																													
Subtotal (95% CI)	0	0	0	0	0																								
Total events	0	0	0	0	0																								
Heterogeneity: Not applicable																													
Test for overall effect: Not applicable																													
6.19.2 Igangsættelse senest efter 42+0 eller ikke rapporteret																													
Subtotal (95% CI)	0	0	0	0	0																								
Total events	0	0	0	0	0																								
Heterogeneity: Not applicable																													
Test for overall effect: Not applicable																													
Total (95% CI)	0	0	0	0	0																								
Total events	0	0	0	0	0																								
Heterogeneity: Not applicable																													
Test for overall effect: Not applicable																													
Test for subgroup differences: Not applicable																													



Risk of bias legend
 (A) Random sequence generation (selection bias)
 (B) Allocation concealment (selection bias)
 (C) Blinding of participants and personnel (performance bias)
 (D) Blinding of outcome assessment (detection bias)
 (E) Incomplete outcome data (attrition bias)
 (F) Selective reporting (reporting bias)
 (G) Other bias

6.20 Length of labour (hours)

Study or Subgroup	Induction		Expectant		Total Weight	Mean Difference IV, Random, 95% CI	Mean Difference IV, Random, 95% CI	Risk of Bias																
	Mean	SD	Mean	SD				A	B	C	D	E	F	G										
6.20.1 Igangsættelse senest 42+0																								
Subtotal (95% CI)	0		0		0		Not estimable																	
Heterogeneity: Not applicable																								
Test for overall effect: Not applicable																								
6.20.2 Igangsættelse senest efter 42+0 eller ikke rapporteret																								
Subtotal (95% CI)	0		0		0		Not estimable																	
Heterogeneity: Not applicable																								
Test for overall effect: Not applicable																								
Total (95% CI)	0		0		0		Not estimable																	
Heterogeneity: Not applicable																								
Test for overall effect: Not applicable																								
Test for subgroup differences: Not applicable																								

Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

