

1 PICO 1a Igangsættelse af fødslen ved 41+0 versus ekspekterende

1.1 Intrauterin fosterdød (stillbirth)_kritisk



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias


1.2 Perinatal død (perinatal death)_kritisk

Study or Subgroup	Igangsættelse 41+0		Ekspekterende		Peto Odds Ratio Peto, Fixed, 95% CI	Peto Odds Ratio Peto, Fixed, 95% CI	Risk of Bias						
	Events	Total	Events	Total			Weight	A	B	C	D	E	F
1.2.1 Igangsættelse 41+3-5													
Subtotal (95% CI)	0	0	0	0	0	Not estimable							
Total events	0	0	0	0									
Heterogeneity: Not applicable													
Test for overall effect: Not applicable													
1.2.2 Igangsættelse senest 42+0													
Gelisen 2005	0	300	1	300	7.7%	0.14 [0.00, 6.82]	?	?	?	?	?	?	?
Keulen 2019	1	900	2	901	23.1%	0.51 [0.05, 4.94]	+	+	+	+	+	+	+
Wennerholm 2019	0	1381	6	1379	46.1%	0.13 [0.03, 0.67]	+	+	+	+	+	+	+
Subtotal (95% CI)	1	2581	9	2580	76.9%	0.20 [0.06, 0.70]	+	+	+	+	+	+	+
Total events	1		9										
Heterogeneity: Chi ² = 0.94, df = 2 (P = 0.63); I ² = 0%													
Test for overall effect: Z = 2.53 (P = 0.01)													
1.2.3 Igangsættelse senest efter 42+0 eller ikke rapporteret													
Hannah 1992	0	1701	2	1706	15.4%	0.14 [0.01, 2.17]	?	?	?	?	?	?	?
Heimstad 2007	0	254	1	254	7.7%	0.14 [0.00, 6.82]	+	+	+	+	+	+	+
Subtotal (95% CI)	0	1955	3	1960	23.1%	0.14 [0.01, 1.30]	+	+	+	+	+	+	+
Total events	0		3										
Heterogeneity: Chi ² = 0.00, df = 1 (P = 1.00); I ² = 0%													
Test for overall effect: Z = 1.73 (P = 0.08)													
Total (95% CI)	1	4536	12	4540	100.0%	0.18 [0.06, 0.55]							
Total events	1		12										
Heterogeneity: Chi ² = 1.03, df = 4 (P = 0.91); I ² = 0%													
Test for overall effect: Z = 3.05 (P = 0.002)													
Test for subgroup differences: Chi ² = 0.09, df = 1 (P = 0.76), I ² = 0%													


Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

1.3 Terapeutisk hypotermi (therapeutic hypothermia)



1.4. Alvorlige skadevirkninger (hyperstimulation, abruptio, ruptur)



Footnotes

- (1) 41+0 vs 42+0
- (2) 41+0 vs 44+0
- (3) 41+0 vs 44+0
- (4) 41+0 vs 42+0

1.5 Fødsels- og graviditetsoplevelse (maternal satisfaction)

Study or Subgroup	Igangsættelse 41+0		Ekspekterende		Risk Ratio	Risk Ratio		Risk of Bias						
	Events	Total	Events	Total		M-H, Random, 95% CI	M-H, Random, 95% CI	A	B	C	D	E	F	G
1.5.1 Igangsættelse 41+3-5														
Subtotal (95% CI)	0	0	0	0										
Total events	0		0				Not estimable							
Heterogeneity: Not applicable														
Test for overall effect: Not applicable														
1.5.2 Igangsættelse senest 42+0														
Subtotal (95% CI)	0	0	0	0										
Total events	0		0				Not estimable							
Heterogeneity: Not applicable														
Test for overall effect: Not applicable														
1.5.3 Igangsættelse senest efter 42+0 eller ikke rapporteret														
Heimstad 2007 (1)	184	250	94	246	100.0%	1.93	[1.62, 2.30]							
Subtotal (95% CI)	184	250	94	246	100.0%	1.93	[1.62, 2.30]							
Total events	184		94											
Heterogeneity: Not applicable														
Test for overall effect: Z = 7.33 (P < 0.00001)														


Footnotes

(1) 41+0 vs 43+0. "Hoping to be randomised to the same trial arm as they had been in this study"


Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

1.6 Arteriel navlesnors pH < 7.00




1.7 Apgar score mindre end 7 efter 5 min




Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

1.8 Amning (breastfeeding)




1.9 Maternel infektion (endometrit, sepsis)




Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

1.10 Postpartum blødning (postpartum haemorrhage)



1.11 Epidural bedøvelse (epidural)




1.12 Kejsersnit (caesarean section)

Study or Subgroup	Igangsættelse 41+0		Ekspekterende		Total Weight	Risk Ratio M-H, Random, 95% CI	Risk Ratio M-H, Random, 95% CI	Risk of Bias																													
	Events	Total	Events	Total				A	B	C	D	E	F	G																							
1.12.1 Igangsættelse 41+3-5																																					
Subtotal (95% CI)	0	0	0	0	0	Not estimable																															
Total events																																					
Heterogeneity: Not applicable																																					
Test for overall effect: Not applicable																																					
1.12.2 Igangsættelse senest 42+0																																					
Gelisen 2005	58	300	66	300	8.8%	0.88 [0.64, 1.20]																															
Keulen 2019	97	900	97	901	12.3%	1.00 [0.77, 1.31]																															
Wennerholm 2019	143	1381	148	1379	18.4%	0.96 [0.78, 1.20]																															
Subtotal (95% CI)	2581	2581	2580	2580	39.5%	0.96 [0.82, 1.11]																															
Total events																																					
Heterogeneity: Tau ² = 0.00; Chi ² = 0.40, df = 2 (P = 0.82); I ² = 0%																																					
Test for overall effect: Z = 0.60 (P = 0.55)																																					
1.12.3 Igangsættelse senest efter 42+0 eller ikke rapporteret																																					
Hannah 1992	360	1701	418	1706	56.6%	0.86 [0.76, 0.98]																															
Heimstad 2007	28	254	33	254	3.9%	0.85 [0.53, 1.36]																															
Subtotal (95% CI)	1955	1955	1960	1960	60.5%	0.86 [0.77, 0.97]																															
Total events																																					
Heterogeneity: Tau ² = 0.00; Chi ² = 0.01, df = 1 (P = 0.94); I ² = 0%																																					
Test for overall effect: Z = 2.41 (P = 0.02)																																					
Total (95% CI)	4536	4536	4540	4540	100.0%	0.90 [0.82, 0.99]																															
Total events																																					
Heterogeneity: Tau ² = 0.00; Chi ² = 1.52, df = 4 (P = 0.82); I ² = 0%																																					
Test for overall effect: Z = 2.25 (P = 0.02)																																					
Test for subgroup differences: Chi ² = 1.11, df = 1 (P = 0.29), I ² = 9.8%																																					


Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

1.13 Instrumental vaginal forløsning (operative vaginal birth)



1.14 Intrauterin vækstnæmning (fetal growth restriction)




2 PICO 1b Igangsættelse af fødslen ved 41+3-5 versus ekspekterende

2.1 Intrauterin fosterdød (stillbirth)

Study or Subgroup	Igangsættelse senest 41+3-5		Ekspekterende		Total Weight	Peto Odds Ratio Peto, Fixed, 95% CI	Peto Odds Ratio Peto, Fixed, 95% CI	Risk of Bias															
	Events	Total	Events	Total				A	B	C	D	E	F	G									
2.1.1 Igangsættelse senest 42+0																							
Subtotal (95% CI)	0	0	0	0	0	Not estimable																	
Total events	0	0	0	0																			
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
2.1.2 Igangsættelse senest efter 42+0 eller ikke rapporteret																							
Chanrachkul 2003	0	124	0	125	125	Not estimable																	
Subtotal (95% CI)	0	124	0	125	125	Not estimable																	
Total events	0	0	0	0																			
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
Total (95% CI)	0	124	0	125	125	Not estimable																	
Total events	0	0	0	0																			
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
Test for subgroup differences: Not applicable																							

Risk of bias legend


- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias



2.2 Perinatal død (perinatal death)

Study or Subgroup	Igangsættes 41+3-5		Ekspekterende		Total Weight	Peto Odds Ratio Peto, Fixed, 95% CI	Peto Odds Ratio Peto, Fixed, 95% CI	Risk of Bias																
	Total	Events	Total	Events				A	B	C	D	E	F	G										
2.2.1 Igangsættelse senest 42+0																								
Subtotal (95% CI)	0	0	0	0	0	Not estimable																		
Total events		0		0																				
Heterogeneity: Not applicable																								
Test for overall effect: Not applicable																								
2.2.2 Igangsættelse senest efter 42+0 eller ikke rapporteret																								
Chanrachkul 2003 (1)	0	124	0	0	125	Not estimable																		
Subtotal (95% CI)	124	124	125	125	125	Not estimable																		
Total events		0		0																				
Heterogeneity: Not applicable																								
Test for overall effect: Not applicable																								
Total (95% CI)	124	124	125	125	125	Not estimable																		
Total events		0		0																				
Heterogeneity: Not applicable																								
Test for overall effect: Not applicable																								
Test for subgroup differences: Not applicable																								

0.001 0.1 1 10 1000



Footnotes
(1) 0 events

2.3 Terapeutisk hypotermi (therapeutic hypothermia)

Study or Subgroup	Igangsættelse senest 41+3-5		Ekspekterende		Total Weight	Peto Odds Ratio		Peto Odds Ratio		Risk of Bias			
	Events	Total	Events	Total		Peto, Fixed, 95% CI	Peto, Fixed, 95% CI	A	B	C	D	E	F
2.3.1 Igangsættelse senest 42+0													
Subtotal (95% CI)	0	0	0	0	0	Not estimable							
Total events	0		0										
Heterogeneity: Not applicable													
Test for overall effect: Not applicable													
2.3.2 Igangsættelse senest efter 42+0 eller ikke rapporteret													
Subtotal (95% CI)	0	0	0	0	0	Not estimable							
Total events	0		0										
Heterogeneity: Not applicable													
Test for overall effect: Not applicable													
Total (95% CI)	0	0	0	0	0	Not estimable							
Total events	0		0										
Heterogeneity: Not applicable													
Test for overall effect: Not applicable													
Test for subgroup differences: Not applicable													



Risk of bias legend
 (A) Random sequence generation (selection bias)
 (B) Allocation concealment (selection bias)
 (C) Blinding of participants and personnel (performance bias)
 (D) Blinding of outcome assessment (detection bias)
 (E) Incomplete outcome data (attrition bias)
 (F) Selective reporting (reporting bias)
 (G) Other bias

2.4.4 Alvorlige skadevirkninger (hyperstimulation, abruptio, hyperstimulation)

Study or Subgroup	Igangsættelse 41+3-5		Ekspekterende Total Weight	Peto Odds Ratio Peto, Fixed, 95% CI	Peto Odds Ratio Peto, Fixed, 95% CI	Risk of Bias					
	Events	Total				A	B	C	D	E	F
2.4.1 Hyperstimulation											
Subtotal (95% CI)	0	0	0	Not estimable							
Total events	0	0									
Heterogeneity: Not applicable											
Test for overall effect: Not applicable											
2.4.2 Abruptio placentae											
Subtotal (95% CI)	0	0	0	Not estimable							
Total events	0	0									
Heterogeneity: Not applicable											
Test for overall effect: Not applicable											
2.4.3 Ruptur											
Subtotal (95% CI)	0	0	0	Not estimable							
Total events	0	0									
Heterogeneity: Not applicable											
Test for overall effect: Not applicable											

Risk of bias legend


- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

2.5 Fødsels- og graviditetsoplevelse (maternal satisfaction)

Study or Subgroup	Igangsættelse senest 42+0		Igangsætittels 41+3-5		Ekspekterende		Total Weight	Mean Difference IV, Random, 95% CI	Risk of Bias
	Mean	SD	Total	Mean	SD	Total			
2.5.1 Igangsættelse senest 42+0			0			0			
Subtotal (95% CI)			0			0		Not estimable	
Heterogeneity: Not applicable									
Test for overall effect: Not applicable									
2.5.2 Igangsættelse senest efter 42+0 eller ikke rapporteret			0			0			
Subtotal (95% CI)			0			0		Not estimable	
Heterogeneity: Not applicable									
Test for overall effect: Not applicable									
Total (95% CI)			0			0		Not estimable	
Heterogeneity: Not applicable									
Test for overall effect: Not applicable									
Test for subgroup differences: Not applicable									

Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias




2.6 Arteriel navlesnors pH < 7.00

Study or Subgroup	Igangsættelse 41+3-5		Total Weight	Risk Ratio M-H, Random, 95% CI	Risk Ratio M-H, Random, 95% CI	Risk of Bias						
	Events	Total				Events	Total	A	B	C	D	E
2.6.1 Igangsættelse senest 42+0												
Subtotal (95% CI)	0	0	0		Not estimable							
Total events	0	0	0									
Heterogeneity: Not applicable												
Test for overall effect: Not applicable												
2.6.2 Igangsættelse senest efter 42+0 eller ikke rapporteret												
Subtotal (95% CI)	0	0	0		Not estimable							
Total events	0	0	0									
Heterogeneity: Not applicable												
Test for overall effect: Not applicable												
Total (95% CI)	0	0	0		Not estimable							
Total events	0	0	0									
Heterogeneity: Not applicable												
Test for overall effect: Not applicable												
Test for subgroup differences: Not applicable												

Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias



2.7 Apgar score mindre end 7 efter 5 min

Study or Subgroup	Igangsættelse 41+3-5		Ekspekterende		Total Weight	Risk Ratio M-H, Random, 95% CI	Risk Ratio M-H, Random, 95% CI	Risk of Bias																	
	Events	Total	Events	Total				A	B	C	D	E	F	G											
2.7.1 Igangsættelse senest 42+0																									
Subtotal (95% CI)	0	0	0	0	0		Not estimable																		
Total events	0	0	0	0																					
Heterogeneity: Not applicable																									
Test for overall effect: Not applicable																									
2.7.2 Igangsættelse senest efter 42+0 eller ikke rapporteret																									
Chanrachkul 2003	1	124	0	125	100.0%	3.02 [0.12, 73.52]	3.02 [0.12, 73.52]																		
Subtotal (95% CI)	124	124	0	125	100.0%	3.02 [0.12, 73.52]	3.02 [0.12, 73.52]																		
Total events	1	0	0																						
Heterogeneity: Not applicable																									
Test for overall effect: Z = 0.68 (P = 0.50)																									
Total (95% CI)																									
Total events	1	124	0	125	100.0%	3.02 [0.12, 73.52]	3.02 [0.12, 73.52]																		
Heterogeneity: Not applicable																									
Test for overall effect: Z = 0.68 (P = 0.50)																									
Test for subgroup differences: Not applicable																									



2.8 Amning (breastfeeding)

Study or Subgroup	IgangsÅttels 41+3-5		Ekspekterende		Total Weight	Risk Ratio M-H, Random, 95% CI	Risk Ratio M-H, Random, 95% CI	Risk of Bias A B C D E F G
	Events	Total	Events	Total				
2.8.1 IgangsÅttelse senest 42+0								
Subtotal (95% CI)	0	0	0	0	0	Not estimable		
Total events	0		0					
Heterogeneity: Not applicable								
Test for overall effect: Not applicable								
2.8.2 IgangsÅttelse senest efter 42+0 eller ikke rapporteret								
Subtotal (95% CI)	0	0	0	0	0	Not estimable		
Total events	0		0					
Heterogeneity: Not applicable								
Test for overall effect: Not applicable								
Total (95% CI)	0	0	0	0	0	Not estimable		
Total events	0		0					
Heterogeneity: Not applicable								
Test for overall effect: Not applicable								
Test for subgroup differences: Not applicable								



- Risk of bias legend
- (A) Random sequence generation (selection bias)
 - (B) Allocation concealment (selection bias)
 - (C) Blinding of participants and personnel (performance bias)
 - (D) Blinding of outcome assessment (detection bias)
 - (E) Incomplete outcome data (attrition bias)
 - (F) Selective reporting (reporting bias)
 - (G) Other bias

2.9 Maternel infektion (endometrit, sepsis)

Study or Subgroup	Igangsættelse senest 42+0		Ekspekterende 41+3-5		Total Weight	Peto Odds Ratio		Risk of Bias				
	Events	Total	Events	Total		Peto, Fixed, 95% CI	Peto, Fixed, 95% CI	A	B	C	D	E

2.9.1 Igangsættelse senest 42+0
 Subtotal (95% CI) 0 0 0 0 Not estimable

Total events 0 0

Heterogeneity: Not applicable

Test for overall effect: Not applicable


2.9.2 Igangsættelse senest efter 42+0 eller ikke rapporteret

Subtotal (95% CI) 0 0 0 0 Not estimable

Total events 0 0

Heterogeneity: Not applicable

Test for overall effect: Not applicable




Test for subgroup differences: Not applicable

Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

2.10 Postpartum blødning (postpartum haemorrhage)



2.11 Epidural bedøvelse (epidural)

Study or Subgroup	IgangsÅittels 41+3-5		Total Weight	Risk Ratio M-H, Random, 95% CI	Risk Ratio M-H, Random, 95% CI	Risk of Bias						
	Total	Events				A	B	C	D	E	F	G
2.11.1 IgangsÅittelse senest 42+0												
Subtotal (95% CI)	0	0	0									
Total events	0	0										
Heterogeneity: Not applicable												
Test for overall effect: Not applicable												
2.11.2 IgangsÅittelse senest efter 42+0 eller ikke rapporteret												
Subtotal (95% CI)	0	0	0									
Total events	0	0										
Heterogeneity: Not applicable												
Test for overall effect: Not applicable												

Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

2.12 Kejsersnit (caesarean section)

Study or Subgroup	Igangsættelse 41+3-5		Ekspekterende		Total Weight	Risk Ratio M-H, Random, 95% CI	Risk Ratio M-H, Random, 95% CI	Risk of Bias																		
	Events	Total	Events	Total				A	B	C	D	E	F	G												
2.12.1 Igangsættelse senest 42+0																										
Subtotal (95% CI)	0	0	0	0	0	Not estimable																				
Total events	0		0																							
Heterogeneity: Not applicable																										
Test for overall effect: Not applicable																										
2.12.2 Igangsættelse senest efter 42+0 eller ikke rapporteret																										
Chanrachkul 2003	33	124	27	125	100.0%	1.23 [0.79, 1.92]																				
Subtotal (95% CI)	124	124	27	125	100.0%	1.23 [0.79, 1.92]																				
Total events	33		27																							
Heterogeneity: Not applicable																										
Test for overall effect: Z = 0.92 (P = 0.36)																										
Total (95% CI)	124	124	27	125	100.0%	1.23 [0.79, 1.92]																				
Total events	33		27																							
Heterogeneity: Not applicable																										
Test for overall effect: Z = 0.92 (P = 0.36)																										
Test for subgroup differences: Not applicable																										



- Risk of bias legend
- (A) Random sequence generation (selection bias)
 - (B) Allocation concealment (selection bias)
 - (C) Blinding of participants and personnel (performance bias)
 - (D) Blinding of outcome assessment (detection bias)
 - (E) Incomplete outcome data (attrition bias)
 - (F) Selective reporting (reporting bias)
 - (G) Other bias

2.13 Instrumental vaginal forløsning (operative vaginal birth)

Study or Subgroup	Igangsættelse 41+3-5		Ekspekterende		Total Weight	Risk Ratio		Risk Ratio		Risk of Bias			
	Events	Total	Events	Total		M-H, Random, 95% CI	M-H, Random, 95% CI	A	B	C	D	E	F
2.13.1 Igangsættelse senest 42+0													
Subtotal (95% CI)	0	0	0	0	0								
Total events	0		0										
Heterogeneity: Not applicable													
Test for overall effect: Not applicable													
2.13.2 Igangsættelse senest efter 42+0 eller ikke rapporteret													
Subtotal (95% CI)	0	0	0	0	0								
Total events	0		0										
Heterogeneity: Not applicable													
Test for overall effect: Not applicable													
Total (95% CI)	0	0	0	0	0								
Total events	0		0										
Heterogeneity: Not applicable													
Test for overall effect: Not applicable													
Test for subgroup differences: Not applicable													



- Risk of bias legend
- (A) Random sequence generation (selection bias)
 - (B) Allocation concealment (selection bias)
 - (C) Blinding of participants and personnel (performance bias)
 - (D) Blinding of outcome assessment (detection bias)
 - (E) Incomplete outcome data (attrition bias)
 - (F) Selective reporting (reporting bias)
 - (G) Other bias

2.14 Intrauterin væksthæmning (fetal growth restriction)


Study or Subgroup	Igangsættelse senest 41+3-5		Ekspekterende		Total Weight	Risk Ratio M-H, Random, 95% CI	Risk Ratio M-H, Random, 95% CI	Risk of Bias				
	Events	Total	Events	Total				A	B	C	D	E
2.14.1 Igangsættelse senest 42+0												
Subtotal (95% CI)	0	0	0	0	0		Not estimable					
Total events	0		0									
Heterogeneity: Not applicable												
Test for overall effect: Not applicable												
2.14.2 Igangsættelse senest efter 42+0 eller ikke rapporteret												
Subtotal (95% CI)	0	0	0	0	0		Not estimable					
Total events	0		0									
Heterogeneity: Not applicable												
Test for overall effect: Not applicable												
Total (95% CI)	0	0	0	0	0		Not estimable					
Total events	0		0									
Heterogeneity: Not applicable												
Test for overall effect: Not applicable												
Test for subgroup differences: Not applicable												



3 Igangsættelse af fødslen 41+0-5 versus ekspekterende (subgruppe ift paritet)

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

3.1 Intrauterin fosterdød (stillbirth)



3.2 Perinatal død (perinatal death)

Study or Subgroup	Igangsættelse 41+0-5		Ekspekterende		Peto Odds Ratio Peto, Fixed, 95% CI	Peto Odds Ratio Peto, Fixed, 95% CI	Risk of Bias						
	Events	Total	Events	Total			Weight	A	B	C	D	E	F
3.2.1 Nulliparous													
Wennerholm 2019 (1)	0	762	6	753	46.1%	0.13 [0.03, 0.66]							
Subtotal (95% CI)		762	6	753	46.1%	0.13 [0.03, 0.66]							
Total events	0		6										
Heterogeneity: Not applicable Test for overall effect: Z = 2.47 (P = 0.01)													
3.2.2 Mixed (primi- and multiparous)													
Chanrachkul 2003 (2)	0	124	0	125		Not estimable							
Gelisen 2005 (3)	0	300	1	300	7.7%	0.14 [0.00, 6.82]							
Hannah 1992 (4)	0	1701	2	1706	15.4%	0.14 [0.01, 2.17]							
Heimstad 2007 (5)	0	254	1	254	7.7%	0.14 [0.00, 6.82]							
Keulen 2019 (6)	1	900	2	901	23.1%	0.51 [0.05, 4.94]							
Wennerholm 2019 (7)	0	619	0	626		Not estimable							
Subtotal (95% CI)		3898	0	3912	53.9%	0.24 [0.05, 1.06]							
Total events	1		6										
Heterogeneity: Chi ² = 0.76, df = 3 (P = 0.86); I ² = 0% Test for overall effect: Z = 1.89 (P = 0.06)													
3.2.3 Not stated													
Subtotal (95% CI)		0	0	0	0	Not estimable							
Total events	0		0										
Heterogeneity: Not applicable Test for overall effect: Not applicable													
Total (95% CI)		4660	1	4665	100.0%	0.18 [0.06, 0.54]							
Total events	1		12										
Heterogeneity: Chi ² = 1.04, df = 4 (P = 0.90); I ² = 0% Test for overall effect: Z = 3.06 (P = 0.002) Test for subgroup differences: Chi ² = 0.28, df = 1 (P = 0.60), I ² = 0%													
Footnotes													
(1) 41+0 vs 42+0													
(2) 41+0 vs 42+0													
(3) 41+0 vs 42+0													
(4) 41+0 vs 44+0													
(5) 41+0 vs 43+0													
(6) 41+0 vs 42+0													
(7) multiparous only													

Risk of bias legend
 (A) Random sequence generation (selection bias)
 (B) Allocation concealment (selection bias)
 (C) Blinding of participants and personnel (performance bias)
 (D) Blinding of outcome assessment (detection bias)
 (E) Incomplete outcome data (attrition bias)
 (F) Selective reporting (reporting bias)
 (G) Other bias

3.3 Apgar score mindre end 7 efter 5 min

Study or Subgroup	Igangsættelse 41+0-5		Total	Weight	Risk Ratio	Risk Ratio	Risk of Bias						
	Events	Total					M-H, Random, 95% CI	M-H, Random, 95% CI	A	B	C	D	E
3.3.4 Nulliparous													
Subtotal (95% CI)	0	0	0		Not estimable								
Total events 0 0 0													
Heterogeneity: Not applicable													
Test for overall effect: Not applicable													
3.3.5 Mixed (primi- and multiparous)													
Chanrachkul 2003 (1)	1	124	0	1.3%	3.02 [0.12, 73.52]								
Gelisen 2005 (2)	3	300	3	5.2%	1.00 [0.20, 4.91]								
Hannah 1992 (3)	18	1700	20	32.6%	0.90 [0.48, 1.69]								
Heimstad 2007 (4)	3	254	4	5.9%	0.75 [0.17, 3.32]								
Keulen 2019 (5)	11	900	23	25.8%	0.48 [0.23, 0.98]								
Wennerholm 2019 (6)	18	1381	16	29.2%	1.12 [0.57, 2.19]								
Subtotal (95% CI)	54	4659	66	100.0%	0.82 [0.57, 1.18]								
Total events 54 66													
Heterogeneity: Tau ² = 0.00; Chi ² = 3.82, df = 5 (P = 0.58); I ² = 0%													
Test for overall effect: Z = 1.05 (P = 0.29)													
3.3.6 Not stated													
Subtotal (95% CI)	0	0	0		Not estimable								
Total events 0 0 0													
Heterogeneity: Not applicable													
Test for overall effect: Not applicable													
Total (95% CI)	4659	4652	66	100.0%	0.82 [0.57, 1.18]								
Total events 54 66													
Heterogeneity: Tau ² = 0.00; Chi ² = 3.82, df = 5 (P = 0.58); I ² = 0%													
Test for overall effect: Z = 1.05 (P = 0.29)													
Test for subgroup differences: Not applicable													

Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias


3.4 Kejsersnit (caesarean section)

Study or Subgroup	Igangsættelse 41+0-5		Ekspekterende		Risk Ratio	Risk Ratio	Risk of Bias								
	Events	Total	Events	Total			M-H, Random, 95% CI	M-H, Random, 95% CI	A	B	C	D	E	F	G
3.4.1 Nulliparous															
Subtotal (95% CI)	0	0	0	0	Not estimable										
Total events	0	0	0	0											
Heterogeneity: Not applicable															
Test for overall effect: Not applicable															
3.4.2 Mixed (primi- and multiparous)															
Chanrachkul 2003 (1)	33	124	27	125	4.2%	1.23 [0.79, 1.92]									
Gelisen 2005 (2)	58	300	66	300	8.4%	0.88 [0.64, 1.20]									
Hannah 1992 (3)	360	1701	418	1706	54.2%	0.86 [0.76, 0.98]									
Heimstad 2007 (4)	28	254	33	254	3.7%	0.85 [0.53, 1.36]									
Keulen 2019 (5)	97	900	97	901	11.8%	1.00 [0.77, 1.31]									
Wennerholm 2019 (6)	143	1381	148	1379	17.6%	0.96 [0.78, 1.20]									
Subtotal (95% CI)	719	4660	789	4665	100.0%	0.91 [0.83, 1.00]									
Total events	719	4660	789	4665	100.0%										
Heterogeneity: Tau ² = 0.00; Chi ² = 3.38, df = 5 (P = 0.64); I ² = 0%															
Test for overall effect: Z = 2.01 (P = 0.04)															
3.4.3 Not stated															
Subtotal (95% CI)	0	0	0	0	0	Not estimable									
Total events	0	0	0	0	0										
Heterogeneity: Not applicable															
Test for overall effect: Not applicable															
Total (95% CI)															
Total events	719	4660	789	4665	100.0%	0.91 [0.83, 1.00]									
Heterogeneity: Tau ² = 0.00; Chi ² = 3.38, df = 5 (P = 0.64); I ² = 0%															
Test for overall effect: Z = 2.01 (P = 0.04)															
Test for subgroup differences: Not applicable															


Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

3.5 Instrumental vaginal forlåsning (operative vaginal birth)



3.6 Mekonium aspiration (meconium aspirations syndrome)



3.7 Indlæggelse på neonatal afdeling (admission to neonatal intensive care unit)

Study or Subgroup	Igangsættelse 41+0-5		Ekspekterende		Total Weight	Risk Ratio M-H, Random, 95% CI	Risk Ratio M-H, Random, 95% CI	Risk of Bias																		
	Events	Total	Events	Total				A	B	C	D	E	F	G												
3.7.1 Nulliparous																										
Subtotal (95% CI)	0	0	0	0	0	Not estimable																				
Total events																										
Heterogeneity: Not applicable																										
Test for overall effect: Not applicable																										
3.7.2 Mixed (primi- and multiparous)																										
Chanrachkul 2003 (1)	1	124	0	125	0.2%	3.02 [0.12, 73.52]																				
Gelisen 2005 (2)	13	300	15	300	3.7%	0.87 [0.42, 1.79]																				
Hannah 1992 (3)	239	1700	263	1698	73.5%	0.91 [0.77, 1.07]																				
Heimstad 2007 (4)	14	254	18	254	4.2%	0.78 [0.40, 1.53]																				
Keulen 2019 (5)	3	899	8	899	1.1%	0.38 [0.10, 1.41]																				
Wennerholm 2019 (6)	55	1381	82	1374	17.3%	0.67 [0.48, 0.93]																				
Subtotal (95% CI)	325	4658	82	4650	100.0%	0.85 [0.74, 0.97]																				
Total events																										
Heterogeneity: Tau ² = 0.00; Chi ² = 4.81, df = 5 (P = 0.44); I ² = 0%																										
Test for overall effect: Z = 2.34 (P = 0.02)																										
3.7.3 Not stated																										
Subtotal (95% CI)	0	0	0	0	0	Not estimable																				
Total events																										
Heterogeneity: Tau ² = 0.00; Chi ² = 4.81, df = 5 (P = 0.44); I ² = 0%																										
Test for overall effect: Z = 2.34 (P = 0.02)																										
Test for subgroup differences: Not applicable																										

Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

4 Igangsættelse af fødslen 41+0-5 versus ekspekterende (subgruppe ift monitorering)

4.1 Intrauterin fosterdød (stillbirth)

Study or Subgroup	Igangsættelse 41+0-5		Ekspekterende		Peto Odds Ratio Peto, Fixed, 95% CI	Peto Odds Ratio Peto, Fixed, 95% CI	Risk of Bias						
	Events	Total	Events	Total			Weight	A	B	C	D	E	F
4.1.1 Less than DK													
Chamrachkul 2003 (1)	0	124	0	125	45.4%	Not estimable	+	+	+	+	+	+	+
Wennerholm 2019 (2)	0	1381	5	1379	45.4%	0.13 [0.02, 0.78]	+	+	-	+	+	+	+
Subtotal (95% CI)		1505		1504	45.4%	0.13 [0.02, 0.78]							
Total events	0		5										
Heterogeneity: Not applicable Test for overall effect: Z = 2.24 (P = 0.03)													
4.1.4 Equal to DK													
Gelisen 2005 (3)	0	300	1	300	9.1%	0.14 [0.00, 6.82]	?	?	-	+	+	+	+
Heimstad 2007	0	254	0	254	9.1%	Not estimable	+	+	-	+	+	+	+
Subtotal (95% CI)		554		554	9.1%	0.14 [0.00, 6.82]							
Total events	0		1										
Heterogeneity: Not applicable Test for overall effect: Z = 1.00 (P = 0.32)													
4.1.5 More than DK													
Hannah 1992 (4)	0	1701	2	1706	18.2%	0.14 [0.01, 2.17]	?	?	-	+	+	+	+
Subtotal (95% CI)		1701		1706	18.2%	0.14 [0.01, 2.17]							
Total events	0		2										
Heterogeneity: Not applicable Test for overall effect: Z = 1.41 (P = 0.16)													
4.1.6 Cant categorize													
Keulen 2019 (5)	1	900	2	901	27.3%	0.51 [0.05, 4.94]	+	+	-	+	+	+	?
Subtotal (95% CI)		900		901	27.3%	0.51 [0.05, 4.94]							
Total events	1		2										
Heterogeneity: Not applicable Test for overall effect: Z = 0.58 (P = 0.56)													
Total (95% CI)		4660		4665	100.0%	0.19 [0.06, 0.63]							
Total events	1		10										
Heterogeneity: Chi ² = 0.97, df = 3 (P = 0.81); I ² = 0% Test for overall effect: Z = 2.71 (P = 0.007) Test for subgroup differences: Chi ² = 0.97, df = 3 (P = 0.81), I ² = 0%													

Risk of bias legend
 (A) Random sequence generation (selection bias)
 (B) Allocation concealment (selection bias)
 (C) Blinding of participants and personnel (performance bias)
 (D) Blinding of outcome assessment (detection bias)
 (E) Incomplete outcome data (attrition bias)
 (F) Selective reporting (reporting bias)

(G) Other bias

4.2 Perinatal død (perinatal death)

Study or Subgroup	Igangsættelse 41+0-5		Ekspekterende		Peto Odds Ratio Peto, Fixed, 95% CI	Peto Odds Ratio Peto, Fixed, 95% CI	Risk of Bias						
	Events	Total	Events	Total			Weight	A	B	C	D	E	F
4.2.1 Less than DK													
Chamrachkul 2003	0	124	0	125	Not estimable		+	+	-	+	+	+	+
Wennerholm 2019 (1)	0	1381	6	1379	0.13 [0.03, 0.67]		+	-	+	+	+	+	+
Subtotal (95% CI)		1505		1504	0.13 [0.03, 0.67]								
Total events	0		6	6									
Heterogeneity: Not applicable Test for overall effect: Z = 2.45 (P = 0.01)													
4.2.2 Equal to DK													
Gelisen 2005 (2)	0	300	1	300	0.14 [0.00, 6.82]		?	+	-	+	+	+	+
Heimstad 2007 (3)	0	254	1	254	0.14 [0.00, 6.82]		+	-	+	+	+	+	+
Subtotal (95% CI)		554		554	0.14 [0.01, 2.16]								
Total events	0		2	2									
Heterogeneity: Chi ² = 0.00, df = 1 (P = 1.00); I ² = 0% Test for overall effect: Z = 1.41 (P = 0.16)													
4.2.3 More than DK													
Hannah 1992 (4)	0	1701	2	1706	0.14 [0.01, 2.17]		?	+	-	+	+	+	+
Subtotal (95% CI)		1701		1706	0.14 [0.01, 2.17]								
Total events	0		2	2									
Heterogeneity: Not applicable Test for overall effect: Z = 1.41 (P = 0.16)													
4.2.4 Cant categorize													
Keulen 2019 (5)	1	900	2	901	0.51 [0.05, 4.94]		+	-	+	+	+	+	?
Subtotal (95% CI)		900		901	0.51 [0.05, 4.94]								
Total events	1		2	2									
Heterogeneity: Not applicable Test for overall effect: Z = 0.58 (P = 0.56)													
Total (95% CI)		4660		4665	0.18 [0.06, 0.55]								
Total events	1		12	12									
Heterogeneity: Chi ² = 1.03, df = 4 (P = 0.91); I ² = 0% Test for overall effect: Z = 3.05 (P = 0.002) Test for subgroup differences: Chi ² = 1.03, df = 3 (P = 0.79), I ² = 0%													


Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)



(G) Other bias

4.3 Apgar score mindre end 7 efter 5 min



Risk of bias legend


- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)

Footnotes

- (1) 41+3 vs 44+0
- (2) 41+0 vs 42+0
- (3) 41+0 vs 42+0
- (4) 41+0 vs 43+0
- (5) 41+0 vs 44+0
- (6) 41+0 vs 42+0

(G) Other bias

4.4 Kejsersnit (caesarean section)




Risk of bias legend


- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)

(G) Other bias

4.5 Instrumental vaginal forløsning (operative vaginal birth)




4.6 Mekonium aspiration (meconium aspirations syndrome)



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

4.7 Indlæggelse på neonatal afdeling (admission to neonatal intensive care unit)



Risk of bias legend
 (A) Random sequence generation (selection bias)
 (B) Allocation concealment (selection bias)
 (C) Blinding of participants and personnel (performance bias)
 (D) Blinding of outcome assessment (detection bias)
 (E) Incomplete outcome data (attrition bias)
 (F) Selective reporting (reporting bias)

(G) Other bias

5 PICO 1a - extra outcomes

5.16 Neonatal encephalopathy (HIE)

Study or Subgroup	Induction		Expectant		Total Weight	Peto Odds Ratio		Risk of Bias						
	Events	Total	Events	Total		Peto, Fixed, 95% CI	Peto, Fixed, 95% CI	A	B	C	D	E	F	G
5.16.1 Igangsættelse senest 42+0														
Wennerholm 2019	2	1381	3	1374	100.0%	0.67	[0.12, 3.85]	+	+	+	+	+	+	+
Subtotal (95% CI)		1381		1374	100.0%	0.67	[0.12, 3.85]							
Total events	2		3											
Heterogeneity: Not applicable														
Test for overall effect: Z = 0.45 (P = 0.65)														
5.16.2 Igangsættelse senest efter 42+0 eller ikke rapporteret														
Subtotal (95% CI)		0		0		Not estimable								
Total events	0		0											
Heterogeneity: Not applicable														
Test for overall effect: Not applicable														
Total (95% CI)		1381		1374	100.0%	0.67	[0.12, 3.85]							
Total events	2		3											
Heterogeneity: Not applicable														
Test for overall effect: Z = 0.45 (P = 0.65)														
Test for subgroup differences: Not applicable														



- Risk of bias legend
- (A) Random sequence generation (selection bias)
 - (B) Allocation concealment (selection bias)
 - (C) Blinding of participants and personnel (performance bias)
 - (D) Blinding of outcome assessment (detection bias)
 - (E) Incomplete outcome data (attrition bias)
 - (F) Selective reporting (reporting bias)
 - (G) Other bias


5.17 Birth asphyxia

Study or Subgroup	Induction		Expectant		Risk Ratio M-H, Random, 95% CI	Risk Ratio M-H, Random, 95% CI	Risk of Bias						
	Events	Total	Events	Total			A	B	C	D	E	F	G
5.17.1 Igangsættelse senest 42+0													
Subtotal (95% CI)	0	0	0	0	Not estimable								
Total events: 0													
Heterogeneity: Not applicable													
Test for overall effect: Not applicable													
5.17.2 Igangsættelse senest efter 42+0 eller ikke rapporteret													
Heimstad 2007 (1)	5	254	3	254	1.67 [0.40, 6.90]								
Subtotal (95% CI)	254	254	254	254	1.67 [0.40, 6.90]								
Total events: 5													
Heterogeneity: Not applicable													
Test for overall effect: Z = 0.70 (P = 0.48)													
Total (95% CI)													
Total events	5	254	3	254	1.67 [0.40, 6.90]								
Heterogeneity: Not applicable													
Test for overall effect: Z = 0.70 (P = 0.48)													
Test for subgroup differences: Not applicable													

Footnotes: (1) Light, irritable, short-lasting convulsions, laboratory evidence of asphyxia. Severe...


- Risk of bias legend
- (A) Random sequence generation (selection bias)
 - (B) Allocation concealment (selection bias)
 - (C) Blinding of participants and personnel (performance bias)
 - (D) Blinding of outcome assessment (detection bias)
 - (E) Incomplete outcome data (attrition bias)
 - (F) Selective reporting (reporting bias)
 - (G) Other bias

5.18 Admission to neonatal intensive care unit




- Risk of bias legend
- (A) Random sequence generation (selection bias)
 - (B) Allocation concealment (selection bias)
 - (C) Blinding of participants and personnel (performance bias)
 - (D) Blinding of outcome assessment (detection bias)
 - (E) Incomplete outcome data (attrition bias)
 - (F) Selective reporting (reporting bias)
 - (G) Other bias

5.19 Mekonium aspiration (meconium aspirations syndrome)



- Risk of bias legend
- (A) Random sequence generation (selection bias)
 - (B) Allocation concealment (selection bias)
 - (C) Blinding of participants and personnel (performance bias)
 - (D) Blinding of outcome assessment (detection bias)
 - (E) Incomplete outcome data (attrition bias)
 - (F) Selective reporting (reporting bias)
 - (G) Other bias

5.20 Length of labour (hours)



6 PICO 1b - extra outcomes

6.16 Neonatal encephalopathy (HIE)

Study or Subgroup	Induction		Expectant		Total Weight	Peto Odds Ratio Peto, Fixed, 95% CI	Peto Odds Ratio Peto, Fixed, 95% CI	Risk of Bias				
	Events	Total	Events	Total				A	B	C	D	E
6.16.1 Igangsættelse senest 42+0												
Subtotal (95% CI)	0	0	0	0	0		Not estimable					
Total events	0	0	0	0								
Heterogeneity: Not applicable												
Test for overall effect: Not applicable												
6.16.2 Igangsættelse senest efter 42+0 eller ikke rapporteret												
Subtotal (95% CI)	0	0	0	0	0		Not estimable					
Total events	0	0	0	0								
Heterogeneity: Not applicable												
Test for overall effect: Not applicable												
Total (95% CI)	0	0	0	0	0		Not estimable					
Total events	0	0	0	0								
Heterogeneity: Not applicable												
Test for overall effect: Not applicable												
Test for subgroup differences: Not applicable												



Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

6.17 Birth asphyxia

Study or Subgroup	Induction		Expectant		Total	Weight	Peto Odds Ratio Peto, Fixed, 95% CI	Peto Odds Ratio Peto, Fixed, 95% CI	Risk of Bias																
	Events	Total	Events	Total					A	B	C	D	E	F	G										
6.17.1 Igangsættelse senest 42+0																									
Subtotal (95% CI)	0	0	0	0	0		Not estimable																		
Total events	0	0	0	0	0																				
Heterogeneity: Not applicable																									
Test for overall effect: Not applicable																									
6.17.2 Igangsættelse senest efter 42+0 eller ikke rapporteret																									
Chanrachkul 2003 (1)	1	124	0	125	100.0%		7.45 [0.15, 375.41]																		
Subtotal (95% CI)	1	124	0	125	100.0%		7.45 [0.15, 375.41]																		
Total events	1	124	0	125	100.0%		7.45 [0.15, 375.41]																		
Heterogeneity: Not applicable																									
Test for overall effect: Z = 1.00 (P = 0.32)																									
Total (95% CI)																									
Total events	1	124	0	125	100.0%		7.45 [0.15, 375.41]																		
Heterogeneity: Not applicable																									
Test for overall effect: Z = 1.00 (P = 0.32)																									
Test for subgroup differences: Not applicable																									

Footnotes

(1) Asphyxia

Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

6.18 Admission to neonatal intensive care unit

Study or Subgroup	Induction		Expectant		Total	Weight	Peto Odds Ratio Peto, Fixed, 95% CI	Peto Odds Ratio Peto, Fixed, 95% CI	Risk of Bias														
	Events	Total	Events	Total					A	B	C	D	E	F	G								
6.18.1 Igangsættelse senest 42+0																							
Subtotal (95% CI)	0	0	0	0	0		Not estimable																
Total events	0	0	0	0	0																		
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
6.18.2 Igangsættelse senest efter 42+0 eller ikke rapporteret																							
Chanrachkul 2003	1	124	0	125	100.0%		7.45 [0.15, 375.41]																
Subtotal (95% CI)	124	124	0	125	100.0%		7.45 [0.15, 375.41]																
Total events	1	0	0	0	0																		
Heterogeneity: Not applicable																							
Test for overall effect: Z = 1.00 (P = 0.32)																							
Total (95% CI)	124	125	0	125	100.0%		7.45 [0.15, 375.41]																
Total events	1	0	0	0	0																		
Heterogeneity: Not applicable																							
Test for overall effect: Z = 1.00 (P = 0.32)																							
Test for subgroup differences: Not applicable																							

Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

6.19 Meconium aspiration syndrome

Study or Subgroup	Induction		Expectant		Total Weight	Risk Ratio M-H, Random, 95% CI	Risk Ratio M-H, Random, 95% CI	Risk of Bias															
	Events	Total	Events	Total				A	B	C	D	E	F	G									
6.19.1 Igangsættelse senest 42+0																							
Subtotal (95% CI)	0	0	0	0	0		Not estimable																
Total events	0	0	0	0																			
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
6.19.2 Igangsættelse senest efter 42+0 eller ikke rapporteret																							
Subtotal (95% CI)	0	0	0	0	0		Not estimable																
Total events	0	0	0	0																			
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
Total (95% CI)	0	0	0	0	0		Not estimable																
Total events	0	0	0	0																			
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
Test for subgroup differences: Not applicable																							

Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias



6.20 Length of labour (hours)

Study or Subgroup	Induction		Expectant		Total	Weight	Mean Difference IV, Random, 95% CI	Risk of Bias															
	Mean	SD	Mean	SD				A	B	C	D	E	F	G									
6.20.1 Igangsættelse senest 42+0																							
Subtotal (95% CI)	0		0		0	0	Not estimable																
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
6.20.2 Igangsættelse senest efter 42+0 eller ikke rapporteret																							
Subtotal (95% CI)	0		0		0	0	Not estimable																
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
Total (95% CI)	0		0		0	0	Not estimable																
Heterogeneity: Not applicable																							
Test for overall effect: Not applicable																							
Test for subgroup differences: Not applicable																							

Risk of bias legend

- (A) Random sequence generation (selection bias)
- (B) Allocation concealment (selection bias)
- (C) Blinding of participants and personnel (performance bias)
- (D) Blinding of outcome assessment (detection bias)
- (E) Incomplete outcome data (attrition bias)
- (F) Selective reporting (reporting bias)
- (G) Other bias

